Severn Estuary Climate Change Citations Database

Version 5 October 2010
Compiled by Cardiff University and Severn Estuary Partnership also available as ENDNOTE Database Software File

CLASSIFICATION SYSTEM

Se	evern Estuary Climate Change Citations Database	1
1.	CLIMATE CHANGE IMPACTS	1
	1.1 Amenities	1
	1.2 Critical Infrastructure	3
	1.3 Cultural & Archaeological Heritage	6
	1.4 Geology	
	1.5 Habitats & Ecosystems	
	1.6 Nutrients and Contaminants	
	1.7 Regional and Local Climate Change	
	1.8 Sea Level	
	1.9 Storm Surges and Coastal Flooding	
	1.10 Storminess, Hydrodynamics and Sediments	
	ADAPTATION	
	2.1 Coastal Defence and Managed Realignment	
	2.2 Environmental Economics	
	2.3 Infrastructure and Engineering	
	2.4 Institutional Capacity	
	2.5 Shoreline Management	
	2.6 Strategic Policy and Planning	.00 72
	MITIGATION	
	3.1 Renewables – Current	
	3.2 Renewables – Tidal	
	3.3 Renewables – Wave	
	3.4 Renewables – Wave	
	INTEGRATED ASSESSMENT	. <i>I</i> ອ Ω∩

1. CLIMATE CHANGE IMPACTS

1.1 Amenities

Barne, J. H., C. F. Robson, et al. (1996). Coasts and Seas of the United Kingdom. Region 11, The Western Approaches: Falmouth Bay to Kenfig. . Peterborough, Joint Nature Conservation Committee.

Ergin, A., E. Karaesmen, et al. (2004). "A new methodology for evaluating coastal scenery: Fuzzy logic systems." Area 36(4): 367-386.

Ergin, A., A. T. Williams, et al. (2006). "Coastal Scenery: Appreciation and Evaluation" Journal of Coastal Research 22(4): 958-964.









Morgan, R., T. C. Jones, et al. (1993). "Opinions and Perceptions of UK Heritage Coast Beach Users: some management implications from the Glamorgan Heritage Coast." Journal of Coastal Research 9(4): 1083-1093.

Morgan, R. and A. T. Williams (1999). "Video panorama assessment of beach landscape aesthetics on the coast of Wales." Journal of Coastal Conservation 5(1): 13-22.

Nelson, C., R. Morgan, et al. (2000). "Beach awards and management." Ocean and Coastal Management 43(1): 87-98.

Nelson, C. and A. T. Williams (1997). Bathing water quality and health implications. International Conference on Water Pollution, Proceedings.

Parsons Brinckerhoff and Black and Veatch Ltd. (2008). Severn Tidal Power SEA Scoping Topic Paper: Landscape and Seascape. Bristol, A report to the Department of Energy and Climate Change (DECC).

Phillips, M. R. and A. L. Jones (2006). "Erosion and tourism infrastructure in the coastal zone: Problems, consequences and management." Tourism Management 27(3): 517-524.

The Royal Yachting Association (RYA) (2007). Offshore SEA 8. Identifying Recreational Cruising Routes, Sailing and Racing Areas within the SEA 8 Area. London, Department for Energy and Climate Change (DECC).

Tudor, D. T. (2001). Aspects of debris pollution at selected Bristol Channel beaches. Bristol, West of England. PhD.

Tudor, D. T. and A. T. Williams (2003). "Public Perception and Opinion of Visible Beach Aesthetic Pollution: The Utilisation of Photography." Journal of Coastal Research 19(4): 1104-1115.

Tudor, D. T. and A. T. Williams (2006). "A rationale for beach selection by the public on the coast of Wales, UK." Area 38(2): 153-164.

Williams, A. T. and N. E. Caldwell (1981). "Sediment Disturbance by 'Beach Paddlers' Along the Glamorgan Heritage Coast, UK." Shore and Beach(April): 30-33.

Williams, A. T. and J. H. Howden (1985). "The Social Aspects of Cliff Falls Along the Glamorgan Heritage Coast, UK: 'Is Sex a Stronger Drive than Safety?" Centre Recherches en Geographie Physique de l'Environment Association Française de Geographie Physique 1(2): 129-139.

Williams, A. T. and E. J. Sothern (1986). "Recreational Pressure Along the Glamorgan Heritage Coast, Wales, UK." Shore and Beach 54(1): 30-37.

Williams, A. T. and M. J. Williams (1991). "Hazard Awareness at the Glamorgan Heritage Coast, Wales, UK." Bulletin of Geomorphology 19: 41-46.

Williams, A. T. and M. J. Williams (1991). "The perceived effectiveness of coastal warning signs." Coastlines of the Caribbean: 70-84.









1.2 Critical Infrastructure

(1987). "Tidal barrage plans in the Severn Estuary." Marine Pollution Bulletin 18(12): 620-620.

Anon (2005). "The Severn bridges " Wide World 16(4): 20-21.

Anon (2005). "Tacking the Severn Estuary." International Gas Engineering Management 45(3).

Barne, J. H., C. F. Robson, et al. (1996). Coasts and Seas of the United Kingdom. Region 11, The Western Approaches: Falmouth Bay to Kenfig. . Peterborough, Joint Nature Conservation Committee.

Brown, J. (2000). The Bristol Channel Marine Aggregates Constraints Research Project: keeping the consultation process clear of murky waters! Coastal Management: integrating science, engineering and management. C. A. Flemming. Bristol, Thomas Telford: 168-175.

Cari, J. J. W., S. L. Philpott, et al. (2005). Marine Aggregates in the Bristol Channel. Urban Geology in Wales. M. Bassett, V. Deisler and D. Nichol. Cardiff, National Museum of Wales. 2: 222-228

Chambers, S., Maddison, J.D., Jones, D.B. and Thomas, A. (1995). Investigations in Trias strata for the Second Severn Crossing. The interplay between geotechnical engineering and engineering geology, European conference on Soil mechanics and foundation engineering, XI ECSMFE;.

Cotter, C. H. (1975). "Large Ship Navigation in the Upper Bristol Channel." Journal of Navigation 28(1): 31-35.

Countryside Council for Wales (1998). Towards a strategy for the Gwent Levels into the next millennium. Bangor, CCW.

Department of Energy (1981). The Severn Estuary wave climate study: April 1978 - March 1979, Department of Energy, London.









Department of Energy (1981). The Severn Estuary Wave Climate Study: Set of Progress Reports, Department of Energy, London.

Department of Energy (1981). The Severn Estuary Wave Climate study: Wind wave correlation: waves April 1978 - March 1981 winds April 1960 - March 1981, Department of Energy, London.

Department of Energy (1981). Severn tidal power: recording of tide levels in 1979, Department of Energy, London; .

Department of Energy (1981). Tidal energy survey of the Severn Estuary and Bristol Channel (single basin - single effect). , Department of Energy, London.

Department of Energy (1981). Tidal energy survey of the Severn Estuary and Bristol Channel: Supplementary Report no. 2. , Department of Energy, London.

Department of Energy (1981). Tidal Power from the Severn Estuary, Department of Energy, London. 1.

Department of Energy (1989). Severn Barrage Project Detailed Report. Volume 5: Regional Studies and Legal Background. London, Department of Energy/STPG/CEGB. 2.

Department of Energy (1989). The Severn Barrage Project: General Report, Department of Energy, London.

Ecoscope Applied Ecologists, Silsoe College, et al. (1999). Re-creation options for River Severn/Avon floodplain wetlands. English Nature Research Reports, No 692. Peterborough, English Nature.

Edwards, R. J. G. (1997). "A review of the hydrogeological studies for the Cardiff Bay Barrage." The Quarterly Journal of Engineering Geology 30(1): 49-61.

English Nature (2002). Modelling the effect of land use change in the upper Severn catchment on flood levels downstream. Peterborough, English Nature.

European Development Group (1998). The international airport for Wales at Severnside- project outline.

Evans, J., N. A. Clark, et al. (1990). The effect of the Cardiff Bay barrage on waterfowl populations. I. Distribution and movement studies November 1989-May 1990, British Trust for Ornithology.

Faganello, E. and S. Dunthorne (2005). The modelling of Cardiff Bay Barrage control system: The revised automatic control logic for the sluice gates Flooding and Environmental Challenges for Venice and its Lagoon: State of Knowledge. C. A. Fletcher and T. Spencer. New York, Cambridge University Press, Books, 40 West 20th Street New York NY 10011-4211 USA: 299-309.

Heald, D. (1991). "Accounting for the Severn Bridge " Financial Accountability & Management; 7(4): 41.

Hitchcock, D. R., R. C. Newell, et al. (1999). Investigation of Benthic and Surface Plumes associated with Marine Aggregate Mining in the United Kingdom Final Report, Coastline Surveys Ltd.

Hobbs, J. and N. Morley (2007). Offshore SEA 8. Technical Report on the Other Users of the SEA 8 Area. London, Department for Energy and Climate Change (DECC).

Parsons Brinckerhoff (2008). Severn Tidal Power SEA Scoping Topic Paper: Society & Economy. Bristol, A report to the Department of Energy and Climate Change (DECC).

Parsons Brinckerhoff and ABP Mer (2008). Severn Tidal Power SEA Scoping Topic Paper: Other Sea Uses. Bristol, A report to the Department of Energy and Climate Change (DECC).

Parsons Brinckerhoff and Black and Veatch Ltd. (2008). Severn Tidal Power SEA Scoping Topic Paper: Landscape and Seascape. Bristol, A report to the Department of Energy and Climate Change (DECC).

Parsons Brinckerhoff and Black and Veatch Ltd. (2008). Severn Tidal Power SEA Scoping Topic Paper: Navigation. Bristol, A report to the Department of Energy and Climate Change (DECC).









Phillips, M. R. and A. L. Jones (2006). "Erosion and tourism infrastructure in the coastal zone: Problems, consequences and management." Tourism Management 27(3): 517-524.

Posford Duvivier Environment and ABP Research (2000). Bristol Channel Marine Aggregates: resources and constraints research project. Final Report. Peterborough, Posford Duvivier Environment.

Severn Estuary Strategy (1997). Joint Issues Report. Cardiff, Severn Estuary Strategy.

Shaw, T. (1986). Regional infrastructure and employment implications of tidal power barrages in the Severn Estuary. Tidal Power London, American Institute of Civil Engineers.

Shuttler, R. M. (1982). The wave climate in the Severn Estuary. Severn Barrage. I.O.C. Engineers. London, Thomas Telford..

South East Wales Strategic Planning Group (2000). Strategic Planning Guidance for South East Wales. Volume 1. SEWSPG.

South East Wales Strategic Planning Group (2001). Strategic Planning Guidance for South East Wales. Volume 2. SEWSPG.

South Gloucestershire Council (2005). South Gloucestershire Landscape Character Assessment SPD.

Tappin, D. R., K. Rocks, et al. (2007). Offshore SEA 8. DTI (DECC) Strategic Environmental Assessment Area 8, Superficial Seabed Processes and Hydrocarbon Prospectivity. London, Department for Energy and Climate Change (DECC).

Welsh Assembly Government (2001). Draft Marine Aggregates Dredging Policy (South Wales); consultation document. Planning Division, Welsh Assembly Government.

Williams, A. T. (1990). "Management strategies for coastal conservation in South Wales, UK." Recreational Uses of Coastal Areas: 19-38.

Williams, A. T. and C. D. Lavalle (1990). "Coastal Landscape Evaluation and Photography." Journal of Coastal Research 6(1): 1011-1020.

Williams, M. (1970). The Draining of the Somerset Levels. Cambridge, Cambridge University Press.









1.3 Cultural & Archaeological Heritage

Aldhouse-Green, S. H. R., A. W. R. Whittle, et al. (1992). "Prehistoric Human Footprints from the Severn Estuary at Uskmouth and Magor Pill, Gwent, Wales." Archaeoi Cambrensis XLI: 14-55.

Allen, J. and M. G. Fulford (1990). "Romano-British and later reclamations on the Severn salt marshes in the Elmore area, Gloucestershire "Transactions of the Bristol and Gloucestershire Archaeological Society 108: 17-32.

- Allen, J. R. L. (1988). "Chemical Compositional Patterns in Romano-British Bloomery Slags From the Wetlands if the Severn Estuary." Historical Metallagy 22(2): 81-86.
- Allen, J. R. L. (1989). "Reclamation and sea defence in Rumney Parish (Monmouthshire) " Archaeological Cambrensis 137: 135-141.
- Allen, J. R. L., Ed. (1992). The post-glacial geology and geoarchaeology of the Avon wetlands. . Proceedings of the Bristol Naturalists' Society.
- Allen, J. R. L. (1992). "A Reconnaissance Map of Medieval Alluvial Ploughlands in the Vale of Berkeley, Gloucestershire and Avon." Trans Bristol and Gloucestershire Archaeology Soc 110: 87-97.
- Allen, J. R. L. (1996). A Possible Medieval Trade in Iron Ores in the Severn Estuary. Medieval Archaeology. London, Society for Medieval Archaeology.
- Allen, J. R. L. (1996). "The sequence of early land-claims on the Walland and Romney Marshes, southern Britain: a preliminary hypothesis and some implications." Proceedings of the Geologists Association 107: 271-280
- Allen, J. R. L. (1996). "Three final Bronze Age occupations at Rumney Great Wharf on the Wentlooge Level, Gwent." Studia Celtica 30: 1-16.









- Allen, J. R. L. (1997). "The seabank on the Wentlooge Level: date of set-back from documentary and pottery evidence." Archaeology in the Severn Estuary 7: 67-84.
- Allen, J. R. L. (1997). "Subfossil mammalian tracks (Flandrian) in the Severn Estuary, S. W. Britain: mechanics of formation, preservation and distribution." Philosophical Transactions of the Royal Society B: Biological Sciences 352(1352): 481-518.
- Allen, J. R. L. (1998). "The geoarchaeology of land-claim in coastal wetlands: a sketch from Britain and the north-western European Atlantic-North Sea coast." Archaeology Journal 154: 1-54.
- Allen, J. R. L. (2002). "The landscape archaeology of the Lydney Level, Gloucestershire: natural and human transformations over the last two millennia." Transactions of the Bristol and Gloucestershire Archaeological Society 119: 27-57.
- Allen, J. R. L. and M. G. Fulford (1986). "The Wentlooge Level: A Romano-British Saltmarsh Reclamation in South east Wales." Britannia XVII: 91-117.
- Allen, J. R. L. and M. G. Fulford (1987). "Romano-British settlement and industry on the wetlands of the Severn Estuary." Antiquities 67(Part 2).
- Allen, J. R. L. and M. G. Fulford (1990). "Romano-British wetland reclamations at Longney, Gloucestershire, and evidence for the early settlement of the inner Severn Estuary" Antiquaries Journal; 70(2): 288-326.
- Allen, J. R. L. and M. G. Fulford (1993). "Romano-British and later geoarchaeology at Oldbury Flats: reclamation and settlement on the changeable coast of the Severn Estuary." Archaeology Journal 149: 82-123.
- Allen, J. R. L. and M. G. Fulford (1994). "The Settlement and Drainage of the Wentlooge Level, Gwent: Survey and Excavation at Rumney Great Wharf, 1992." Britannia XXV: 175-211.
- Allen, J. R. L. and S. Rippon (1994). "Magor Pill, Gwent: The Geoarchaeology of a Late Flandrian Tidal Palaeochannel, Archaeology in the Severn Estuary 1994, 41-50."
- Allen, J. R. L. and S. J. Rippon (1996). "The historical simplification of coastal flood defences: four case histories from the Severn Estuary Levels, S W Britain." Transactions of the Bristol Gloucestershire Archaeological Society 113: 73-88.
- Barne, J. H., C. F. Robson, et al. (1996). Coasts and Seas of the United Kingdom. Region 11, The Western Approaches: Falmouth Bay to Kenfig. . Peterborough, Joint Nature Conservation Committee.
- Bell, M. (1991). Goldcliff Excavations 1991, Severn Estuary Levels Research Committee Annual Report for 1991, 13-23.
- Bell, M. (1992). Field Survey and Excavation at Goldcliff 1992, Severn Estuary Levels Research Committee Annual Report for 1992, 15-29.
- Bell, M. (1992). The Goldcliffe project, Wales. NewsWARP. 11.
- Bell, M. (1993). Field Survey and Excavation at Goldcliff, Gwent 1993, Archaeology in the Severn Estuary 1993, 81-106.
- Bell, M. (1993). Severn Estuary Levels Research Committee. CBA Wales Newsletter. 4: 1-3.
- Bell, M. (1994). Field Survey and Excavation at Goldcliff, Gwent 1994, Archaeology in the Severn Estuary 1994, 115-44.
- Bell, M. (1994). Severn Estuary under threat. CBA Wales Newsletter. 7: 1-3.









Bell, M. (1995). "Field survey and excavation at Goldcliff, Gwent 1994." Archaeology in the Severn Estuary 6: 115-165

Bell, M. (2000). "Intertidal peats and the archaeology of coastal change in the Severn Estuary, Bristol Channel and Pembrokeshire." Geological Society, London, Special Publications 175(1): 377 - 392.

Bell, M., A. Casteldine, et al. (2000). Prehistoric intertidal archaeology in the Welsh Severn Estuary, Council for British Archaeology 409.

Bell, M. and H. Neumann (1997). "Prehistoric intertidal archaeology and environments in the Severn Estuary, Wales " World Archaeology; 29(1): 95-113.

Bell, M. and H. Neumann (1998). "Intertidal survey in the Welsh Severn Estuary 1997." Archaeology in the Severn Estuary 8: 13-28

Bell, M. G., A. E. Caseldine, et al. (1990). Archaeology of the Second Severn Crossing: assessment and recommendations for Gwent. Swansea, Glamorgan-Gwent Archaeological Trust.

Bennett, M. R., S. Gonzalez, et al. "Probable Neolithic footprints preserved in inter-tidal peat at Kenfig, South Wales (UK)." Proceedings of the Geologists' Association In Press, Corrected Proof.

Boon, G. C. (1975). "Rumney Great Wharf." Archaeology Wales 15: 48-49.

Boon, G. C. (1980). Caerleon and Gwent Levels in Early Historic Times. Archaeology and Coastal Change. F. H. Thompson. London, Soc Antiq. Occasional Papers New Series 1.

Burrow, S., T. Driver, et al. (2001). Bridging the Severn Estuary, two possible earlier Neolithic enclosures in the Vale of Glamorgan. Neolithic Enclosures in Atlantic Northwest Europe. T. Darvill and J. Thomas, Oxbow Books: 91-100.

Cadw (Welsh Historic Monuments) (1999). Gwent: Register of landscapes, parks and gardens of special historic interest in Wales. Part 1, Parks and gardens.

Countryside Council for Wales (1991). Nature Conservation and Physical Development on the Gwent Levels: The Current and Future Implications. Cardiff, CCW.

Courtney, P. (1987). "Some Exotic Imports and Other Wares from the South Wales Coast." Medieval Later Pottery Wales 9: 23-30.

Crowther, P. R. (1992). The Coast of Avon Bristol Naturalists' Society (1 April 1992)

A collection of eight individually authored papers (abstracted separately) on the geology, geography and natural history of the region. Topics covered include heavy metal pollution in the Severn Estuary; regional geology; and post-glacial wetland geology and geoarchaeology.

Crowther, S., A. Dickson, et al. (2008). Severn Estuary Rapid Coastal Zone Assessment Survey National Mapping Programme. Swindon, A report to English Heritage.

Davies, P. and A. T. Williams (1991). "The enigma of the destruction of Colhuw Port, Wales." Geographical Review 8(3): 259-266.

Dingwall, L. and I. M. Ferris (1993). Archaeological Investigations in 1992 on the Gwent Approaches to the Second Severn Crossing: a Post-Excavation Assessment. Birmingham University Archaeology Field Unit. Unpublished Report M.236.

Dowdell, G. and H. J. Thomas (1980). "Evidence for the Sea-Borne Carriage of Medieval and Later Pottery in the Bristol Channel." Medieval Later Pottery Wales 3: 5-31.

Ergin, A., A. T. Williams, et al. (2006). "Coastal Scenery: Appreciation and Evaluation " Journal of Coastal Research 22(4): 958-964.









Ferris, I. and L. Dingwall (1992). Archaeological Investigations in 1992 on the Gwent Approaches to the Second Severn Crossing. Severn Estuary Levels Research Committee Annual Report 1992: 38-43.

Fulford, M. G., J. H. L. Allen, et al. (1994). "The Settlement and Drainage of the Wentlooge Level, Gwent: Excavation and Survey at Rumney Great Wharf, 1992." Britannia XXV: 175-211.

Fulford, M. G., S. Rippon, et al. (1992). "The Medieval Quay at Woolaston Grange, Gloucestershire." Trans Bristol and Gloucester-shire Archaeology Soc 110: 101-127.

Gardiner, J., M. J. Allen, et al. (2002). "Making the most of it: late prehistoric pastoralism in the Avon Levels, Severn Estuary" Proceedings of the Prehistoric Society 68: 1-39.

Gloucestershire Council and Somerset County Council Heritage (2008). Severn Estuary Rapid Coastal Zone Assessment. Phase 1 Report, English Heritage.

Godbold, S. and R. Turner (1992). Second Severn Crossing 1991: The Welsh Intertidal Zone. Severn Estuary Levels Research Committee Annual Report 1992: 45-55.

Godbold, S. and R. Turner (1993). Second Severn Crossing: Archaeological Response Phase 1 - The Intertidal Zone in Wales. Cardiff, Cadw.

Godbold, S. and R. Turner (1994). "Medieval Fishtraps in the Severn Estuary." Med Archaeology XXXVIII: 1954.

Godwin, H. (1940). "Data for the study of Post Glacial History V: A Boreal Transgression of the Sea in Swansea Bay." New Phytol 39(3): 308-321.

Godwin, H. and E. H. Willis (1964). "Cambridge University National Radiocarbon Measurements VI." Radiocarbon 6: 113-137.

Green, C. (1992). The Severn Fisheries. Severn Estuary Levels Research Committee Annual Report 1992: 69-73.

Green, C. (1994). "Duck Decoys on the Gwent Levels, Archaeology in the Severn Estuary 1994, 35-9."

Green, S. (1989). "Some recent archaeological and faunal discoveries from the Severn Estuary Levels." Bulletin board of Celtic Studies 36: 187-199.

Gustard, W. T. (1933). Levels of the Hundreds of Caldicot and Wentlooge. Bound volume of typescript notes by the Chief Clerk to the Commissioners of Sewers for Monmouthshire.

Haslett, S. K. (2003). "Earl to mid Holocene (Mesolithic-Neolithic) Development of the Olway Valley (Gwent, UK) and its Archaeological Potential." Monmouthshire Antiquary 14: 3-19.

Haslett, S. K. (2005). "Holocene Floodplain Sediments and Associated Archaeology of the Olway Valley (Gwent, UK): An Excavation Report." Monmouthshire Antiquary 21: 5-20.

Haslett, S. K., P. Davies, et al. (2000). "The changing estuarine environment in relation to Holocene sea level and the archaeological implications." Archaeology in the Severn Estuary.

Heal, V. (2001). "Prehistoric intertidal archaeology in the Welsh Severn estuary." International Journal of Nautical Archaeology 30(2): 307-308.

Hewlett, R. (1997). Holocene environmental change and the response to sea-level in the Inner Severn Estuary. Bristol, University of Bristol. PhD.

Hutchinson, G. (1984). "A Plank from a Boat Find from the River Usk at Newport." International J Nautical Archaeology Underwater Explorer 13(1): 27-32.

James, C. H. (1900). "Notes on the Great Flood of Jan. 20th 1607." Trans Cardiff Nature Soc 33: 53-58.









Jones, B. (1998). The Severn Estuary: a wetland under threat. Rescue News. 74.

Lawler, M. and N. Nayling (1993). Investigations at Barlands Farm, Magor, 1993. Archaeology in the Severn Estuary 1993: 109-112.

Lawler, M., J. Parkhouse, et al. (1992). Archaeology of the Second Severn Crossing: Assessment and recommendations for the English Approaches. Swansea, Glamorgan Gwent Archaeology Trust.

Lewis, E. A. (1927). "The Welsh Port Books (1550- 1603)." Cymmrodorion Record Society XII.

Locke, S. (1970). "The Post-Glacial Deposits of the Caldicot Levels and Some Associated Archaeological Discoveries." Monmouthshire Antiquary 3 (1): 1-16.

Maritime Archaeology Ltd and N. Flemming (2007). Offshore SEA 8. Marine Archaeological Heritage. London, Department for Energy and Climate Change (DECC).

Matthews, L. H. (1933). "The Sea Fish and Fisheries of the Bristol District." Proc Bristol Nature Soc 7: 442-462.

Maylan, N. (1994). A curator's view of the Severn Estuary. CBA Wales Newsletter. 7: 3-4.

Summarises planning policy and development control responses to potential threats to the important archaeology of the Severn Estuary Levels (see also 95/874).

Morgan, O. (1878). "Ancient Danish Vessel Found Near the Mouth of the Usk." Archaeology J 53: 403-405.

Nayling, N. (1993). Caldicot Castle Lake. Archaeology in the Severn Estuary 1993: 77-80.

Nayling, N. (1996). "The Magor Pill boat " Current Archaeology 149: 180-183.

Nayling, N., D. Maynard, et al. (1994). "Barland's farm, Magor, Gwent: a Romano-Celtic boat " Antiquity 68(260): 596-603.

Parkhouse, S. and M. Lawler (1990). Archaeology of the Second Severn Crossing: Assessment and Recommendations for Gwent. %1 Unpublished, GGAT Report, GGAT.

Parkhouse, S. and S. Parry (1990). Rumney Alternative Bird Feeding Grounds: An Archaeological Assessment. Unpublished, GGAT Report, GGAT.

Parry, S. (1990). Caldicot: A Late Bronze Age Maritime Site in Gwent. Severn Estuary Levels Research Committee Annual Report 1990: 5-11.

Parsons Brinckerhoff and Wessex Archaeology (2008). Severn Tidal Power SEA Scoping Topic Paper: Historic Environment. Bristol, A report to the Department of Energy and Climate Change (DECC).

Putley, J. (1999). Riverine Dean. The Maritime and Waterfront Archaeology of the Forest of Dean. Lydney, Dean Archaeological Group.

Pye, K. and J. R. L. Allen (2000). Coastal & Estuarine Environments: Sedimentology, Geomorphology & Geoarchaeology, Geological Society Publishing House.

Rendell, S. and J. Rendell (1993). Steep Holm: The Story of a Small Island. Stroud, Alan Sutton Publishing: 43-46.

Rippon, S. (1992). The Exploitation of the North Somerset Levels in the Roman Period. Severn Estuary Levels Research Committee Annual Report for 1992: 35-38.

Rippon, S. (1993). Severn Wetlands During the Historic Period. Archaeology in the Severn Estuary 1993: 31-36.









Rippon, S. (1994). Medieval Wetland Reclamation In Somerset. The Medieval Landscape of Wessex. M. Aston and C. Lewis. Oxford, Oxbow Monogr. 46: 239-253.

Rippon, S. (1994). Roman Settlement and Landscape at Kenn Moor, North Somerset: Interim Report 1993-4. Archaeology in the Severn Estuary 1994: 21-34.

Rippon, S. (1995). The Gwent Levels Historic Landscape Study: Characterization and Assessment of the Landscape. Cardiff, Cadw/CCW.

Rippon, S. (1995). Human/Environment Relations in the Gwent Levels: Archaeology and Ecology in a Coastal Wetland. Wetlands: Archaeology and Nature Conservation. M. Cox, V. Straker and D. Taylor. Norwich, HMSO.

Rippon, S. (1996). Gwent Levels: the evolution of a wetland landscape. CBA Research Report No. 105, CBA.

Rippon, S. (1997). The Severn Estuary: Landscape Evolution and Wetland Reclamation. Leicester, Leicester University Press.

Rippon, S. (1997). Wetland Reclamation on the Gwent Levels: Dissecting a Historic Landscape. Landscape and settlement in medieval Wales. N. Edwards. Oxford, Oxbow: 13-30.

Rippon, S. J. (1993). Landscape evolution and wetland reclamation around the Severn Estuary. Reading, University of Reading. PhD.

Rippon, S. J. (2000). Estuarine archaeology: the Severn and beyond: annual report of the Severn Estuary Levels Research Committee. . Severn Estuary Research Committee Annual Conference, Abergavenny, Wales, Severn Estuary Research Committee.

Robinson, D. M. (1988). Notes on Romano-British Rural Settlement in South East Wales. Caldicot and Llandough Three Late Iron Age and Romano-British Sites in South East Wales Excavations. D. M. Robinson and B. Biglis. BAR Brit Ser 188.

Robinson, W. R. B. (1970). "Dr Thomas Phaer's Report on his Perambulation Around the Coast of Wales." Bull Board Celtic Studies 24(iv): 491-503.

Rowlands, I. W. (1980). "The Making of the March: Aspects of the Norman Settlement of Dyfed." Anglo-Norman Studies III: 142-157.

Scaife, R. G. and A. J. Long (1995). Evidence for Holocene sea-level changes at Caldicot Pill, the Seven Estuary. Archaeology in the Seven estuary 1994. Annual report of the Seven Estuary Levels Research Committee. M. Bell: 81-86.

Smith, D. (1993). Coleoptera from Vurlong Reen, near Caldicot, South Wales. Archaeology in the Severn Estuary 1993: 73-76.

Smith, D. N., P. J. Osborne, et al. (1997). Preliminary palaeoentomological research at the Iron Age sites at Goldcliff, Gwent, Wales, 1991-93. Studies in Quaternary entomology; an inordinate fondness for insects. A. C. Ashworth, P. C. Buckland and J. P. Sadler. Chichester, Published on behalf of the Quaternary Research Association by John Wiley & Sons: 255-267.

Sylvester, D. (1958). "The Common Fields of the Coastlands of Gwent." Agr Hist Rev VI(1): 92-96.

Tetlow, E. A. (2004). The palaeoentomology of the salt marshes & coastal woodlands of the Severn Estuary. Birmingham, University of Birmingham. PhD.

Thomas, H. J. and G. Dowdell (1987). "A Shrunken Medieval' Village at Barry, Glamorgan." Archaeology Cambrensis CXXXVI: 94-137.









Thomas, V. (1987). Communities of the Wentlooge Levels, Monmouthshire 1650-1800. Cardifff, Department of Extra Mural Studies, University Cardiff. Unpublished MA dissertation.

Toft, L. A. and A. G. Vince (1988). "A Study of Coastal Village Abandonment in the Swansea Bay Region, 1270-1540 Finds." Morgannwg XXXII: 21-37.

Turner, R., J. R. L. Allen, et al. (2000). "The Severn Estuary Levels: Ten Years Past And Ten Years Forward." Archaeology in the Severn Estuary 11: 1-12.

Vyner, B. and D. W. H. Allen (1988). A Romano-British Settlement at Caldicot, Gwent. Biglis, Caldicot, and Llandough: Three Late Iron Age and Romano-British Sites in South East Wales. Excavations 1977-79. D. Robinson. BAR Brit Ser 188: 65-122.

Vyner, B. E. and S. Wrathmell (1978). "The Deserted Village of Wrinstone, South Glamorgan." Trans Cardiff Nature Soc XCVIII.

Wanklyn, M. (1996). "The impact of transport facilities on the economies of English river ports, c.1660-c.1760." Economic History Review 49(1).

Waters, B. (1955). "The Bristol Channel. London: Dent Waters, I, 1972 High Tides and Floods." Severn and Wye Review 2(2): 56-60.

Whittle, A. and S. Green (1988). The Archaeological Potential of the Severn Estuary: An Initial Assessment for STPG. Unpublished report compiled by the Severn Estuary Levels Research Committee.

Whittle, A. W. R. (1989). "Two Later Bronze Age occupations and an Iron Age channel on the Gwent Foreshore." Bulletin Board of Celtic Studies 36: 200-223.

Wilkinson, P. F. (1993). Archaeological Desktop Study: Rumney Moors Landfill. Unpublished, GGAT Report 93/033, GGAT.

Williams, A. T., N. E. Caldwell, et al. (1981). "Landforms of the Glamorgan Heritage Coast." Mid Glamorgan Joint Management Committee: 64 pages.

Williams, M. (1970). The Draining of the Somerset Levels. Cambridge, Cambridge University Press.

Williams, M. (1990). Wetlands: A Threatened Landscape. Institute of British Geographers Special Pub 25. Oxford, Blackwells.

Woodland, P. T. M. (1988). "Bristol Merchants and the Overseas Trade in Cider c 1773-1818." Trans Bristol and Gloucestershire Archaeology Soc 106: 173-188.

Young, A. (1769). A Six Week Tour Through the Southern Counties of England and Wales. London, W. Strahan.









1.4 Geology

Brooks, M. and D. G. James (1975). "The geological results of seismic refraction surveys in the Bristol Channel,1970-1973." Journal of the Geological Society of London 131(2): 163-182.

Brooks, M. and M. S. Thompson (1973). "The geological interpretation of a gravity survey of the Bristol Channel." Journal of the Geological Society of London 129(2): 245-274.

Brooks, M., P. M. Trayner, et al. (1988). "Mesozoic reactivation of Variscan thrusting in the Bristol Channel area, UK." Journal of the Geological Society of London 145(3): 439-444.

Brooks, M. a. A., S.R.H. (1977). "Seismic refraction studies of geological structure in the inner part of the Bristol Channel." Journal of the Geological Society of London 133(5): 435-445.

Crowther, P. R. (1992). The Coast of Avon Bristol Naturalists' Society (1 April 1992)

Donovan, D. T., R. J. G. Savage, et al. (1961). "Geology of the floor of the Bristol Channel." Nature 189(4758): 51-52.

Evans, C. D. R. (1982). The geology and surficial sediments of the Inner Bristol Channel and Severn Estuary. Severn Barage. Proceedings of a Symposium organised by the Institute of Civil Engineers, 8-9 October 1981. London, Thomas Telford.

Ewards, R. A. (1999). The Minehead District - A concise account of the Geology. London, The Stationary Office.

Green, G. W. and B. N. Fletcher (1976). The geology of the Severn barrage area. London, Institute of Geological Sciences.









Kellaway, G. A. (1996). "Discovery of the Avon-Solent Fracture Zone and its relationship to Bath hot springs "Environmental Geology; 28(1): 34-39.

Mechie, J. and M. Brooks (1984). "A seismic study of deep geological structure in the Bristol Channel area, SW Britain." Geophysical Journal of the Royal Astronomical Society, 78(3): 661-689.

Smith, S. and G. R. Willan (1937). "A preliminary note on the geology of the Bristol Channel islands, Steep Holme, Flat Holm, and Denny Island." Geological Magazine, 872(74): 91-92.

Tappin, D. R., R. A. Chadwick, et al. (1994). The Geology of Cardigan Bay and the Bristol Channel. United Kingdom Offshore Regional Report for BGS. London, HMSO.

Whittaker, A. and G. W. Green (1983). The Geology of the Country around Weston-Super-Mare. London, HMSO.

Whittard, W. F. (1949). "Geology of the Aust-Beachley District, Gloucestershire." Geological Magazine 86(6): 365-376.

Williams, A. T. and P. Davies (1980). "Man as a Geological Agent: The Sea Cliffs of Llantwit Major." Zeitschrift fur Geomorphologie 34: 129-141.

Williams, M. (1975). The Making of the South Wales Landscape. London, Hodder and Stoughton.

1.5 Habitats & Ecosystems

ABP Mer, Black and Veatch Ltd., et al. (2008). Severn Tidal Power SEA Scoping Topic Paper: Mitigation and Compensation Requirements Under the Habitats Directive. Southampton, A report to the Department of Energy and Climate Change (DECC).

ABP Research (2000). Gwent levels hydraulic modelling study, Objective A: Joint Probability surge tide and wave analysis, ABP Research & Consultancy Ltd, Research Report No. R. 818. Southampton, ABP Research & Consultancy Ltd.

ABPmer (2005). Avonmouth to Aust Tidal Scheme: Joint Probability Analysis of Waves and Water Levels, ABP Marine Environmental Research Ltd, Report No. R1225. Southampton, ABP Marine Environmental Research Ltd.

ABPMer, Jacobs Babtie, et al. (2007). Severn Estuary Coastal Habitat Management Plan. Bristol, Environment Agency.

Ajayi, T. O. (1982). "Food and feeding habits of Raja species (Batoidei) in Carmarthen Bay, Bristol Channel." Journal of the Marine Biological Association of the UK 62: 215-223.

Allen, J. R. L. (1990). "Salt-Marsh Growth and Stratification: A Numerical Model with Special Reference to the Severn Estuary, Southwest Britain." Marine Geology 95(2): 77-96.

Allen, J. R. L. (1992). Tidally influenced marshes in the Severn Estuary, southwest Britain. Saltmarshes: Morphodynamics, Conservation and Engineering Significance. J. R. L. Allen and K. Pye. Cambridge, Cambridge University Press: 123-147.









- Allen, J. R. L. (1992). "Trees and their response to wind; mid Flandrian strong winds, Severn Estuary and inner Bristol Channel, Southwest Britain." Philosophical Transactions of the Royal Society of London, Series B: Biological Sciences, 338(1286): 335-364.
- Allen, J. R. L. (2000). "Morphodynamics of Holocene Salt Marshes: a review sketch from the Atlantic and Southern North Sea Coasts of Europe." Quaternary Science Review 19(12): 1155-1231.
- Allen, J. R. L. (2000). "Sea level, saltmarsh and fen: Shaping the Severn estuary levels in the later Quaternary (Ipswichian- Holocene)." Archaeology in the Severn Estuary.
- Allen, J. R. L. and M. J. Duffy (1998). "Medium-term sedimentation on high intertidal mudflats and salt marshes in the Severn Estuary, SW Britain: The role of wind and tide." Marine Geology; 150(1-4): 1-27.
- Allen, J. R. L. and M. J. Duffy (1998). "Temporal and spatial depositional patterns in the Severn Estuary, southwestern Britain: Intertidal studies at spring-neap and seasonal scales, 1991-1993." Marine Geology: 146(1-4): 147-171.
- Allen, J. R. L. and S. K. Haslett (2002). "Buried salt-marsh edges and tide-level cycles in the mid-Holocene of the Caldicot Level (Gwent), South Wales, UK." Holocene 12(3): 303-324.
- Allen, J. R. L. and S. K. Haslett (2006). "Granulometric characterization and evaluation of annually banded mid-Holocene estuarine silts, Welsh Severn Estuary (UK): coastal change, sea level and climate." Quaternary Science Reviews 25(13-14): 1418-1446.
- Allen, J. R. L. and J. E. Rae (1988). "Vertical salt-marsh accretion since the Roman period in the Severn Estuary, southwest Britain." Marine Geology 83(1-4): 225-235.

Aprahamian, M. W. (1988). "Age Structure of eel, Anguilla anguilla (L.) Populations in the River Severn, England and the River Dee, Wales." Aquaculture and Fisheries Management 19(365-376).

Aprahamian, M. W. (1988). "The biology of the Twaite Shad Alosa fallax fallax (Lacepede), in the Severn Estuary." Journal of Fish Biology 33(Suppl A): 141-152.

Aprahamian, M. W. and C. D. Aprahamian (2001). "The influence of water temperature and flow on year class strength of twaite shad (Alosa fallax fallax) from the River Severn, England." Bulletin Francais de la peche et de la pisciculture 362/363: 953-972.

Aprahamian, M. W. and C. D. Barr (1985). "The growth, abundance and diet of 0-group sea bass, Dicentrarchus labrax, from the Severn Estuary. ." Journal of the Marine Biological Association of the United Kingdom. Plymouth. 65(1): 169-180.

Aprahamian, M. W. and G. O. Jones (1997). "The seaward movement of Atlantic salmon smolts in the Usk estuary, Wales, as inferred from power station catches." Journal of Fish Biology 50: 442-444.

Aprahamian, M. W., G. O. Jones, et al. (1998). "Movement of adult Atlantic salmon in the Usk estuary, Wales." Journal of Fish Biology 53: 221-225.

Aprahamian, M. W., A. M. Walker, et al. (2007). "On the application of models of European eel (Anguilla anguilla) production and escapement to the development of Eel Management Plans: the River Severn." ICES Journal of Marine Science 64: 1472–1482.

Atkins South West (1999). West Somerset Landscape Character Assessment. Report for West Somerset District Council. Reference: LS / BP3281.001 / WSDC / 03, West Somerset District Council.

Atomic Energy Research Establishment Energy Support Unit (1992). Algal stabilisation of estuarine sediments.

Attrill, M. J. and M. Power (2004). "Partitioning of temperature resources amongst an estuarine fish assemblage." Estuarine, Coastal and Shelf Science 61(4): 725-738.









Aubry, A. and M. Elliott (2006). "The use of environmental integrative indicators to assess seabed disturbance in estuaries and coasts: Application to the Humber Estuary, UK." Marine Pollution Bulletin 53(1): 175-185.

Babtie Brown & Root, ABPMer, et al. (2005). Severn Estuary, Coastal Habitat Management Plan (CHaMP) Phase 1 Report: Conceptual Understanding, Habitat Inventory and Habitat Behavioural Units., Environment Agency.

Badsha, K. S. (1977). The ecology of flounders (Platichthys flesus) and other major fish species in the Severn Estuary and the Bristol Channel. Bath, University of Bath. PhD.

Badsha, K. S. and M. Sainsbury (1977). "Uptake of zinc, lead and cadmium by young whiting in the Severn Estuary." Marine Pollution Bulletin 8(7): 164-166.

Badsha, K. S. and M. Sainsbury (1978). "Some aspects of the biology and heavy metal accumulation of the fish Liparis liparis in the Severn estuary." Estuarine and Coastal Marine Science 7(4): 381-391.

Bamber, R. N. and P. A. Henderson (1994). "Seasonality of caridean decapod and mysid distribution and movements within the Severn Estuary and Bristol Channel "Biological Journal of the Linnean Society 51(1-2): 83-91.

Barne, J. H., C. F. Robson, et al. (1996). Coasts and Seas of the United Kingdom. Region 11, The Western Approaches: Falmouth Bay to Kenfig. . Peterborough, Joint Nature Conservation Committee.

Bartlett, S. (2004). "Environmental Change at Walmore Common." Dean Archaeology 17: 4-13.

Barton, C. and C. Pollock (2007). Offshore SEA 8. Technical report on offshore seabirds and waders in the SEA 8 area (including an update of inshore seabird species). London, Department for Energy and Climate Change (DECC).

Bassindale, R. (1941). "Studies on the biology of the Bristol Channe1. IV. The invertebrate fauna of the southern shores of the Bristol Channel and Severn Estuary." Proceedings of the Bristol Naturalists Society 4(9): 143-201.

Birchenough, S. N. R., S. E. Boyd, et al. (2006). "Lights, camera and acoustics: Assessing macrobenthic communities at a dredged material disposal site off the North East coast of the UK." Journal of Marine Systems 62(3-4): 204-216.

Bird, D. J. (2002). Environmental factors affecting migratory fish in the Severn Estuary with particular reference to species of shad and lamprey. Report for the Environment Agency Wales. Cardiff, Environment Agency Wales: 1-66.

Bird, D. J. (2008). The biology and conservation of the fish assemblage of the Severn Estuary (cSAC). Bangor, Countryside Council for Wales.

Bird, D. J., I. C. Potter, et al. (1994). "Morphology, body size and behaviour of recently-metamorphosed sea lampreys, Petromyzon marinus, from the lower River Severn, and their relevance to the onset of parasitic feeding "Journal of Fish Biology: 44(1): 67-74.

Bowker, D. W., P. N. Ferns, et al. (1998). "Modelling the impact of the regulation of estuarine drift-netting on the declared rod catch of Atlantic salmon Salmo salar L. in the river Usk." Freshwater biology 39: 569-576.

Boyden, C. R., J. H. Crothers, et al. (1997). "The intertidal invertebrate fauna of the Severn Estuary." Field Studies 5: 477-544.

Boyden, C. R. and C. Little (1973). "Faunal distributions in Soft Sediments of the Severn Estuary." Estuarine Coastal and Marine Science 1(3): 203-223.

Brown, J. and A. E. Hill (2000). Physical Oceanography of the Bristol Channel. Quality Status Report of the Marine and Coastal Areas of the Irish Sea and Bristol Channel 2000. DETR. London, DETR: 18-20.









Brown, R., R. Swarbrick, et al. (2005). Long-term ecological monitoring of industrial effluent discharges to the Severn Estuary. . ECSA Meeting. Plymouth, UK.

Buck, A. L. (1993). Severn Estuary. An inventory of UK estuaries. Volume 2. South West Britain. A. L. Buck. Peterborough, Joint Nature Conservation Committee.

Burd, F. (1986). Saltmarsh Survey of Great Britain: County report, Avon. Unpublished, Nature Conservancy Council.

Burd, F. (1986). Saltmarsh Survey of Great Britain: County report, Gloucestershire. Unpublished, Nature Conservancy Council.

Burd, F. (1987). Saltmarsh Survey of Great Britain: County report, Gwent. Unpublished, Nature Conservancy Council.

Burd, F. (1987). Saltmarsh Survey of Great Britain: County report, Mid and South Glamorgan. Unpublished, Nature Conservancy Council.

Burfoot, E. (1995). Plankton samples at Hinkley Point Nuclear power station, January 1982 to December 1994, Fawley Aquatic Laboratories.

Burton, K. W., E. Morgan, et al. (1983). "Trace heavy metals in Fucus and P. vulgata along the Glamorgan Heritage Coast, South Wales." Water, Air, and Soil Pollution 19(4): 377-388.

Burton, N. H. K. and M. J. S. Armitage (2005). "Differences in the diurnal and nocturnal use of intertidal feeding grounds by Redshank Tringa totanus" Bird Study 52(2): 120-128.

Burton, N. H. K., A. J. Musgrove, et al. (2010). "Birds of the Severn Estuary and Bristol Channel: Their current status and key environmental issues." Marine Pollution Bulletin In Press, Corrected Proof.

Carling, P. A., A. Radecki-Pawlik, et al. (2006). "The morphodynamics and internal structure of intertidal fine-gravel dunes: Hills Flats, Severn Estuary, UK." Sedimentary Geology 183(3-4): 159-179.

CEFAS (2000). Quality Status Report of the Marine and Coastal Areas of the Irish Sea and Bristol Channel. London. DETR.

CEFAS (2007). Offshore SEA 8. Fish and fish assemblages of the British Isles. London, Department for Energy and Climate Change (DECC).

Civil and Marine Limited and Wimpey Environmental (1991). Outer Bristol Channel: ecological information review and field study. Swindon, English Nature.

Clare, P. and R. W. Edwards (1983). "Macroinvertebrate Fauna of the Drainage Channels of the Gwent Levels, South Wales "Freshwater biology 13(3): 205-225.

Claridge, P. N. and D. C. Gardner (1978). "Movements of twaite shad, Alosa fallax (Lacepede), in the Severn Estuary." Journal of Fish Biology 12(3): 203-211.

Claridge, P. N. and I. C. Potter (1983). "Movements, abundance, age composition and growth of bass, Dicentrarchus labrax, in the Severn Estuary and inner Bristol Channel." 63: 229-258.

Claridge, P. N. and I. C. Potter (1985). "Distribution, abundance and size composition of mullet populations in the Severn Estuary and Bristol Channel." Journal of the Marine Biological Association of the United Kingdom 65(2): 325-335.

Claridge, P. N. and I. C. Potter (1987). "Size composition and seasonal changes in abundance of juvenile sole, Solea solea, in the Severn Estuary and Inner Bristol Channel." Journal of the Marine Biological Association of the United Kingdom. Plymouth. 67(3): 561-569.









Claridge, P. N. and I. C. Potter (1994). "Abundance, seasonality and size of Atlantic salmon smolts entrained on power station intake screens in the Severn Estuary "Journal of the Marine Biological Association of the United Kingdom 74(3): 527-534.

Claridge, P. N., I. C. Potter, et al. (1986). "Seasonal changes in movement, abundance, size, composition and diversity of the fish fauna of the Severn Estuary." Proceedings of the Bristol Naturalists Society 32: 281-284.

Claridge, P. N., I. C. Potter, et al. (1986). "Seasonal changes in movements, abundance, size composition and diversity of the fish fauna of the Severn Estuary." Journal of the Marine Biological Association of the United Kingdom 66(1): 229-258.

Claridge, P. N., I. C. Potter, et al. (1986). "Consistency of seasonal changes in an estuarine fish assemblage." Marine Ecology Progress Series 32(2-3): 217-228.

Clark, J. A., D. E. Balmer, et al. (2002). "Bird ringing in Britain and Ireland in 2001" Ringing & Migration; 21(2): 80-143.

Clark, N. A. (1983). The ecology of Dunlin Calidris aplina L. wintering on the Severn Estuary. Edinburgh, University of Edinburgh. PhD.

Clark, N. A. (1990). Distribution studies of waders and Shelduck in the Severn Estuary (Parts 1 & 2), A report from the BTO to ETSU, Department of Energy.

Clark, N. A. and R. P. Prys-Jones (1994). "Low tide distribution of wintering waders and shelduck on the Severn Estuary in relation to the proposed tidal barrage" Biological Journal of the Linnean Society 51(1-2): 199-217.

Collins, N. R. and R. Williams (1981). "Zooplankton of the Bristol Channel and Severn estuary. The distribution of four copepods in relation to salinity." Marine Biology 64: 273-283.

Collins, N. R. and R. Williams (1982). "Zooplankton Communities in the Bristol Channel and Sevem Estuary." Marine ecology progress series 9(1): 1-11.

Countryside Council for Wales (1991). Nature Conservation and Physical Development on the Gwent Levels: The Current and Future Implications. Cardiff, CCW.

Countryside Council for Wales (2001). Phase 1 intertidal survey of marine biotopes. Bangor, CCW.

Cox, E. J. (1977). "The distribution of tube-dwelling diatom species in the Severn Estuary." Journal of the Marine Biological Association of the United Kingdom, 57(1): 19-27.

Cragg-Hine, D., M. Johns, et al. (1999). Lamprey habitat assessment using RHS in the River Usk. Bangor, Wales, CCW Contract Science Report.

Crothers, J. H., C. Little, et al. (1994). "Evolution and change in the Bristol Channel and Severn Estuary: introduction to the proceedings." Biological Journal of the Linnean Society 51(1-2): 1-3.

Dargie, T. (1999.). NVC survey of saltmarsh habitats in the Severn Estuary 1988. Report for the Countryside Council for Wales and English nature. CCW Contract Science Report No. 341.

Davies, J. (1991). Western Channel and Bristol Channel and approaches. MNCR sectors 8 and 9. Benthic marine ecosystems in Great Britain: a review of current knowledge, Nature Conservation Council. CSD Report, No. 1173 (Marine Nature Conservation Review Report, No. MNCR/OR/9).

Davies, J. (1998). Part 2. Reviews within MNCR Coastal Sectors. Chapter 9. Bristol Channel and approaches (Cape Cornwall to Cwm yr Eglwys, Newport Bay) (MNCR Sector 9). Marine Nature Conservation Review. Benthic marine ecosystems: a review of current knowledge for Great Britain and the north-east Atlantic. K. Hiscock. Peterborough, Joint Nature Conservation Committee.









Dent, S. (1987). The current status and recent history of Spartina anglica in the Severn Estuary between Newport and Cardiff. Peterborough, Nature Conservancy Council.

Department of Energy (1977). Tidal power barrages in the Severn Estuary: recent evidence on their feasibility London, HMSO.

Department of Energy (1989). Severn Barrage Project Detailed Report. Volume 4: Ecological Studies, Landscape and Nature Conservation. London, Department of Energy/STPG/CEGB. IV.

Dineley, D. L. and L. E. Hawker (1974). "The Sabrina project: University of Bristol an environmental study of the severn estuary: 1. Biological and chemical studies." Chemosphere 3(6): 287-291.

Doarks, C., G. P. Radley, et al. (1990). Sand dune survey of Great Britain. Site report No.89 Weston Dunes and Sand Bay, Nature Conservancy Council.

Doody, J. P. (2004). "'Coastal squeeze' - an historical perspective." Journal of Coastal Conservation 10(1): 129-138.

Drake, C. M. (1986). A survey of the invertebrates of the Gwent Levels 1985. Peterborough, Nature Conservancy Council.

Duquesne, S. and D. J. Bird (2002). Mechanisms of Toxicity: Metals: Bioavailability of cadmium in Macoma balthica from the Severn Estuary: a comparison of field and laboratory microcosm approaches Eleventh International Symposium on Pollutant Responses in Marine Organisms (PRIMO 11). Plymouth, UK. 54: 367-372.

Duquesne, S. and D. J. Bird (2002). "Mechanisms of Toxicity: Metals: Bioavailability of cadmium in Macoma balthica from the Severn Estuary: a comparison of field and laboratory microcosm approaches " Marine Environmental Research 54(3-5): 367-372.

Duquesne, S., M. Liess, et al. (2004). "Sub-lethal effects of metal exposure: physiological and behavioural responses of the estuarine bivalve Macoma balthica" Marine Environmental Research 58(2-5): 245-250.

Durell, S., R. A. Stillman, et al. (2006). "Modelling the effect of environmental change on shorebirds: A case study on Poole Harbour, UK." Biological Conservation 131(3): 459-473.

Dyer, K. R. (1998). "The typology of intertidal mudflats." Geological Society Special Publications - Sedimentary processes in the intertidal zone.: 11-24.

Ecoscope Applied Ecologists, Silsoe College, et al. (1999). Re-creation options for River Severn/Avon floodplain wetlands. English Nature Research Reports, No 692. Peterborough, English Nature.

Elliott (ed.), M. and J. P. Ducrotoy (ed.) (1989). Milieux Estuariens et littoraux: Intercomparaisons spatiales et temporelles. Nineteenth ECSA Symposium of the Estuarine and Coastal Sciences Association; 4-8th September 1989, Caen, France, Olsen and Olsen, Fredensborg, Denmark.

Ellis, J. R., S. I. Rogers, et al. (2000). "Demersal assemblages in the Irish Sea, St. George's Channel and Bristol Channel." Estuarine and Coastal Shelf Science, 51: 299-315.

Ellis, J. R. and S. E. Schackley (1997). "The reproductive biology of Scyliorhinus canicula in the Bristol Channel, UK." Journal of fish Biology 51: 361-372.

English Nature (1997). Natural Area Profile for Bridgwater Bay. Taunton, English Nature.

English Nature (2002). North Somerset Levels and Moors and Severn Estuary Coast Wildlife Enhancement Scheme. Taunton, English Nature.

North Somerset Levels and Moors Sites of Special Scientific Interest include Tickenham, Nailsea and Kenn Moors SSSI, Puxton Moor SSSI and Biddle Street SSSI









- Evans, J., N. A. Clark, et al. (1990). The effect of the Cardiff Bay barrage on waterfowl populations. I. Distribution and movement studies November 1989-May 1990, British Trust for Ornithology.
- Evans, M. E. (1979). "Population composition and return according to breeding status, of Berwick's Swans wintering at Slimbridge, 1963-1976." Wildfowl 30: 118-128.
- Ferns, P. (1986). Birds of the severn estuary British Association for the Advancement of Science Annual Meeting. Bristol (UK). Paper No. (D9)
- Ferns, P. (1990). Distribution of Wading birds and wildfowl in the Severn Estuary and coastal levels. An environmental appraisal of tidal power stations. T. L. Shaw. London, Pitman.
- Ferns, P. and A. Lang (2003). "The value of immaculate mates: Relationships between plumage quality and breeding success in shelducks." Ethology 109(6): 521-532.
- Ferns, P. N. (1981). Intertidal feeding areas of seven species of shorebirds at seven sites of the Severn Estuary: A contribution to the Severn Estuary feasibility study. Department of Energy, Department of Energy, London.
- Ferns, P. N. (1983). Sediment mobility in the Severn Estuary and its influence upon the distribution of shorebirds. Symposium on the Dynamics of Turbid Coastal Environments. Dartmouth, Nova Scotia, Canada, Canadian journal of fisheries and aquatic sciences.
- Ferns, P. N. (1984). "Birds of the Bristol Channel and Severn Estuary." Marine Pollution Bulletin 15(2): 76-81.
- Ferns, P. N. (1994). "The Severn Estuary's changing wader populations during the last two decades "Biological Journal of the Linnean Society 52(1-2): 219-227.
- Ferns, P. N. and J. I. Anderson (1997). "Lead in the diet and body tissues of dunlins, Calidris alpina, from the Bristol Channel, UK " Environmental Pollution; 96(1): 35-42.
- Ferns, P. N., M. P. Hastings, et al. (1984). "Minimizing the possible effects of a tidal power barrage on the shorebird populations of the Severn Estuary." Journal of Environmental Management 18(2): 131-143.
- Fox, A. D. and D. G. Salmon (1994). "Breeding and moulting shelduck (Tadorna tadorna) of the Severn Estuary "Biological Journal of the Linnean Society 51(1-2): 237-245.
- Gee, A. S. and N. J. Milner (1980). "Analysis of 70 year catch statistics for Atlantic Salmon (Salmo salar) in the river Wye and implications for management of stocks." Journal of Applied Ecology 17(41-57).
- Goodger, B. (2005). Mapping locations of non-breeding birds on the Welsh section of the Severn Estuary, SSSI, Ramsar Site, SPA and cSAC. Countryside Council for Wales, CCW.
- Goss-Custard, J. D., R. M. Warwick, et al. (1991). "Towards predicting wading bird densities from predicted prey densities in a post-barrage Severn Estuary." Journal of Applied Ecology; 28(3): 1004-1026.
- Gough, P. G., A. J. Windstone, et al. (1992). Spring salmon; a review of factors affecting the abundance and catch of spring salmon from the river Wye and proposals for stock maintenance enhancement. Welsh Region Technical Fisheries report No 2. Bristol, NRA: 57.
- Green, R. D. (1968). Soils of Romney Marsh. Soil Survey of Great Britain Bulletin No. 4.
- Green, S. (1989). "Some recent archaeological and faunal discoveries from the Severn Estuary Levels." Bulletin board of Celtic Studies 36: 187-199.
- Hammond, P. S., S. P. Northridge, et al. (2007). Offshore SEA 8. Background information on marine mammals for Strategic Environmental Assessment 8. London, Department for Energy and Climate Change (DECC).









Hardisty, M. W. and R. J. Huggins (1975). "A survey of the fish population of the middle Severn Estuary based on power station sampling." International Journal of Environmental Studies 7: 227-242.

Hardisty, M. W., R. J. Huggins, et al. (1974). "Ecological implications of heavy metal in fish from the Severn estuary." Marine Pollution Bulletin 5(1): 12-15.

Hardisty, M. W., S. Kartar, et al. (1974). "Dietary habits and heavy metal concentrations in fish from the Severn estuary and Bristol Channel." Marine Pollution Bulletin 5(4): 61-63.

Harvey, J. P., R. Noble, et al. (2006). Monitoring of lamprey in the Rivers Wye and Usk SACs 2005-2006. Bangor, Countryside Council for Wales.

Harwell Laboratory Energy Technology Support Unit (1992). Algal stabilization of estuarine sediments: pt 2, Department of Trade and Industry.

Henderson, P. and R. Holmes (1990). On the population dynamics of dab, sole and flounder within Bridgwater Bay in the lower Severn Estuary, England. First International Symposium on Flatfish Ecology Texel, The Netherlands.

Henderson, P. A. (2003). Background information on species of shad and lamprey. CCW marine monitoring reports No.7. Bangor, CCW.

Henderson, P. A. (2005). Predicting the effects of climate change on the community structure of the Bristol Channel. ECSA Conference. Plymouth.

Henderson, P. A. (2007). "Discrete and continuous change in the fish community of the Bristol Channel in response to climate change." Journal of Marine Biological Association U.K 87: 589-598.

Henderson, P. A. and D. J. Bird (2010). "Fish and macro-crustacean communities and their dynamics in the Severn Estuary." Marine Pollution Bulletin In Press, Corrected Proof.

Henderson, P. A. and R. H. A. Holmes (1987). "On the population biology of the common shrimp Crangon crangon (L.) (Crustacea: Caridea) in the Severn Estuary and Bristol Channel." Journal of the Marine Biological Association of the United Kingdom. Plymouth. 67(4): 825-847.

Henderson, P. A. and R. H. A. Holmes (1989). "Whiting migration in the Bristol Channel: A predator-prey relationship." Journal of Fish Biology. 34(3): 409-419.

Henderson, P. A. and R. H. A. Holmes (1990). "Population stability over a ten-year period in the short-lived fish Liparis liparis (L.)." Journal of Fish Biology 37: 605-615.

Henderson, P. A. and R. H. A. Holmes (1991). "On the population dynamics of dab, sole and Founder within Bridgwater Bay in the lower Severn Estuary, England." Netherlands Journal of Sea Research 27: 337-344.

Henderson, P. A., D. J. James, et al. (1992). "Trophic structure within the Bristol Channel: seasonality and stability in Bridgwater Bay." Journal of the Marine Biological Association of the United Kingdom 72: 675-690.

Henderson, P. A. and R. M. Seaby (1999). "Population stability of the sea snail at the southern edge of its race." Journal of Fish Biology 54: 1161-1176.

Henderson, P. A. and R. M. Seaby (2005). "The role of climate in determining the temporal variation in abundance, recruitment and growth of Solea solea in the Bristol Channel." Journal of the Marine Biological Association of the United Kingdom 85(1): 197-204.

Henderson, P. A., R. M. Seaby, et al. (2006). "A 25-year study of climatic and density-dependent population regulation of common shrimp Crangon crangon (Crustacea: Caridea) in the Bristol Channel." Journal of Marine Biological Association of the UK 86: 287-298.

Henderson, P. A. and R. M. H. Seaby (1993). On the factors influencing juvenile flatfish abundance in the lower Severn Estuary, England Second International Symposium on Flatfish Ecology. Texel (Netherlands)









Henderson, P. A. and R. M. H. Seaby (1994). "On the factors influencing juvenile flatfish abundance in the lower Severn Estuary, England" Netherlands Journal of Sea Research 32(3-4): 321-330.

Henderson, P. A., R. M. H. Seaby, et al. (2006). Fish and crustacean captures at Hinkley Point 'B' nuclear power station: April 2005 to March 2006. Lymington, Pisces Conservation.

Henderson, P. A., R. M. H. Seaby, et al. (2007). Fish and crustacean captures at Hinkley Point 'B' nuclear power station: April 2006 to March 2007. Lymington, Pisces Conservation.

Hill-Cottingham, M. P. (1973). "A preliminary study of the littoral fauna at four sites on the southern shore the Bristol Channel and Severn Estuary." Proceedings of the Bristol Naturalists Society 32: 281-284.

Hillman, R. (2003). The distribution, biology and ecology of shad in South-West England. Bristol, Environment Agency R & D Technical Support.

Hiscock, K. (1979). South-West Britain sub littoral survey. Field survey of sub littoral habitats and species in the Upper Bristol Channel. (Mid Glamorgan, South Glamorgan, Somerset) (Contractor, Oil Pollution Research Unit, Field Studies Council, Pembroke), Nature Conservancy Council.

Hitchcock, D. R., R. C. Newell, et al. (1999). Investigation of Benthic and Surface Plumes associated with Marine Aggregate Mining in the United Kingdom – Final Report, Coastline Surveys Ltd.

Holland, S. C. (1982). "Spartina of the Severn estuary." Watsonia: Journal and Proceedings of the Botanical Society 14(1): 70-71.

Holmes, R. H. A. and P. A. Henderson (1990). "High fish recruitment in the Severn Estuary: The effect of a warm year? ." Journal of Fish Biology 36(6): 961-963.

Horwood, J. and J. H. S. B. a. A. J. Southward (1993). The Bristol Channel Sole (Solea solea (L.)): A Fisheries Case Study. Advances in Marine Biology, Academic Press. Volume 29: 215-367.

Hughes, R. G. (2001). "The effects of biological and physical processes on saltmarsh erosion and restoration in SE England." Ecological Studies 151: 173-192.

Hunn, J. B. and W. D. Youngs (1980). "Role of physical barriers in the control of sea lamprey (Petromyzon marinus)." Canadian Journal of Fisheries and Aquatic Science 37: 2118-2122.

Johns, D. (2007). Offshore SEA 8. The Plankton Ecology of the SEA 8 area. London, Department for Energy and Climate Change (DECC).

Joint, I. R. (1984). "The microbial ecology of the Bristol Channel." Marine Pollution Bulletin 15(2): 62-66.

Kelley, D. (1986). "Bass Nurseries on the West Coast of the U.K." Journal of the Marine Biological Association of the United Kingdom 66(2): 439-464.

Kirby, R., P. A. Henderson, et al. (2004). "The Severn, UK: Why is the estuary different? ." Proceedings of the Institute of Marine Engineering, Science and Technology. Part C. Journal of marine science and environment 1: 3-17.

Kirby, R. and T. L. Shaw (2005). "Severn barrage, UK - Environmental reappraisal." Proceedings of the Institute of Civil Engineers: Engineering Sustainability 158(1): 31-39.

Langston, W. J. (2004). "Characterisation studies of the southwest's designated European Marine Sites" Bulletin of the Estuarine and Coastal Sciences Association 46.

Langston, W. J., B. S. Chesman, et al. (2007). The Severn Estuary: Sediments, contaminants and biota. Plymouth, Marine Biological Association of the United Kingdom.









Langston, W. J., B. S. Chesman, et al. (2003). Characterisation of the South West European Marine Sites. Summary report Plymouth, Marine Biological Association.

Langston, W. J., B. S. Chesman, et al. (2003). Site characterisation of the South West European Marine Sites. The Severn estuary possible Special Area of Conservation, Special Protection Area Plymouth, Plymouth Marine Laboratory.

N. F. (1967). "The significance of Spartina townsendii at Aust cliff. Proceedings of the Cotteswold Naturalists' Field Club." 35(1): 55-58.

Little, C., R. M. Payne, et al. (1988). "The insect fauna of saltmarshes in the Severn Estuary: A preliminary survey." Entomologist's Gazette. 39(3): 235-246.

The present survey was undertaken to investigate the diversity of insect faunas on saltmarshes in the Severn Estuary, U.K., and to examine how these faunas varied along the length of the estuary.

Little, C., L. P. Smith, et al. (1980). "Vertical zonation on rocky shores in the Severn Estuary " Estuarine Coastal and Marine Science 11(6): 651-669.

Lloyd, A. J. (1941). 1. The marine fish fauna of the southern shores of the Bristol Channel. 2. Biology of crangon vulgaris in the Bristol Channel and Severn estuary. Bristol, University of Bristol. PhD.

Lloyd, A. J. and C. M. Yonge (1947). "The biology of Crangon vulgaris L. in the Bristol Channel and Severn estuary." Journal of the Marine Biological Association of the United Kingdom 26: 626 - 661.

Longhurst, A. R. (1975). "An ecological study of the Bristol Channel." Proceedings of the Challenger Society 4(6): 272.

Mackie, A. S. Y., J. W. C. James, et al. (2006). The Outer Bristol Channel Marine Habitat Study: Summary Document. Biomar Reports 4. Cardiff, National Museum of Wales.

Maes, J., S. Van Damme, et al. (2004). "Statistical modelling of seasonal and environmental influences on the population dynamics of an estuarine fish community." Marine Biology 145(5): 1033 - 1042.

Magurran, A. and P. A. Henderson (2003). "Explaining the excess of rare species in natural species abundance distributions." Nature 422: 714-716.

Maitland, P. S. and A. A. Lyle (2005). "Ecology of the Alis shad (Allosa allosa) and Twaite shad (Allosa fallax) in the Solway Firth, Scotland." Hydrobiological 534(1-3): 205-221.

Marshall, E. J. P. (1984). "The Ecology of a Land Drainage Channel - II: Biology, Chemistry and Submerged Weed Control." Water Resource 18(7): 817-825.

Matthews, L. H. (1933). "The Sea Fish and Fisheries of the Bristol District." Proc Bristol Nature Soc 7: 442-462.

Maxwell, D. L., V. Stelzenmüller, et al. (2009). "Modelling the spatial distribution of plaice (Pleuronectes platessa), sole (Solea solea) and thornback ray (Raja clavata) in UK waters for marine management and planning." Journal of Sea Research 61(4): 258-267.

Mettam, C. (1994). "Intertidal zonation of animals and plants on rocky shores in the Bristol Channel and Severn Estuary--the northern shores "Biological Journal of the Linnean Society 51(1-2): 123-147.

Mettam, C., M. E. Conneely, et al. (1994). "Benthic macrofauna and sediments in the Severn Estuary " Biological Journal of the Linnean Society 51(1-2): 71-81.

Mettam, C. and O. G. Kusakin (ed) (1979). "Faunal changes in the Severn Estuary over several decades "Marine Pollution Bulletin 10(5): 133 -136.









Mieszkowska, N. (2010). Intertidal Habitats and Ecology in MCCIP Annual Report Card 2010-11. MCCIP Science Review. M. S. Review: 19pp.

Moller, I. (2006). "Quantifying saltmarsh vegetation and its effect on wave height dissipation: Results from a UK East coast saltmarsh." Estuarine, Coastal and Shelf Science 69(3-4): 337-351.

Morris, R., A. Moffat, et al. (2005). "The selection of Natura 2000 sites in England and Wales, with particular reference to the Severn Estuary " Proceedings of the Institute of Marine Engineering, Science and Technology. Part C. Journal of Marine Science and Environment 3: 29-35.

Morrisey, D. J., S. M. Sait, et al. (1994). "The benthic ecology of river estuaries entering the Severn Estuary "Biological Journal of the Linnean Society 51(1-2): 247-251.

Morrissey, D. J. and S. M. Sait (1988). Ecology of the subestuaries of the River Severn. A report to the Department of Energy. Bristol, Department of Energy and University Bristol Department of Zoology,.

Mortimer, K., J. Turner, et al. (2007). The Outer Bristol Channel Marine Habitat Study. DVD Rom. Cardiff, National Museum of Wales.

Mudge, G. P. (1979). The feeding distribution of wintering wading birds (Charadriformes) in the Severn Estuary in relation to barrage proposals. A report to the Nature Conservancy Council. Cardiff, University College Cardiff.

Nash, S. (1972). "A Deep Water Inlet at Highbridge: A Precis of a Paper." Somerset Archaeology Natural Hist 117: 97-101.

Natural England and Countryside Council for Wales (2008). The Severn Estuary candidate Special Area of Conservation. English Nature & the Countryside Council for Wales' advice for the Severn Estuary Special Protection Area given under Regulation 33(2) of the Conservation (Natural Habitats &c.)Regulations 1994, as Amended June 2008. Peterborough, Natural England.

Nature Conservancy Council (1982). Bridgewater Bay National Nature Reserve- the effects of Hinkley Point Nuclear Power Station. Unpublished report to CEGB. Peterborough, NCC.

Nature Conservancy Council (NCC) (1977). Nature Conservation on the Gwent Levels. Cardiff, Nature Conservancy Council.

Nature Conservancy Council (NCC) (1982). The Gwent Levels: The Past, Present and Future in Relation to Nature Conservation. Cardiff, Nature Conservancy Council.

Norris, K., P. W. Atkinson, et al. (2004). "Climate change and coastal waterbird populations - past declines and future impacts." Ibis 146: 82-89.

O'Brien, D. J., R. J. S. Whitehouse, et al. (2000). The cyclic development of a macrotidal mudflat on varying timescales. Intertidal mudflats, properties and processes; Part II, Mudflat processes. K. R. Dyer.

O'Dea, A. and B. Okamura (1999). "Influence of seasonal variation in temperature, salinity and food availability on module size and colony growth of the estuarine bryozoan Conopeum seurati " Marine Biology 135(4): 581-588.

Orford, J. D. and J. Pethick (2006). "Challenging assumptions of future coastal habitat development around the UK." Earth Surface Processes and Landforms 31(13): 1625-1642.

Otto, S. (1996). The erosion of saltmarshes along the Severn Estuary, SW Britain Reading, University of Reading. PhD.

Parkhouse, S. and S. Parry (1989). "Rumney Alternative Bird Feeding Grounds." Archaeology Wales 29: 38-39.









Parkhouse, S. and S. Parry (1990). Rumney Alternative Bird Feeding Grounds: An Archaeological Assessment. Unpublished, GGAT Report, GGAT.

Parsons Brinckerhoff (2008). Severn Tidal Power SEA Scoping Topic Paper: Migratory and Estuarine Fish. Bristol, A report to the Department of Energy and Climate Change (DECC).

Parsons Brinckerhoff (2008). Severn Tidal Power SEA Scoping Topic Paper: Terrestrial and Freshwater Ecology. Bristol, A report to the Department of Energy and Climate Change (DECC).

Parsons Brinckerhoff and ABP Mer (2008). Severn Tidal Power SEA Scoping Topic Paper: Marine Ecology. Bristol, A report to the Department of Energy and Climate Change (DECC).

Parsons Brinckerhoff and British Trust for Ornithology (2008). Severn Tidal Power SEA Scoping Topic Paper: Ornithology. Bristol, A report to the Department of Energy and Climate Change (DECC).

Paterson, J. S., M. B. Araujo, et al. (2008). "Mitigation, Adaptation, and the Threat to Biodiversity." Conservation Biology 22(5): 1352-1355.

Phillips, M. R. and A. L. Jones (2006). "Erosion and tourism infrastructure in the coastal zone: Problems, consequences and management." Tourism Management 27(3): 517-524.

Pinnegar, J. A. and M. Heath (2010). Fish in MCCIP Annual Report Card 2010-11. MCCIP Science Review. M. S. Review: 23pp.

Pinnion, J., A. S. Y. Mackie, et al. (2007). Offshore SEA 8. Synthesis of Information on the Benthos of Area SEA 8. London, Department for Energy and Climate Change (DECC).

Potter, I. C., D. J. Bird, et al. (2001). "Fish fauna of the Severn Estuary. Are there long-term changes in abundance and species compositions and are the recruitment patterns of the main marine species correlated." Journal of Experimental Marine Biology and Ecology 258(1): 15-37.

Potter, I. C. and P. N. Claridge (1985). "Seasonal catches, size and meristic data for sprat, Sprattus sprattus, in the Severn Estuary." Journal of the Marine Biological Association of the United Kingdom. Plymouth. 65(3): 667-675.

Potter, I. C., D. C. Gardner, et al. (1998). "Age composition, growth, movements, meristics and parasites of the whiting, Merlangius merlangus, in the Severn Estuary and Bristol Channel." Journal of the Marine Biological Association of the United Kingdom. 68(2): 295-313.

Purchon, R. D. (1947). "Studies of the biology of the Bristol Channel. XVII. the littoral and sublittoral fauna of the northern shores, near Cardiff." Proceedings of the Bristol Naturalists Society 27: 285-310.

Purchon, R. D. (1951). "Studies of the biology of the Bristol Channel. XVIII. The marine fauna at five stations on the northern shores of the Bristol Channel and Severn Estuary." Proceedings of the Bristol Naturalists Society 29: 213-226.

Radford, P. and I. Joint (1979). Application of an Ecosystem Model to the Bristol Channel and Severn Estuary Institute of Water Pollution Control Annual Conference. Torquay.

Radford, P. and I. Joint (1980). "Application of an Ecosystem Model to the Bristol Channel and Severn Estuary " Water Pollution Control 79(2): 244-250.

Radford, P. J. (1979). The role of a General Ecosystem Model of the Bristol Channel and Severn Estuary (GEMBASE) Tidal power and estuary management. R. T. Severn, D. L. Dineley and L. E. e. Hawker. Bristol (UK), Scientechnica 40-46.

Radford, P. J. (1979). The role of a General Ecosystem Model of the Bristol Channel and Severn Estuary (GEMBASE) Thirteenth Symposium of the Colston Research Society, University of Bristol, Bristol (UK), Apr 1978. University of Bristol, Bristol (UK).









Radford, P. J. (1991). Evolution and change in the Bristol channel and Severn estuary: Pre- and post barrage scenarios of the relative productivity of benthic and pelagic subsystems COST 647 Coastal Benthic Ecology: Activity report 1988-1991. B. F. Keegan. Yeserke, The Netherlands, Institute for Marine Environmental Research: 163-172.

Radford, P. J., P. H. Burkill, et al. (1991). The validation and scientific assessment of an ecosystem model of the Bristol Channel COST 647 Coastal Benthic Ecology: Activity report 1988-1991. B. F. Keegan. Yeserke, The Netherlands, Delta Institute for Hydrobiological Research 143-152.

Radford, P. J. and I. Joint (1980). "The application of an ecosystem model to the Bristol Channel and Severn Estuary " Journal of Water Pollution Control 1980(2): 243-254.

Radford, P. J. and P. Ruardij (1987). "The validation of ecosystem models of turbid estuaries." Continental Shelf Research 7(11-12): 1483-1487.

Randerson, P. (1985). "A model of carbon flow in the intertidal areas of the Severn Estuary, UK." Estuaries 8(2B): 117A.

Ranwell, D. S. (1961). "The effects of sheep grazing at the upper limits of Spartina marsh in Bridgwater Bay." Journal of Ecology 49: 325–340.

Rotchell, J. M. (1998). Temporal and spatial variation of cytochrome P4501 A activities in flounder (Pleuronectes flesus) from the Severn Estuary 8th Annual Meeting of SETAC-Europe Bordeaux, France. Poster Paper No. 3C/P003.

Available

Salmon, D. G. and A. D. Fox (1994). "Changes in the wildfowl populations wintering on the Severn Estuary "Biological Journal of the Linnean Society 51(1-2): 229-236.

Saye, S. E. and K. Pye (2007). "Implications of sea level rise for coastal dune habitat conservation in Wales, UK." Journal of Coastal Conservation 11(1): 31-52.

Shackley, S. E. (1981). "The intertidal soft sediments and their macrofauna in the Greater Swansea Bay area (Worm's Head to Nash Point), South Wales." Estuarine, Coastal and Shelf Science 12(5): 535-548.

Simas, T., J. P. Nunes, et al. (2001). "Effects of global climate change on coastal salt marshes." Ecological Modelling 139(1): 1-15.

Smith, D. (1993). Coleoptera from Vurlong Reen, near Caldicot, South Wales. Archaeology in the Severn Estuary 1993: 73-76.

Smith, L. (1979). A survey of salt marshes in the Severn Estuary. London, Nature Conservancy Council.

Smith, L. P. (1978). The intertidal flora of the southern shores of the Severn Estuary. Bristol (UK), Bristol University. PhD.

Solomon, D. (1986). Severn Estuary fisheries - past, present and future British Association for the Advancement of Science Annual Meeting. Bristol, UK. Paper No. (D8)

Solomon, D. (1988). Fish passage through Tidal Energy Barrages. Energy Technology Support Unit.

Southall, E. J., A. J. Southward, et al. (2004). "Regional climatic warming drives long-term community changes of British marine fish." Proceedings of the Royal Society of London Series B - Biological Sciences 271(1539): 655-661.

Symonds, D. J. and S. I. Rogers (1995). "The influence of spawning and nursery grounds on the distribution of sole Solea solea (L.) in the Irish Sea, Bristol Channel and adjacent areas." Journal of Experimental Marine Biology and Ecology 190(2): 243-261.









Taverson, R. (1980). Saltmarsh ecology in the Severn Estuary. Bristol, University of Bristol, Department of Zoology.

Thiel, R., H. Cabral, et al. (2003). "Composition, temporal changes and ecological guild classification of the ichthyofaunas of large European estuaries - a comparison between the Tagus (Portugal) and the Elbe (Germany)." Journal of Applied Ichthyology 19(5): 330-342.

Uncles, R. (1983). Modelling tidal stress, circulation, and mixing in the Bristol Channel as a prerequisite for ecosystem studies. Symposium on the Dynamics of Turbid Coastal Environments. Dartmouth, Nova Scotia, Canada, Canadian journal of fisheries and aquatic sciences/Journal canadien des sciences halieutiques et aquatiques.

Uncles, R. J. and I. R. Joint (1983). "Vertical Mixing And Its Effects On Phytoplankton Growth In a Turbid Estuary." Can J. Fish. Aquatic Science 40(Suppl 1): 221-228.

Underwood, G. J. C. (2010). "Microphytobenthos and phytoplankton in the Severn estuary, UK: Present situation and possible consequences of a tidal energy barrage." Marine Pollution Bulletin 61(1-3): 83-91.

Underwood, G. J. C. and D. M. Paterson (1993). "Seasonal changes in diatom biomass, sediment stability and biogenic stabilization in the Severn Estuary." Journal of the Marine Biological Association of the United Kingdom 73(4): 871-887.

Underwood, G. J. C. and M. L. Yallop (1994). "Navicula pargemina sp. Nov. - a small epipelic species from the Severn Estuary." U.K. Diatom Research 9(2): 473 - 478.

Vinagre, C., S. Franca, et al. (2005). "Niche overlap between juvenile flatfishes, Platichthys flesus, and Solea solea, in a southern European estuary and adjacent waters." Journal of Applied Icthyology 21(2): 114-120.

Wade, P. M. (1979). "The Importance of Plant Collections in a Study of the Ecology of the Aquatic Flora of the Monmouthshire Levels." Museums J 78(4): 171-173.

Wade, P. M. and R. W. Edwards (1980). "The Effect of Channel Maintenance on the Aquatic Macrophytes of the Drainage Channels of the Monmouthshire Levels, South Wales, 1840- 1976." Aquatic Botany 8: 307-322.

Walker, M. and J. James (1993). A Radiocarbon Dated Pollen Record from Vurlong Reen, near Caldicot, South Wales. Archaeology in the Severn Estuary 1993: 65-70.

Wanless, S., M. Frederiksen, et al. (2007). "Black-legged kittiwakes as indicators of environmental change in the North Sea: Evidence from long-term studies." Progress in Oceanography 72(1): 30-38.

Warwick, R. M. (1984). "The Benthic Ecology of the Bristol Channel." Marine Pollution Bulletin 15(2): 70-76.

Warwick, R. M. and J. R. Davies (1977). "The distribution of sublittoral macrofauna communities in the Bristol Channel in relation to the substrate." Estuarine and Coastal Marine Science 5(2): 267-288.

Warwick, R. M., J. D. Goss-Custard, et al. (1991). "Static and dynamic environmental factors determining the community structure of estuarine macrobenthos in SW Britain: why is the Severn Estuary different?" Journal of Applied Ecology 28(1): 329-345.

Warwick, R. M., P. A. Henderson, et al. (2001). The impoverished fauna of the deep water channel and marginal areas between Flatholm Island and King Road, Severn Estuary. Plymouth, Plymouth Marine Laboratories and Pisces Conservation Ltd.

Warwick, R. M. and P. J. Somerfield (2010). "The structure and functioning of the benthic macrofauna of the Bristol Channel and Severn Estuary, with predicted effects of a tidal barrage." Marine Pollution Bulletin In Press, Corrected Proof.









Warwick, R. M. and R. J. Uncles (1980). "The distribution of benthic macrofauna associations in the Bristol Channel in relation to tidal stress." Marine Ecology Progress Series 3: 97-103.

White, E. M. and B. Knights (1997). "Environmental factors affecting migration of the European eel in the Rivers Severn and Avon, England." Journal of Fish Biology 50(5): 1104-1116.

Williams, A. T., N. E. Caldwell, et al. (1981). "Landforms of the Glamorgan Heritage Coast." Mid Glamorgan Joint Management Committee: 64 pages.

Williams, A. T. and P. Davies (2001). "Coastal dunes of Wales; vulnerability and protection." Journal of Coastal Conservation 7(2): 145-154.

Williams, G. A. (1988). Niche partitioning in Littorina obtusata and L. mariae. Bristol, University of Bristol. PhD.

Williams, G. A. (1994). "Variation in populations of Littorina obtusata and L. mariae (Gastropoda) in the Severn Estuary "Biological Journal of the Linnean Society 51(1-2): 189-198.

Williams, M. (1990). Wetlands: A Threatened Landscape. Institute of British Geographers Special Pub 25. Oxford, Blackwells.

Williams, R. (1984). "Zooplankton of the Bristol Channel and Severn Estuary." Marine Pollution Bulletin 15(2): 66-70.

Williams, R. and N. R. Collins (1984). "Distribution and variability in abundance of Schistomysis spiritus (Crustacea: Mysidacea) in the Bristol Channel in relation to environmental variables, with comments on other mysids." Marine biology 80(2): 197-206.

Worrall, D. H. (1981). The feeding behaviour of dunlin Calidris alpina. Cardiff, Cardiff University. Unpublished PhD Thesis.

Worrall, D. H. (1984). "Diet of the dunlin Calidris alpina in the Severn Estuary." Bird Studies 31(3): 203 - 212.

WWT Consulting (2007). Offshore SEA 8. Aerial Surveys for Waterbirds and Seabirds in South West England and Wales: Autumn 2007. London, Department for Energy and Climate Change (DECC).

1.6 Nutrients and Contaminants

ABPMer (2008). Severn Tidal Power Scoping Topic Paper: Marine and Estuarine Water Quality. Southampton, ABP Mer.

Afran, A., H. Khalily, et al. (1979). Distribution of trace metals in sediments from the Severn Estuary Tidal power and estuary management. R. T. Severn, D. L. Dineley and L. E. Hawker. Bristol (UK), Scientechnica 257-263.

Afran, A., H. Khalily, et al. (1979). Distribution of trace metals in sediments from the Severn Estuary Thirteenth Symposium of the Colston Research Society, University of Bristol, Bristol (UK), Apr 1978. University of Bristol, Bristol (UK).

Albone, E. S., G. Eglinton, et al. (1972). "Fate of DDT in Severn Estuary sediments. ." Environmental Science & Technology 6(10): 914-919.

Albone, E. S., G. Eglinton, et al. (1971). "Organic chemists' contribution to the Sabrina project." Marine Pollution Bulletin 2(7): 106-107.









- Allen, J., J. Rae, et al. (1991). A comparison of the super(210)Pb dating technique with three other independent dating methods in an oxic estuarine salt-marsh sequence (conference presentation) Eleventh Biennial International Estuarine Research Conference San Francisco, CA. Estuaries
- Allen, J. R. (1987). "Coal dust in the Severn Estuary, southwestern UK." Marine Pollution Bulletin 18(4): 169-174.
- Allen, J. R. L. (1987). "Microscopic coal-burning residues in the Severn Estuary, southwestern UK." Marine Pollution Bulletin 18(1): 13-18.
- Allen, J. R. L. (1988). "Modern-period muddy sediments in the Severn Estuary (southwestern UK): A pollutant-based model for dating and correlation." Sedimentary Geology 58(1): 1-21.
- Allen, J. R. L. and J. E. Rae (1986). "Time sequence of metal pollution, Severn Estuary, southwestern UK." Marine Pollution Bulletin 17(9): 427-431.
- Allen, J. R. L., J. E. Rae, et al. (1990). "Metal speciation (Cu, Zn, Pb) and organic matter in an oxic salt marsh, Severn Estuary, southwest Britain. ." Marine Pollution Bulletin 21(12): 574-580.
- Anon (2000). "Improving wastewater treatment processes in the Severn Estuary." World Pumps; 407.
- Anon (2003). Decadal persistence of radiolabelled organic wastes in the Severn Estuary: Evidence from the intertidal record ISEG 2003: 6th International Symposium on Environmental Geochemistry. Edinburgh, Scotland.
- Apte, S. C., M. J. Gardner, et al. (1990). "Trace metals in the Severn estuary: A reappraisal." Marine Pollution Bulletin. 21(8): 393-396.
- Apte, S. C., M. J. Gardner, et al. (1990). "An investigation of copper complexation in the Severn Estuary using differential pulse cathodic stripping voltammetry." Marine Chemistry. 29(1): 63-75.
- Badsha, K. S. and M. Sainsbury (1977). "Uptake of zinc, lead and cadmium by young whiting in the Severn Estuary." Marine Pollution Bulletin 8(7): 164-166.
- Balas, C. E., A. Ergin, et al. (2004). "Marine litter prediction by artificial intelligence." Marine Pollution Bulletin 48(5-6): 449-457.
- Barrie, J. V. (1980). "Heavy mineral distribution in bottom sediments of the Bristol Channel, U.K." Estuarine and Coastal Marine Science, 11(4): 369-381.
- Beckett, C. L. (1986). Heavy metals in Severn Estuary Ecosystems Bristol, University of Bristol. PhD. Broom, M. J., J. Davies, et al. (1991). "Environmental Assessment of the Effects of Polluting Discharges: State I: Developing a Post-facto Baseline" Estuarine, Coastal and Shelf Science 33(1): 71-87.
- Brown, R., R. Swarbrick, et al. (2005). Long-term ecological monitoring of industrial effluent discharges to the Severn Estuary. . ECSA Meeting. Plymouth, UK.
- Burton, K. W., E. Morgan, et al. (1983). "Metals in Fucus and P Vulgata Along the Glamorgan Heritage Coast, South Wales." Water, Air and Soil Pollution(19): 377-388.
- Burton, K. W., E. Morgan, et al. (1983). "Trace heavy metals in Fucus and P. vulgata along the Glamorgan Heritage Coast, South Wales." Water, Air, and Soil Pollution 19(4): 377-388.
- Butterworth, J., P. Lester, et al. (1972). "Distribution of Heavy Metals in the Severn" Marine Pollution Bulletin 3(5): 72-74.
- Chester, R. and J. H. Stoner (1975). "Trace elements in sediments from the lower Severn Estuary and Bristol Channel " Marine Pollution Bulletin 6 (6): 92-95.









Chubb, C. J., R. P. Dale, et al. (1977). Inputs to Swansea Bay Industrialised embayment's and their environmental problems. A case study of Swansea Bay. M. B. Collins, F. T. Banner, P. A. Tyler, S. J. Wakefield and A. E. James.

Clifton, R. J. and E. I. Hamilton (1979). "Lead-210 chronology in relation to levels of elements in dated sediment core profiles." Estuarine Coastal and Marine Science 8(3): 259-269.

Cook, G. T., A. B. MacKenzie, et al. (1998). "Natural and anthropogenic super(14)C in the UK coastal marine environment "Journal of Environmental Radioactivity; 40(1): 89-111.

Crowther, P. R. (1992). The Coast of Avon Bristol Naturalists' Society (1 April 1992)

Culshaw, C. (2003). Heavy metal contamination of the Severn Estuary and Bristol Channel: detecting environmental impact using the shrimp Crangon crangon. Bristol, West of England. PhD.

Culshaw, C., L. C. Newton, et al. (2002). "Concentrations of Cd, Zn and Cu in sediments and brown shrimp (Crangon crangon L.) from the Severn Estuary and Bristol Channel, UK " Marine Environmental Research; 54(3-5): 331-334.

Duquesne, S. and D. J. Bird (2002). Mechanisms of Toxicity: Metals: Bioavailability of cadmium in Macoma balthica from the Severn Estuary: a comparison of field and laboratory microcosm approaches Eleventh International Symposium on Pollutant Responses in Marine Organisms (PRIMO 11). Plymouth, UK. 54: 367-372.

Duquesne, S. and D. J. Bird (2002). "Mechanisms of Toxicity: Metals: Bioavailability of cadmium in Macoma balthica from the Severn Estuary: a comparison of field and laboratory microcosm approaches " Marine Environmental Research 54(3-5): 367-372.

Duquesne, S., M. Liess, et al. (2004). "Sub-lethal effects of metal exposure: physiological and behavioural responses of the estuarine bivalve Macoma balthica" Marine Environmental Research 58(2-5): 245-250.

Duquesne, S., L. C. Newton, et al. (2006). "Evidence for declining levels of heavy-metals in the Severn Estuary and Bristol Channel, U.K. and their spatial distribution in sediments." Environmental Pollution 143(2): 187-196.

Ellis, J. C. (2002). Water quality trends in the Severn Estuary. Environment Agency, Bristol.

Environment Agency (2001). Investigation of litter problems in the Severn Estuary / Bristol Channel area. Bristol, Environment Agency.

Environment Agency (2007). Fate and Transport of Particles in Estuaries, Volumes 1-4., Environment Agency.

Evans, G. P., B. M. Mollowney, et al. (1990). Two-Dimensional Modelling of the Bristol Channel, UK. Estuarine and Coastal Modellling American Society of Civil Engineers. New York, American Society of Civil Engineers: 331-340.

Ferns, P. N. and J. I. Anderson (1997). "Lead in the diet and body tissues of dunlins, Calidris alpina, from the Bristol Channel, UK " Environmental Pollution; 96(1): 35-42.

French, P. (1998). "The impact of coal production on the sediment record of the Severn Estuary "Environmental Pollution 103(1): 37-43.

French, P. W. (1993). "Areal distribution of selected pollutants in contemporary intertidal sediments of the Severn Estuary and Bristol Channel, UK " Marine Pollution Bulletin 27(12): 692-697.

French, P. W. (1993). "Post-Industrial Pollutant Levels in Contemporary Severn Estuary Intertidal Sediments, Compared to Pre-Industrial Levels "Marine Pollution Bulletin 26(1): 30-35.









French, P. W. (1993). "Seasonal and inter-annual variation of selected pollutants in modern intertidal sediments, Aust Cliff, Severn Estuary " Estuarine, Coastal and Shelf Science 37(2): 213-219.

Fuge, R. and K. H. James (1974). "Trace metal concentrations in Fucus from the Bristol channel." Marine Pollution Bulletin 5(1): 9-12.

Gardner, D. and J. P. Riley (1973). "The distribution of dissolved mercury in the Bristol Channel and Severn Estuary." Estuarine, Coastal and Marine Science 1(2): 191-192.

Genner, M. J., D. W. Sims, et al. (2005). A pollutant dispersion model for the Severn Estuary: Set-up, verification and application. ECSA Meeting. Plymouth, UK.

Hamilton, E. I., P. G. Watson, et al. (1979). "The geochemistry of Recent sediments of the Bristol Channel-Severn Estuary System " Marine Geology 31(1-2): 139-182.

Hardisty, M. W., R. J. Huggins, et al. (1974). "Ecological implications of heavy metal in fish from the Severn estuary." Marine Pollution Bulletin 5(1): 12-15.

Hardisty, M. W., S. Kartar, et al. (1974). "Dietary habits and heavy metal concentrations in fish from the Severn estuary and Bristol Channel." Marine Pollution Bulletin 5(4): 61-63.

Harper, D. J. (1991). "The distribution of dissolved cadmium, lead and copper in the Bristol Channel and the outer Severn Estuary." Marine Chemistry; 33(1-2): 131-143.

Harris, E. L., R. A. Falconer, et al. (2004). "Modelling hydroenvironmental and health risk assessment parameters along the South Wales Coast." Journal of Environmental Management 73(1): 61-70.

Harrison, S. J., J. A. Vale, et al. (1993). "The estimation of aerial inputs of metals to estuarine waters from point pattern data using an isoplething technique: Severn Estuary, U.K." Atmospheric Environment; Part A, General Topics; 27A(15): 2365-2373.

Harwell Laboratory Energy Technology Support Unit (1992). Algal stabilization of estuarine sediments: pt 2, Department of Trade and Industry.

Havard, M. S. C. (1989). Temporal changes in trace metal levels in the polychaete Nereis diversicolor from two British estuaries with contrasting sedimentary metal concentrations. Nineteenth ECSA Symposium of the Estuarine and Coastal Sciences Association M. Elliott and J. P. Ducrotoy. Caen, France, Olsen & Olsen, Fredensborh, Denmark.

Holvey, A. and W. Mawson (1998). "Cleaning up the Usk " World Tunnelling 11 (8): 381-385.

Hopkin, S. P., M. H. Martin, et al. (1985). "Heavy metals in isopods from the supra-littoral zone on the Southern shore of the Severn Estuary, UK." Environmental Pollution Series B, Chemical and Physical 9(4): 239-254.

Jonas, P. J. C. and G. E. Millward (2010). "Metals and nutrients in the Severn Estuary and Bristol Channel: Contemporary inputs and distributions." Marine Pollution Bulletin In Press, Corrected Proof.

Kartar, S., R. A. Milne, et al. (1973). "Polystyrene waste in Severn Estuary." Marine Pollution Bulletin 4(9): 144.

Kartar, S. R. and F. Abou-Seedo (1974). "Polystyrene spherules in the Severn Estuary-a progress report." Marine Pollution Bulletin 7(3): 52.

Kay, D., C. M. Stapleton, et al. (2005). "Decay of intestinal enterococci concentrations in high-energy estuarine and coastal waters: towards real-time T90 values for modelling faecal indicators in recreational waters." Water research; 39(4): 655-667.

Killops, S. and V. Howell (1988). "Sources and Distribution of Hydrocarbons in Bridgewater Bay (Severn Estuary, U.K.) Intertidal Surface Sediments "Estuarine Coastal and Shelf Science 8(6): 237-261.









Knight, B. I. (1971). The determination of certain trace metals in the Severn Estuary. .

Knock, C. (1990). Finite Element Modelling of Estuarine hydrodynamics (Pollution transport). Council for National Academic Awards (UK). Bristol, Bristol Polytechnic. PhD.

Langston, W. J. (2004). "Characterisation studies of the southwest's designated European Marine Sites" Bulletin of the Estuarine and Coastal Sciences Association 46.

Langston, W. J., B. S. Chesman, et al. (2003). Characterisation of the South West European Marine Sites. Summary report Plymouth, Marine Biological Association.

Langston, W. J., B. S. Chesman, et al. (2003). Site characterisation of the South West European Marine Sites. The Severn estuary possible Special Area of Conservation, Special Protection Area Plymouth, Plymouth Marine Laboratory.

Langston, W. J., N. D. Pope, et al. (2010). "Contaminants in fine sediments and their consequences for biota of the Severn Estuary." Marine Pollution Bulletin In Press, Corrected Proof.

Lin, B., R. Falconer, et al. (1993). Modelling a complex mixture of point and diffuse microbiological inputs to high energy and turbid estuarine bathing waters: The Severn Estuary. 7th International Conference on Diffuse Pollution and Basin Management. Dublin, Ireland.

Little, D. I. and J. Smith (1994). "Appraisal of contaminants in sediments of the inner Bristol Channel and Severn Estuary" Biological Journal of the Linnean Society 51(1-2): 56-69.

Lucas, S. (1980). "Rivers of Resource " Water 32(13-15).

Mantoura, R. F. C. and E. M. S. Woodward (1983). "Conservative behaviour of riverine dissolved organic carbon in the Severn Estuary: chemical and geochemical implications." Geochimica et Cosmochimica Acta 47(7): 1293-1309.

Martin, M. H. and C. L. Beckett (1992). Heavy metal pollution in the Severn Estuary. The Coast of Avon Proceedings of the Bristol Naturalists' Society (Special Issues). P. Crowther, Bristol Naturalists' Society: 105-112.

Martin, M. H., G. Nickless, et al. (1997). "Concentrations of cadmium, copper, lead, nickel and zinc in the alga Fucus serratus in the Severn Estuary from 1971 to 1995." Chemosphere 34(2): 325-334.

McCalley, D. V., M. Cooke, et al. (1980). "Coprostanol in Severn Estuary sediments." Bulletin of environmental contamination and toxicology 25(3): 374-381

McCann, B. (1998). "Severn strategy " Water Quality International 32-33.

McColl, N. P. (1988). "Model to Predict the Level of Artificial Radionuclides in Environmental Materials in the Severn Estuary and the Bristol Channel "Journal of Fish Biology 33(supplement A): 79-84.

Mccubbin, D., K. S. Leonard, et al. (2001). "Incorporation of Organic Tritium (super(3)H) by Marine Organisms and Sediment in the Severn Estuary/Bristol Channel (UK) "Marine Pollution Bulletin 42(10): 852 - 863.

Morris, A. W. (1984). "The Chemistry of the Severn Estuary and the Bristol Channel " Marine Pollution Bulletin 15(2): 57-61.

Morris, A. W. and A. J. Bale (1975). "The accumulation of cadmium, copper, manganese and zinc by Fucus vesiculosus in the Bristol Channel." Estuarine and Coastal Marine Science 3(2): 153-163.

Morris, J. E. (2006). Organically bound tritium in sediments from the Severn estuary, UK. Southampton, Southampton University. PhD.









Morris, J. E., P. E. Warwick, et al. (2004). "Tritium accumulation in salt marsh sediments from the Severn Estuary, UK (abstract of poster presented at AGU 2004 Joint Assembly, 17-21 May 2004, Montreal, Canada). ." EOS: Transactions American Geophysical Union 85(17): JA152.

Mortimer, R. J. G. and J. E. Rae (2000). "Metal Speciation (Cu, Zn, Pb, Cd) and Organic Matter in Oxic to Suboxic Salt Marsh Sediments, Severn Estuary, Southwest Britain "Marine Pollution Bulletin 40(5): 377 - 386.

Murdoch, N., P. J. C. Jonas, et al. (2010). "A modelling assessment of contaminant distributions in the Severn Estuary." Marine Pollution Bulletin In Press, Corrected Proof.

Murray, L. A., M. G. Norton, et al. (1980). Field assessment of the effects of dumping wastes at sea: 7. Sewage sludge and industrial waste disposal in the Bristol Channel. Fish. Res. Tech. Rep. Lowestoft, MAFF Directorate of Fisheries Research.

Nature Conservancy Council (1982). Bridgewater Bay National Nature Reserve- the effects of Hinkley Point Nuclear Power Station. Unpublished report to CEGB. Peterborough, NCC.

Nature Conservancy Council (NCC) (1982). The Gwent Levels: The Past, Present and Future in Relation to Nature Conservation. Cardiff, Nature Conservancy Council.

Nelson, C. and A. T. Williams (1997). Bathing water quality and health implications. International Conference on Water Pollution, Proceedings.

Nickless, G., R. Stenner, et al. (1972). "Distribution of cadmium, lead and zinc in the Bristol Channel." Marine Pollution Bulletin 3(12): 188-190.

Owens, M. (1984). "Severn Estuary -- an appraisal of water quality." Marine Pollution Bulletin 15(2): 41-47.

Paerl, H. W., L. M. Valdes, et al. (2006). "Assessing the effects of nutrient management in an estuary experiencing climatic change: The Neuse River Estuary, North Carolina." Environmental Management 37(3): 422-436.

Parsons Brinckerhoff and ABP Mer (2008). Severn Tidal Power SEA Scoping Topic Paper: Marine Water Quality. Bristol, A report to the Department of Energy and Climate Change (DECC).

Peden, J. D., J. H. Crothers, et al. (1973). "Heavy metals in Somerset marine organisms." Marine Pollution Bulletin 4(1): 7-9.

Radford, P. J., R. J. Uncles, et al. (1981). "Simulating the impact of technological change on dissolved cadmium distribution in the Severn Estuary." Water Research 15(9): 1045-1052.

Radford, P. J. and J. West (1986). "Models to Minimise Monitoring." Water research 20(8): 1059-1066.

Rae, J. E. (1989). "Copper, lead and zinc in salt marsh sediments of the Severn Estuary, UK: The potential for their early diagnetic mobility." Environmental Geochemistry and Health 11(3): 121-126.

Rae, J. E. (1997). Trace metals in deposited intertidal sediments. Biogeochemistry of intertidal sediments. T. D. Jickells and J. E. Rae. Cambridge, Cambridge University Press. Cambridge Environmental Chemistry Series.

Rae, J. E. and J. R. L. Allen (1991). The significance of organic matter degradation in the interpretation of historical pollution trends in depth profiles of estuarine sediment; . Estuarine Research Conference. San Francisco. Estuaries, 16.

Randerson, P. (1985). "A model of carbon flow in the intertidal areas of the Severn Estuary, UK." Estuaries 8(2B): 117A.

Rattray Jr, M. and R. J. Uncles (1983). "On the predictability of the 137Cs distribution in the Severn Estuary." Estuarine, Coastal and Shelf Science 16(5): 475-487.









Rotchell, J. M. (1998). Temporal and spatial variation of cytochrome P4501 A activities in flounder (Pleuronectes flesus) from the Severn Estuary 8th Annual Meeting of SETAC-Europe Bordeaux, France. Poster Paper No. 3C/P003.

Available

Rotchell, J. M., D. J. Bird, et al. (1999). "Seasonal variation in ethoxyresorufin O-deethylase (EROD) activity in European eels Anguilla anguilla and flounders Pleuronectes flesus from the Severn Estuary and Bristol Channel." Marine Ecology Progress Series 190: 263-270.

Rotchell, J. M., K. R. Clarke, et al. (2001). "Hepatic metallothionein as a biomarker for metal contamination: age effects and seasonal variation in European flounders (Pleuronectes flesus) from the Severn Estuary and Bristol Channel." Marine Environmental Research 52(2): 151-171

Ruddock, P. J., D. J. Bird, et al. (2002). "Bile metabolites of polycyclic aromatic hydrocarbons in three species of fish from the severn estuary." Ecotoxicology and Environmental Safety 51(2): 97-105.

Severn Tidal Power Group (1989). The Severn Barrage Project. Detailed Report Vol. 1 "Tidal Hydrodynamics, Sediments, Water Quality, Land Drainage and Sea Defences", ETSU.

Sheahan, D., S. Brooks, et al. (2007). Offshore SEA 8. A Review of the Contaminant Status of SEA 8 covering the Western Approaches, Celtic Sea and English Channel. London, Department for Energy and Climate Change (DECC).

Simmons, S. L. and A. T. Williams (1993). "Persistent Marine Debris along the Glamorgan Heritage Coast, UK: A Management Problem." Interdisciplinary Discussions of Coastal Research and Coastal Management Issues and Problems: 251-262.

Thorne, L. T. (1978). Metal speciation in Severn Estuary sediments. Bristol, Bristol University. Ph.D.

Thorne, L. T. and G. Nickless (1981). "The relation between heavy metals and particle size fractions within the severn estuary (U.K.) inter-tidal sediments." The Science of The Total Environment 19(3): 207-213.

Tudor, D. T. and A. T. Williams (2004). "Development of a 'Matrix Scoring Technique' to determine litter sources at a Bristol Channel beach." Journal of Coastal Conservation 10(1-2): 119-127.

Uncles, R. J. (1979). "A Comparison of the Axial Distributions of Salt and 137CS in the Severn Estuary During August 1974." Estuarine Coastal and Marine Science 9(5): 585-594.

Vale, J., J. E. Ravenscroft, et al. (1990). "Trace Metals in the Severn Estuary: A Reappraisal." Marine Pollution Bulletin 21(8): 393-396.

Vale, J. A. (1991). Atmospheric Deposition of Heavy Metals to the Severn Estuary. Scotland, University of Stirling. Unpublished PhD Thesis: 372.

Vale, J. A. and S. Harrison (1994). "Aerial inputs of pollutants to the Severn Estuary "Biological Journal of the Linnean Society 51(1-2): 45-54.

Vale, J. A., S. J. Harrison, et al. (1994). Atmospheric input of metals to the Severn Estuary Changes in fluxes in estuaries: implications from science to management. K. R. Dyer and R. J. Orth. Fredensborg, Denmark, Olsen & Olsen: 219-224.

Various (1972). The Severn Estuary: An Assessment of Present Knowledge. The Natural Environment Research Council Publications Bristol University and University College Swansea: 24.

Velgrakis, A. F., Lee, M.W.E., Dix, J.K. and Collins, M.B. (1996). Evaluation of waste coal deposits offshore Lavernock point, Bristol Channel. Southampton, University of Southampton.

Ware, G. C., A. E. Anson, et al. (1972). "Bacterial pollution of the Bristol channel." Marine Pollution Bulletin 3(6): 88-90.









Warwick, P. E., Croudace, I.W., Howard, A.G., Cundy, A.B. and Morris, J. (2002). Spatial and temporal variation of tritium activities in coastal marine sediments of the Severn Estuary, U.K. 12th annual V. M. Goldschmidt conference.

Williams, A. T. and S. L. Simmons (1996). "The degradation of plastic litter in rivers: Implications for beaches." Journal of Coastal Conservation 2(1): 63-72.

Williams, A. T. and S. L. Simmons (1997). "Estuarine litter at the river/beach interface in the Bristol Channel, United Kingdom." Journal of Coastal Research 13(4): 1159-1165.

Williams, A. T. and S. L. Simmons (1997). "Movement patterns of riverine litter." Water, Air, and Soil Pollution 98(1-2): 119-139.

Williams, A. T. and S. L. Simmons (1999). "Sources of riverine litter: The river Taff, South Wales, UK." Water, Air, and Soil Pollution 112(1-2): 197-216.

Williams, A. T. and D. T. Tudor (2001). "Litter burial and exhumation: Spatial and temporal distribution on a cobble pocket beach." Marine Pollution Bulletin 42(11): 1031-1039.

Williams, A. T. and D. T. Tudor (2001). "Temporal trends in litter dynamics at a pebble pocket beach." Journal of Coastal Research 17(1): 137-145.

Williams, A. T., D. T. Tudor, et al. (2003). "Beach litter sourcing in the Bristol channel and Wales, U.K." Water, Air, and Soil Pollution 143(1-4): 387-408.

Williams, J., R. Russ, et al. (2001). "An overview of tritium behaviour in the Severn Estuary (UK) " Journal of radiological protection 21(4): 337-344.

Wood, R. and J. Widdows (2003). "Modelling intertidal sediment transport for nutrient change and climate change scenarios." Science of the Total Environment 314: 637-649.









1.7 Regional and Local Climate Change

Allen, J. (1998). "Windblown trees as a palaeoclimate indicator: regional consistency of a mid-Holocene wind field " Palaeogeography, Palaeoclimatology, Palaeoecology 144(1-2): 175-181.

Barber, K. E. and G. R. Coope, Eds. (1987). Climatic history of the Severn Valley during the last 18,000 years. Palaeohydrology in Practice. Wiley, Chichester.

Brown, A. G. (1991). Hydrogeomorphological changes in the Severn Basin during the 15,000 years; orders of change in a maritime catchment. Temperate palaeohydrology; fluvial processes in the temperate zone during the last 15 000 years. L. Starkel, K. J. Gregory and J. B. Thomes: 147-169.

Cole, J. A., D. B. Oakes, et al. (1994). "Potential impacts of climatic change and of sea-level rise on the yields of aquifer, river and reservoir sources." Journal of the Institution of Water and Environmental Management 8(6): 591-606.

Department of Energy (1981). The Severn Estuary Wave Climate study: Wind wave correlation: waves April 1978 - March 1981 winds April 1960 - March 1981, Department of Energy, London.

Henderson, P. A. (2005). Predicting the effects of climate change on the community structure of the Bristol Channel. ECSA Conference. Plymouth.

Holman, I. P., M. D. A. Rounsevell, et al. (2005). "A regional, multi-sectoral and integrated assessment of the impacts of climate and socio-economic change in the UK: Part I. Methodology." Climatic Change 71(1-2): 9-41.

Holmes, R. H. A. and P. A. Henderson (1990). "High fish recruitment in the Severn Estuary: The effect of a warm year? ." Journal of Fish Biology 36(6): 961-963.

Horsburgh, J. and J. A. Lowe (2010). Mean Sea Level and Sea Level Extremes in MCCIP Annual Report Card 2010-11. MCCIP Science Review. MCCIP: 10pp.

Hughes, S. L., N. P. Holliday, et al. (2010). Temperature (Air and Sea) in MCCIP Annual Report Card 2010-11. MCCIP Science Review. M. S. Review: 16pp.

Lowe, J. A. e. a. (2009). UK Climate Projections Science Report: Marine & coastal projections. UKCP09. UKCP09. Exeter, Met Office Hadley Centre.

Masselink, G. and P. Russell (2010). Coastal Erosion in MCCIP Annual Report Card 2010-11. MCCIP Science Review. M. S. Review: 18pp.

Mayes, J. (1998). "Orographic influences on local weather: a Bristol Channel case study " Geography 83(4): 322-330.

MCCIP (2010). Marine Climate Change Impacts Partnership Annual Report Card 2010-11. MCCIP. MCCIP. Lowestoft, MCCIP: 12.

Mieszkowska, N. (2010). Intertidal Habitats and Ecology in MCCIP Annual Report Card 2010-11. MCCIP Science Review. M. S. Review: 19pp.

Murphy, J. M., D. Sexton, et al. (2009). UK Climate Projections Science Report: Climate change projections. UKCP09. UKCP09. Exeter, Met Office Hadley Centre.

Pinnegar, J. A. and M. Heath (2010). Fish in MCCIP Annual Report Card 2010-11. MCCIP Science Review. M. S. Review: 23pp.

Prior, J. and M. Beswick (2008). "The exceptional rainfall of 20 July 2007." Weather 63(9): 261-267.

Prudhomme, C., N. Reynard, et al. (2002). "Downscaling of global climate models for flood frequency analysis: where are we now?" Hydrological Processes 16(6): 1137-1150.









Reynard, N. S., C. Prudhomme, et al. (1998). The potential impacts of climate change on the flood characteristics of a large catchment in the UK. Second International Conference on Climate and Water. Helsinki, Finland.

Reynard, N. S., C. Prudhomme, et al. (2001). "The flood characteristics of large UK Rivers: Potential effects of changing climate and land use." Climatic Change 48(2-3): 343-359.

Saye, S. E. and K. Pye (2007). "Implications of sea level rise for coastal dune habitat conservation in Wales, UK." Journal of Coastal Conservation 11(1): 31-52.

Smith, R. A. E. (2008). Validating the LISFLOOD-FP inundation model for flooding on the North Somerset coast. Bristol, University of Bristol.

Southall, E. J., A. J. Southward, et al. (2004). "Regional climatic warming drives long-term community changes of British marine fish." Proceedings of the Royal Society of London Series B - Biological Sciences 271(1539): 655-661.

Uncles, R. J. (2010). "Physical properties and processes in the Bristol Channel and Severn Estuary." Marine Pollution Bulletin In Press, Corrected Proof.

Wood, R. and J. Widdows (2003). "Modelling intertidal sediment transport for nutrient change and climate change scenarios." Science of the Total Environment 314: 637-649.

Woolf, D. and J. Wolf (2010). Storms and Waves in MCCIP Annual Report Card 2010-11. MCCIP Science Review. MCCIP: 15pp.









1.8 Sea Level

- ABPmer (2005). Avonmouth to Aust Tidal Scheme: Joint Probability Analysis of Waves and Water Levels, ABP Marine Environmental Research Ltd, Report No. R1225. Southampton, ABP Marine Environmental Research Ltd.
- Alcock, G. A. and D. T. Pugh (1980). Observations of Tides in the Severn Estuary and Bristol Channel. A report prepared for the Department of Energy Bradbury L.J.S., Durst F., Launder B.E., Schmidt F. and Whitelaw J.H. Wormley, UK, Institute of Oceanographic Studies. 112: 63.
- Allen, J., J. Rae, et al. (1991). A comparison of the super(210)Pb dating technique with three other independent dating methods in an oxic estuarine salt-marsh sequence (conference presentation) Eleventh Biennial International Estuarine Research Conference San Francisco, CA. Estuaries
- Allen, J. R. L. (1986). "Late Flandrian coastal change and tidal palaeochannel development at Hills Flats, Severn Estuary (SW Britain)." Journal of the Geological Society of London 50: 1-23.
- Allen, J. R. L. (1987). "Late Flandrian shoreline oscillations in the Severn Estuary: the Rumney Formation at its typesite (Cardiff area)." Philosophical Transactions of the Royal Society of London B 315: 157-174.
- Allen, J. R. L. (1990). "Late Flandrian shoreline oscillations in the Severn Estuary: change and reclamation at Arlingham, Gloucestershire." Philosophical Transactions of the Royal Society of London A 1613.
- Allen, J. R. L. (1990). "The Severn Estuary in southwest Britain: Its retreat under marine transgression, and fine-sediment regime." Sedimentary Geology 66(1-2): 13-28.
- Allen, J. R. L. (1991). "Salt-marsh accretion and sea-level movement in the inner Severn Estuary, southwest Britain: archaeological and historical contribution." Journal of the Geological Society 148(3): 485-494.
- Allen, J. R. L. (1995). "Salt-marsh growth and fluctuating sea level: Implications of a simulation model for Flandrian coastal stratigraphy and peat-based sea-level curves" Sedimentary Geology 100(1-4): 21-45.
- Allen, J. R. L. (1996). "Shoreline movement and vertical textural patterns in salt marsh deposits; implications of a simple model for flow and sedimentation over tidal marshes." Proceedings of the Geologists' Association 107(1): 15-23.
- Allen, J. R. L. (2000). "Late Flandrian (Holocene) tidal palaeochannels, Gwent Levels (Severn Estuary), SW Britain: character, evolution and relation to shore "Marine Geology 162(2-4): 353-390.
- Allen, J. R. L. (2000). "Morphodynamics of Holocene Salt Marshes: a review sketch from the Atlantic and Southern North Sea Coasts of Europe." Quaternary Science Review 19(12): 1155-1231.
- Allen, J. R. L. (2000). "Sea level, saltmarsh and fen: Shaping the Severn estuary levels in the later Quaternary (Ipswichian- Holocene)." Archaeology in the Severn Estuary.
- Allen, J. R. L. (2002). "Interglacial high-tide coasts in the Bristol Channel and Severn Estuary, southwest Britain: a comparison for the Ipswichian and Holocene." Journal of Quaternary Science 17(1): 69-76.
- Allen, J. R. L. (2002). No. 2: Later Quaternary stratigraphy and environmental change, Severn Estuary Levels: a field guide to Gold Cliff Island and Oldbury Flats. Occasional papers in Geography. Bath Spa, School of Geography and Development Studies: Bath Spa University College.
- Allen, J. R. L. (2003). "An eclectic morphostratigraphic model for the sedimentary response to Holocene sea-level rise in northwest Europe." Sedimentary Geology 161(1-2): 31-54.
- Allen, J. R. L. (2004). "Annual textural banding in Holocene estuarine silts, Severn Estuary Levels (SW Britain): Patterns, cause and implications." Holocene 14(4): 536-552.
- Allen, J. R. L. and M. J. Duffy (1998). "Medium-term sedimentation on high intertidal mudflats and salt marshes in the Severn Estuary, SW Britain: The role of wind and tide." Marine Geology; 150(1-4): 1-27.









- Allen, J. R. L. and M. G. Fulford (1996). "Late Flandrian coastal change and tidal palaeochannel development at Hills Flats, Severn Estuary (SW Britain)." Journal of the Geological Society of London 153(1): 151-162.
- Allen, J. R. L. and S. K. Haslett (2002). "Buried salt-marsh edges and tide-level cycles in the mid-Holocene of the Caldicot Level (Gwent), South Wales, UK." Holocene 12(3): 303-324.
- Allen, J. R. L. and S. K. Haslett (2006). "Granulometric characterization and evaluation of annually banded mid-Holocene estuarine silts, Welsh Severn Estuary (UK): coastal change, sea level and climate." Quaternary Science Reviews 25(13-14): 1418-1446.
- Allen, J. R. L. and J. E. Rae (1987). "Late Flandrian shoreline oscillations in the Severn Estuary: a geomorphological and stratigraphic reconnaissance." Philosophical Transactions of the Royal Society of London B 315: 185-230.
- Amin, M. and R. A. Flather (1996). Investigation into the possibilities of using Bristol Channel models for tidal predictions. The 1995 4th International Conference on Estuarine and Coastal Modelling. San Diego, CA, ASCE, New York.
- Andrews, J. T., D. D. Gilbertson, et al. (1984). "The Pleistocene succession of the Severn Estuary; a revised model based upon amino acid racemization studies." Journal of the Geological Society of London 141(6): 967-974.
- Atkins (2004). Gwent Levels Foreshore Management Plan: Historic analysis of foreshore evolution, scheme and monitoring options. Report to Environment Agency Wales. Cardiff, Environment Agency Wales.
- Beckinsale, R. P. and L. Richardson (1964). "Recent findings on physical development of the lower Severn Valley " Geographical Journal 130 87-105
- Bennett, A. F. (1975). "Tides in the Bristol Channel." The Geophysical Journal of the Royal Astronomical Society. 40(1): 37-43.
- Blackman, D. L. (1985). "New estimates of annual sea level maxima in the Bristol Channel " Estuarine Coastal and Shelf Science 20(2): 229-232.
- Bridgland, D. R. and F. Sirocko (2002). "Special Issue arising from the Meeting of the Fluvial Archive Group." Geologie en Mijnbouw. 81: 263-264.
- Bryant, E. A. and S. K. Haslett (2003). "Was the AD 1607 coastal flooding event in the Severn Estuary and Bristol Channel (UK) due to a tsunami?" Archaeology in the Severn Estuary 13: 163-167.
- Carr, A. P. and M. W. L. Blackley (1997). Swansea Bay (Sker) Project. Topic Report 1. Introduction and Long term changes in the coastline. Report 42. Taunton, Institute of Oceanographic Sciences.
- Cole, J. A., D. B. Oakes, et al. (1994). "Potential impacts of climatic change and of sea-level rise on the yields of aquifer, river and reservoir sources." Journal of the Institution of Water and Environmental Management 8(6): 591-606.
- Cooper, B. and R. Dun (1995). Swansea Bay Coastline Response Study. Directions in European Coastal Management. M. G. Healy and J. P. Doody. Cardigan, UK, Samara Publishing Limited: 491-498.

 It comments on the investigation, development and management of a computational model established to cover the Bristol Channel and Severn Estuary
- Cooper, B. and R. Dun (1995). Swansea Bay coastline response study Fifth Conference of the European Union for Coastal Conservation (EUCC). Coastlines '95. Swansea, Samara, Cardigan (UK).
- Cracknell, B. E. (2005). Severn Estuary and South Wales. Outrageous Waves. Global Warming and Coastal Change in Britain through Two Thousand Years. Chichester, Phillimore: 197-210.









Cracknell, B. E. (2005). The Somerset Levels. Outrageous Waves. Global Warming and Coastal Change in Britain through Two Thousand Years. Chichester, Phillimore: 184-196.

Crooks, S. (1999). A mechanism for the formation of overconsolidated horizons within estuarine floodplain alluvium; implications for the interpretation of Holocene sea-level curves. Floodplains: interdisciplinary approaches. S. B. Marriott and J. Alexander. London, Geological Society: 197-215.

Culver, S. J. and F. T. Banner (1979). "The significance of derived pre-Quaternary foraminifera in Holocene sediments of the north-central Bristol Channel." Marine Geology 29(1-4): 187-207.

David, A. (2003). "Lieutenant Murdoch Mackenzie and his survey of the Bristol Channel and the South Coast of England." Cart ography 40 (1): 69-78.

Dawson, R. J., J. W. Hall, et al. (2005). "Quantified analysis of the probability of flooding in the Thames estuary under imaginable worst-case sea level rise scenarios." International Journal of Water Resources Development; 21(4): 577-591.

Dineley, D. L. and D. I. Smith (1975). "The Sabrina Project: University of Bristol: An environmental study of the Severn Estuary: 2. The earth sciences." Chemosphere 4(1): 41-45.

Edwards, R. (2007). "Sea levels: resolution and uncertainty." Progress in Physical Geography 31(6): 621-632.

Edwards, R. J. (2006). "Mid- to late-Holocene relative sea-level change in southwest Britain and the influence of sediment compaction." Holocene 16(4): 575-587.

Edwards, R. J. and B. P. Horton (2006). "Developing detailed records of relative sea-level change using a foraminiferal transfer function: An example from North Norfolk, UK." Philosophical Transactions: Mathematical, Physical and Engineering Sciences (Series A) 364(1841): 973-991.

Environment Agency (2002). Tidal Severn Flood Management Strategy. Solihull, Environment Agency, Midlands Region.

Environment Agency (2006). Somerset and the sea: The 1981 storm - 25 years on. Exeter, Environment Agency.

Evans, J. J. and D. T. Pugh (1981). An Analysis of a Year of Sea-Level Data at Flat Holm, Severn Estuary. Wormley, UK, Institute of Oceanographic Sciences.

Fong, S. W. and N. S. Heaps (1978). A note on quarter-wave tidal resonance in the Bristol Channel. Taunton, IOS.

French, J. (2006). "Tidal marsh sedimentation and resilience to environmental change: Exploratory modelling of tidal, sea-level and sediment supply forcing in predominantly allochthonous systems." Marine Geology 235(1-4): 119-136.

Gerlirels, W. R., W. A. Marshall, et al. (2007). "Rapid sea-level rise in the North Atlantic Ocean since the first half of the nineteenth century (vol 17, pg 419, 2007)." Holocene 17(3): 419-420.

Gilbertson, D. D. and A. B. Hawkins (1980). An early Flandrian sea-level in the Severn Estuary. Research into the geology and geomorphology of S.W. England.

Godwin, H. (1940). "Data for the study of Post Glacial History V: A Boreal Transgression of the Sea in Swansea Bay." New Phytol 39(3): 308-321.

Gustard, W. T. (1933). Levels of the Hundreds of Caldicot and Wentlooge. Bound volume of typescript notes by the Chief Clerk to the Commissioners of Sewers for Monmouthshire.

Haslett, S. K. and E. A. Bryant (2004). "The AD 1607 coastal flood in the Bristol Channel and Severn Estuary; Historical Records from Devon and Cornwall (UK)." Archaeology in the Severn Estuary 15(81-89).









Haslett, S. K., P. Davies, et al. (1998). "Evaluating late Holocene relative sea-level change in the Somerset Levels, southwest Britain." The Holocene 8: 197-207

Haslett, S. K., P. Davies, et al. (2000). "The changing estuarine environment in relation to Holocene sea level and the archaeological implications." Archaeology in the Severn Estuary.

Haslett, S. K., F. Strawbridge, et al. (2001). "Vertical saltmarsh accretion and its relationship to sea-level in the Severn Estuary, U.K: An investigation using foraminifera as tidal indicators." Estuarine, Coastal and Shelf Science 52(1): 143-153.

Hawkins, A. B. (1969). Post glacial sea level changes in the Bristol Channel. Proceedings of the Ussher Society.

Hawkins, A. B. (1971). "The Late Weichselian and Flandrian transgressions of SW Britain." Quarternaria 14: 115-130.

Hawkins, A. B. (1979). Estuary evolution with special emphasis on the Severn Estuary Tidal power and estuary management. R. T. Severn, D. L. Dineley and L. E. Hawker. Bristol (UK), Scientechnica 151-161.

Hawkins, A. B. (1979). Estuary evolution with special emphasis on the Severn Estuary Thirteenth Symposium of the Colston Research Society, University of Bristol, Bristol (UK), Apr 1978. University of Bristol, Bristol (UK).

Hawkins, A. B. (1987). Interpreting late Quaternary sea levels; the Severn Estuary,UK. International Union for Quaternary Research, XII (super th) international congress; programme and abstracts--Union internationale pour l'etude du Quaternaire, XII (super e) congres international; programme et resumes. Congress of the International Union for Quaternary Research.

Hewlett, R. (1997). Holocene environmental change and the response to sea-level in the Inner Severn Estuary. Bristol, University of Bristol. PhD.

Hewlett, R. and J. Birnie (1996). "Holocene environmental change in the inner Severn Estuary, UK: an example of the response of estuarine sedimentation to relative sea-level change." The Holocene 6: 49-61

Heyworth, A. and C. Kidson (1982). "Sea-level changes in southwest England and Wales." Proceedings of the Geologists Association 93: 91-111.

Hibbert, F. A. (1980). "Possible Evidence for Sea-Level Change in the Somerset Levels." Proc Geol Ass 91(1): 91-111.

Hill, T. (2006). The Quaternary Evolution of the Gordano Valley, North Somerset, UK. Bristol, UWE. PhD.

Hill, T., W. Woodland, et al. (2006). Late Quaternary environmental change in the Gordano Valley. The Quaternary of Somerset Field Guide. C. O. Hunt and S. K. Haslett, Quaternary Research Association.: 115-143

Hill, T. C. B., W. A. Woodland, et al. (2007). "Holocene sea-level change in the Severn Estuary, southwest England: a diatom-based sea-level transfer function for macrotidal settings." The Holocene 17(5): 639-648

Horsburgh, J. and J. A. Lowe (2010). Mean Sea Level and Sea Level Extremes in MCCIP Annual Report Card 2010-11. MCCIP Science Review. MCCIP: 10pp.

Horton, B. P. and R. J. Edwards (2001). "Quantitative Palaeoenvironmental Reconstruction Techniques in Sea-level Studies " Archaeology in the Severn Estuary 11: 105-120.

Huntley, D. A. (1980). Tides on the north-west European continental shelf. The north-west European shelf seas: The sea bed and the sea in motion. II Physical and chemical oceanography and physical resources. F. T. Banner, M. B. Collins and K. S. Massie, Elsevier.









Jennings, S., J. D. Orford, et al. (1998). "The role of relative sea-level rise and changing sediment supply on Holocene gravel barrier development: the example of Porlock, Somerset, UK." Holocene 8(2): 165-181.

Kidson, C. and A. Heyworth (1973). "The Flandrian sea-level rise in the Bristol Channel." Proceedings of the Ussher Society 2: 565-584.

Lennon, G. W. (1963). "A frequency investigation of abnormally high tidal levels at certain west coast ports." Proceedings of the Institute of Civil Engineers 25: 451–483.

Long, A., I. Shennan, et al. (2000). Bridgwater Bay Coastal Study, West Somerset District Council.

Maddy, D. (2002). "An evaluation of climate, crustal movement and base level controls on the Middle-Late Pleistocene development of the River Severn, UK." Netherlands Journal of Geosciences 81(3-4): 329-338.

Milne, G. A., W. R. Gehrels, et al. (2009). "Identifying the causes of sea-level change." Nature Geoscience 2(7): 471-478.

Narbett, R. W. (1993). Geological and engineering properties of estuarine alluvium from the Severn Estuary. Bristol, University of Bristol. PhD.

North, F. J. (1955). The Evolution of the Bristol Channel. Cardiff, National Museum of Wales.

Orford, J. D. and J. Pethick (2006). "Challenging assumptions of future coastal habitat development around the UK." Earth Surface Processes and Landforms 31(13): 1625-1642.

Parsons Brinckerhoff and Black and Veatch Ltd. (2008). Severn Tidal Power SEA Scoping Topic Paper: Navigation. Bristol, A report to the Department of Energy and Climate Change (DECC).

Pethick, J. (1993). "Shoreline adjustments and coastal management: physical and biological processes under accelerated sea-level rise." The Geographical Journal 159: 162-168.

Phillips, M. R. (2008). "Consequences of short-term changes in coastal processes: a case study." Earth Surface Processes and Landforms 33(13): 2094-2107.

Purvis, M. J., P. D. Bates, et al. (2008). "A probabilistic methodology to estimate future coastal flood risk due to sea level rise." Coastal Engineering 55: 1062-1073.

Reynard, N. S., C. Prudhomme, et al. (2001). "The flood characteristics of large UK Rivers: Potential effects of changing climate and land use." Climatic Change 48(2-3): 343-359.

Saye, S. E. and K. Pye (2007). "Implications of sea level rise for coastal dune habitat conservation in Wales, UK." Journal of Coastal Conservation 11(1): 31-52.

Scaife, R. G. and A. J. Long (1995). Evidence for Holocene sea-level changes at Caldicot Pill, the Seven Estuary. Archaeology in the Seven estuary 1994. Annual report of the Seven Estuary Levels Research Committee. M. Bell: 81-86.

Shennan, I. (1986). "Flandrian Sea-Level Changes in Fenland II: Tendencies of Sea-Level Movement, Altintudinal Changes, and Local and Regional Factors." J Quarternary Science 1(2): 155-179.

Shennan, I. and B. Horton (2002). "Holocene land- and sea-level changes in Great Britain." Journal of Quaternary Science 17(5-6): 511-526.

Stride, A. H. and R. H. Belderson (1991). "Sand transport in the Bristol Channel east of Bull Point and Worms Head: A bed-load parting model with some indications of mutually evasive sand transport paths." Marine Geology 101(1-4): 203-207.

Taylor, D. R. (1996). An analysis of sea level change in the Severn Estuary. Bristol, University of Bristol. PhD.









Temmerman, S., G. Govers, et al. (2004). "Modelling estuarine variations in tidal marsh sedimentation: response to changing sea level and suspended sediment concentrations." Marine Geology 212(1-4): 1-19.

Tinkler, J. A. (1975). An environmental appraisal of the Severn Barrage: Drainage and land quality. An environmental appraisal of the Severn Barrage. A collection of 12 essays by different authors. . T. L. Shaw: Chapter 3.

Tinkler, J. A. (1980). Drainage and land quality, Pitman.

Townend, I. and R. Dun (2000). A diagnostic tool to study long-term changes in estuary morphology. Coastal and Estuarine Environments: sedimentology, geomorphology and geoarchaeology. K. Pye and J. R. L. Allen. London, The Geological Society. Geological Society Special Publication No.175: 75-86.

UK Hydrographic Office (2002). Chart 1160 Harbours in Somerset and North Devon. Taunton, UKHO:

UK Hydrographic Office (2002). Chart 1166 River Severn Avonmouth to Sharpness and Hock Cliff

UK Hydrographic Office (2004). Chart 1152 Bristol Channel Nash Point to Sand Point. Taunton, UKHO

UK Hydrographic Office (2004). Chart 1176 Severn Estuary Steep Holm to Avonmouth. Taunton, UKHO

UK Hydrographic Office (2009). Chart 1859 Port of Bristol. Taunton, UKHO

Uncles, R. J. (1982). "Computed And Observed Residual Currents In The Bristol Channel." Oceanologica Acta 5: 11-20.

Uncles, R. J. (1988). "Tidal Dynamics of Estuaries." Hydrodynamics of Estuaries 1(Estuarine Physics): 59-73.

Uncles, R. J. (2010). "Physical properties and processes in the Bristol Channel and Severn Estuary." Marine Pollution Bulletin In Press, Corrected Proof.

Van, H. B. (1987). The South Celtic Sea/ Bristol Channel basin; origin, deformation and inversion history. Compressional intra-plate deformations in the Alpine Foreland. P. A. Ziegler, Tectonophysics: 309-334.

Woodworth, P. L., N. J. White, et al. (2009). "Evidence for the accelerations of sea level on multi-decade and century timescales." International Journal of Climatology 29(6): 777-789.









1.9 Storm Surges and Coastal Flooding

Allen, J. R. L. (1995). "Salt-marsh growth and fluctuating sea level: Implications of a simulation model for Flandrian coastal stratigraphy and peat-based sea-level curves" Sedimentary Geology 100(1-4): 21-45.

Allen, J. R. L. and S. J. Rippon (1996). "The historical simplification of coastal flood defences: four case histories from the Severn Estuary Levels, S W Britain." Transactions of the Bristol Gloucestershire Archaeological Society 113: 73-88.

Bryant, E. A. and S. K. Haslett (2003). "Was the AD 1607 coastal flooding event in the Severn Estuary and Bristol Channel (UK) due to a tsunami?" Archaeology in the Severn Estuary 13: 163-167.

Bryant, E. A. and S. K. Haslett (2007). "Catastrophic wave erosion, Bristol Channel, United Kingdom: Impact of tsunami?" Journal of Geology 115(3): 253-269.

Cole, J. A., D. B. Oakes, et al. (1994). "Potential impacts of climatic change and of sea-level rise on the yields of aquifer, river and reservoir sources." Journal of the Institution of Water and Environmental Management 8(6): 591-606.

Dawson, A. G., R. M. W. Musson, et al. (2000). "Abnormal historic sea-surface fluctuations, SW England." Marine Geology 170(1-2): 59-68.

Environment Agency (2002). Tidal Severn Flood Management Strategy. Solihull, Environment Agency, Midlands Region.

Environment Agency (2006). Protecting Clevedon: Tidal defences for Clevedon, North Somerset Exeter, Environment Agency.

Environment Agency (2006). Somerset and the sea: The 1981 storm - 25 years on. Exeter, Environment Agency.

Haslett, S. K. and E. A. Bryant (2004). "The AD 1607 coastal flood in the Bristol Channel and Severn Estuary; Historical Records from Devon and Cornwall (UK)." Archaeology in the Severn Estuary 15(81-89).

HR Wallingford (1992). Wentlooge Levels: Drainage, seawall overtopping and sea wall stability. Report No. EX2511.

Lowe, J. A. and J. M. Gregory (2005). "The effects of climate change on storm surges around the United Kingdom." Philosophical Transactions of the Royal Society a-Mathematical Physical and Engineering Sciences 363(1831): 1313-1328.

Lowe, J. A., J. M. Gregory, et al. (2001). "Changes in the occurrence of storm surges around the United Kingdom under a future climate scenario using a dynamic storm surge model driven by the Hadley Centre climate models." Climate Dynamics 18(3-4): 179-188.

Marsh, T. and J. Hannaford (2007). The summer 2007 floods in England and Wales - a hydrological appraisal. Centre for Ecology & Hydrology. C. f. E. Hydrology: 32.

Orford, J. (2007). "Porlock Gravel Barrier." Geological Conservation Review 28.

Proctor, R. and R. A. Flather (1989). "Storm surge prediction in the Bristol Channel--the floods of 13 December 1981." Continental Shelf Research 9(10): 889-918.

Root., B. B. (2004.). Tidal Severn Flood Risk Management Strategy. Report to Environment Agency. Bristol, Environment Agency.

Townend, I., P. B. Sayers, et al. (2006). OST foresight report: A futures analysis of UK coastal flooding and erosion. International Conference on Coastlines, Structures and Breakwaters 2005: Harmonising Scale and Detail - Proceedings of the International Conference on Coastlines, Structures and Breakwaters 2005.









UK Office of Science and Technology (2003). An Analysis of Future Risks of Flooding and Coastal Erosion for the UK between 2030-2100. London, Department of Trade and Industry.

Uncles, R. J. (2010). "Physical properties and processes in the Bristol Channel and Severn Estuary." Marine Pollution Bulletin In Press, Corrected Proof.

Woolf, D. and J. Wolf (2010). Storms and Waves in MCCIP Annual Report Card 2010-11. MCCIP Science Review. MCCIP: 15pp.

Zong, Y. and M. J. Tooley (2003). "A Historical Record of Coastal Floods in Britain: Frequencies and Associated Storm Tracks." Natural Hazards 29: 13-36.









1.10 Storminess, Hydrodynamics and Sediments

Abdullah, M. I., H. M. Dunlop, et al. (1973). "Chemical and hydrographic observations in the Bristol Channel during April and June 1971." Journal of Marine Biological Association U.K 53: 299-319.

ABP Mer and HR Wallingford (2008). Severn Tidal Power SEA Scoping Topic Paper: Hydraulics and Geomorphology. Southampton, A report to the Department of Energy and Climate Change (DECC).

ABP Research (2000). Gwent levels hydraulic modelling study, Objective A: Joint Probability surge tide and wave analysis, ABP Research & Consultancy Ltd, Research Report No. R. 818. Southampton, ABP Research & Consultancy Ltd.

ABPMer (2008). Severn Tidal Power - Scoping Topic Paper: Hydraulics and Geomorphology, Parsons Brinkerhoff.

- Alcock, G. A. and D. T. Pugh (1980). Observations of Tides in the Severn Estuary and Bristol Channel. A report prepared for the Department of Energy Bradbury L.J.S., Durst F., Launder B.E., Schmidt F. and Whitelaw J.H. Wormley, UK, Institute of Oceanographic Studies. 112: 63.
- Allen, J. R. L. (1984). "Wrinkle marks; an intertidal sedimentary structure due to aseismic soft sediment loading." Sedimentary Geology 41(1): 75-95.
- Allen, J. R. L. (1985). "Intertidal drainage and mass-movement processes in the Severn Estuary: Rills and creeks (pills)." Journal of the Geological Society of London 142: 849-861.
- Allen, J. R. L. (1985). "Mud micro-washovers: An intertidal sedimentary structure indicating atmospheric exposure." Journal of Sedimentary Petrology 55(2): 240-242.
- Allen, J. R. L. (1986). "Time scales of colour change in late Flandrian intertidal muddy sediments of the Severn Estuary." Proceedings of the Geologists' Association 97(1): 23-28.
- Allen, J. R. L. (1987). "Desiccation of mud in the temperate intertidal zone; studies from the Severn Estuary and eastern England." Philosophical Transactions of the Royal Society of London, Series B: Biological Sciences 315(1171): 127-156.
- Allen, J. R. L. (1987). "Late Flandrian shoreline oscillations in the Severn Estuary: the Rumney Formation at its typesite (Cardiff area)." Philosophical Transactions of the Royal Society of London B 315: 157-174.
- Allen, J. R. L. (1987). "Reworking of muddy intertidal sediments in the Severn Estuary, southwestern UK: a preliminary survey " Sedimentary Geology 50: 1-23.
- Allen, J. R. L. (1987). "Streamwise Erosional Structures in Muddy Sediments, Severn Estuary, Southwestern UK." Geografiska Annaler. Series A, Physical Geography 69(1): 37-46.
- Allen, J. R. L. (1987). "Towards a quantitative chemostratigraphic model for sediments of Late Flandrian age in the Severn Estuary, U.K." Sedimentary Geology 53(1-2): 73-100.
- Allen, J. R. L. (1989). "Evolution of salt-marsh cliffs in muddy and sandy systems: A qualitative comparison of British west-coast estuaries." Earth Surface Processes and Landforms 14(1): 85-92.
- Allen, J. R. L. (1990). "Salt-Marsh Growth and Stratification: A Numerical Model with Special Reference to the Severn Estuary, Southwest Britain." Marine Geology 95(2): 77-96.
- Allen, J. R. L. (1990). "The Severn Estuary in southwest Britain: Its retreat under marine transgression, and fine-sediment regime." Sedimentary Geology 66(1-2): 13-28.
- Allen, J. R. L. (1991). "Fine sediment and its sources, Severn Estuary and inner Bristol Channel, southwest Britain." Sedimentary Geology 75(1-2): 57-65.









- Allen, J. R. L. (1992). "Large-scale textural patterns and sedimentary processes on tidal salt marshes in the Severn Estuary, southwest Britain." Sedimentary Geology 81(3-4): 299-318.
- Allen, J. R. L., Ed. (1992). The post-glacial geology and geoarchaeology of the Avon wetlands. . Proceedings of the Bristol Naturalists' Society.
- Allen, J. R. L. (1992). Tidally influenced marshes in the Severn Estuary, southwest Britain. Saltmarshes: Morphodynamics, Conservation and Engineering Significance. J. R. L. Allen and K. Pye. Cambridge, Cambridge University Press: 123-147.
- Allen, J. R. L. (1993). "Muddy alluvial coasts of Britain: Field criteria for shoreline position and movement in the recent past." Proceedings of the Geologists' Association, London 104(4): 241-262.
- Allen, J. R. L. (1995). "Salt-marsh growth and fluctuating sea level: Implications of a simulation model for Flandrian coastal stratigraphy and peat-based sea-level curves" Sedimentary Geology 100(1-4): 21-45.
- Allen, J. R. L. (1996). "The sequence of early land-claims on the Walland and Romney Marshes, southern Britain: a preliminary hypothesis and some implications." Proceedings of the Geologists Association 107: 271-280
- Allen, J. R. L. (1996). "Shoreline movement and vertical textural patterns in salt marsh deposits; implications of a simple model for flow and sedimentation over tidal marshes." Proceedings of the Geologists' Association 107(1): 15-23.
- Allen, J. R. L. (1998). "The geoarchaeology of land-claim in coastal wetlands: a sketch from Britain and the north-western European Atlantic-North Sea coast." Archaeology Journal 154: 1-54.
- Allen, J. R. L. (2000). "Morphodynamics of Holocene Salt Marshes: a review sketch from the Atlantic and Southern North Sea Coasts of Europe." Quarternary Science Review 19(12): 1155-1231.
- Allen, J. R. L. (2002). No. 2: Later Quaternary stratigraphy and environmental change, Severn Estuary Levels: a field guide to Gold Cliff Island and Oldbury Flats. Occasional papers in Geography. Bath Spa, School of Geography and Development Studies: Bath Spa University College.
- Allen, J. R. L. (2002). "Retreat rates of soft-sediment cliffs; the contribution from dated fishweirs and traps on Holocene coastal outcrops." Proceedings of the Geologists' Association, 113(1): 1-8.
- Allen, J. R. L. (2004). "Annual textural banding in Holocene estuarine silts, Severn Estuary Levels (SW Britain): Patterns, cause and implications." Holocene 14(4): 536-552.
- Allen, J. R. L. and P. Dark (2008). "Seasonality of modern pollen and sediment deposition in an estuarine context: The Severn Estuary Levels, southwest England." Journal of Quaternary Science 23(3): 213-228.
- Allen, J. R. L. and M. J. Duffy (1998). "Medium-term sedimentation on high intertidal mudflats and salt marshes in the Severn Estuary, SW Britain: The role of wind and tide." Marine Geology; 150(1-4): 1-27.
- Allen, J. R. L. and M. J. Duffy (1998). "Temporal and spatial depositional patterns in the Severn Estuary, southwestern Britain: Intertidal studies at spring-neap and seasonal scales, 1991-1993." Marine Geology: 146(1-4): 147-171.
- Allen, J. R. L. and S. K. Haslett (2006). "Granulometric characterization and evaluation of annually banded mid-Holocene estuarine silts, Welsh Severn Estuary (UK): coastal change, sea level and climate." Quaternary Science Reviews 25(13-14): 1418-1446.
- Allen, J. R. L. and S. K. Haslett (2007). "The Holocene estuarine sequence at Redwick, Welsh Severn Estuary Levels, UK: The character and role of silts." Proceedings of the Geologists' Association 118(2): 157-174.









- Allen, J. R. L., A. L. Lamb, et al. (2007). "Seasonality of 13C and C/N ratios in modern and mid-Holocene sediments in the Severn Estuary Levels, SW Britain." Holocene 17(1): 139-144.
- Allen, J. R. L. and J. E. Rae (1987). "Late Flandrian shoreline oscillations in the Severn Estuary: a geomorphological and stratigraphic reconnaissance." Philosophical Transactions of the Royal Society of London B 315: 185-230.
- Allen, J. R. L. and J. E. Rae (1988). "Vertical salt-marsh accretion since the Roman period in the Severn Estuary, southwest Britain." Marine Geology 83(1-4): 225-235.
- Allen, J. R. L., J. E. Rae, et al. (1993). A comparison of the (super 210) Pb dating technique with three other independent dating methods in an oxic estuarine salt-marsh sequence. Historical trends in contamination of estuarine and coastal sediments. S. N. J. Valette and S. B. Bricker.
- Allen, J. R. L. and S. J. Rippon (1996). "The historical simplification of coastal flood defences: four case histories from the Severn Estuary Levels, S W Britain." Transactions of the Bristol Gloucestershire Archaeological Society 113: 73-88.
- Anderson, J. C. C. and C. R. K. Blundell (1965). "The Sub-Drift Rock Surfaces and Buried Valleys of the Cardiff District." Proc Geol Ass 76: 367-377.
- Anderson, J. G. C. (1968). "The concealed rock-surface and overlying deposits of the Severn Valley and estuary from Upton to Neath." Proceedings of the South Wales Institute of Engineers 83(1): 27-47.
- Anon (1978). "Buoys will monitor waves in Severn Estuary" Dock and Harbour Authority 58(688): 459.
- Atkins (2004). Gwent Levels Foreshore Management Plan: Historic analysis of foreshore evolution, scheme and monitoring options. Report to Environment Agency Wales. Cardiff, Environment Agency Wales.
- Atomic Energy Research Establishment Energy Support Unit (1992). Algal stabilisation of estuarine sediments.
- Babtie Brown & Root, ABPMer, et al. (2005). Severn Estuary, Coastal Habitat Management Plan (CHaMP) Phase 1 Report: Conceptual Understanding, Habitat Inventory and Habitat Behavioural Units., Environment Agency.
- Barker, P. P. and E. J. F. Mercer (2000). Bog standard geophysical techniques on the Severn. European Geophysical Society, 25th general assembly.
- Barrie, J. V. (1980). "Heavy mineral distribution in bottom sediments of the Bristol Channel, U.K." Estuarine and Coastal Marine Science, 11(4): 369-381.
- Bassett, M. G. (1984). Proceedings of the Geologists' Association. Geology and Sediments of Offshore Wales and Adjacent Areas, Cardiff, UK.
- Beckinsale, R. P. and L. Richardson (1964). "Recent findings on physical development of the lower Severn Valley " Geographical Journal 130 87-105
- Belov, A. P., P. Davies, et al. (1999). "Mathematical modelling of basal coastal cliff erosion in uniform strata: A theoretical approach." Journal of Geology 107(1): 99-109.
- Bluck, B. J. (1967). "SEDIMENTATION OF BEACH GRAVELS EXAMPLES FROM SOUTH WALES." Journal of Sedimentary Petrology 37(1): 128-&.
- Booth, C. A., J. Walden, et al. (2005). "Use of mineral magnetic concentration data as a particle size proxy: A case study using marine, estuarine and fluvial sediments in the Carmarthen Bay area, South Wales, U.K." Science of the Total Environment 347(1-3): 241-253.









Booth, C. A., J. Walden, et al. (2004). "A comparison of inter-site, intra-site, intra-sample and instrument variability in environmental magnetic data: An example based on the Gwendraeth Estuary, South Wales, U.K." Journal of Coastal Research 20(3): 808-813.

Bottill, L. J., D. E. Walling, et al. (1999). Geochemical characteristics of overbank deposits and their potential for determining suspended sediment provenance; an example from the River Severn, UK. Floodplains; interdisciplinary approaches. S. B. Marriott and J. Alexander. London, Geological Society Special Publications: 241-257.

Brand, C. (1998). Evaluation of the Marine Aggregate Resource of the Welsh Grounds (Area B). Southampton, University of Southampton.

British Geological Survey (1996). Bristol Channel. Bedrock geology (DigRock250) and sea-bed sediments (DigSBS250). Keyworth, Nottingham, BGS.

British Geological Survey (1996). Inner Bristol Channel and Severn Estuary, England and Wales Sheet. Pre quaternary and quaternary geology. Keyworth, Nottingham, BGS.

Brooks, M. (1977). "Geological results of recent seismic investigations in the Bristol Channel area." Proceedings of the Ussher Society, 4(1): 36.

Brooks, M., Bayerly, M. and Llewellyn, D.J. (1977). "Long seismic lines in the Bristol Channel area." The Geophysical Journal of the Royal Astronomical Society 49(1): 284.

Brooks, M. (1987). Geophysical investigations of deep structure in the Bristol Channel area. Geology and sediments of offshore Wales and adjacent areas. M. G. Bassett. Cardiff: 397-398.

Brooks, M. and D. G. James (1975). "The geological results of seismic refraction surveys in the Bristol Channel,1970-1973." Journal of the Geological Society of London 131(2): 163-182.

Brooks, M. and M. S. Thompson (1973). "The geological interpretation of a gravity survey of the Bristol Channel." Journal of the Geological Society of London 129(2): 245-274.

Brooks, M., P. M. Trayner, et al. (1988). "Mesozoic reactivation of Variscan thrusting in the Bristol Channel area, UK." Journal of the Geological Society of London 145(3): 439-444.

Brooks, M. a. A., S.R.H. (1977). "Seismic refraction studies of geological structure in the inner part of the Bristol Channel." Journal of the Geological Society of London 133(5): 435-445.

Brown, J. (2000). The Bristol Channel Marine Aggregates Constraints Research Project: keeping the consultation process clear of murky waters! Coastal Management: integrating science, engineering and management. C. A. Flemming. Bristol, Thomas Telford: 168-175.

Brownlow, A. H. (1977). RV Edwards Forbes Cruise 5/77, 18 April-3 May 1977. Investigation of turbidity structures in the Severn Estuary and Inner Bristol Channel Wormley, UK, IOS

Brownlow, A. H. (1977). RV Edwards Forbes Cruise 16/77, 26 September-4 October 1977. Investigation of turbidity structures in the Severn Estuary and Inner Bristol Channel Wormley (UK), IOS.

Bryant, E. A. and S. K. Haslett (2003). "Was the AD 1607 coastal flooding event in the Severn Estuary and Bristol Channel (UK) due to a tsunami?" Archaeology in the Severn Estuary 13: 163-167.

Bryant, E. A. and S. K. Haslett (2007). "Catastrophic wave erosion, Bristol Channel, United Kingdom: Impact of tsunami?" Journal of Geology 115(3): 253-269.

Bryant, R. and D. J. A. Williams (1983). Characteristics of suspended cohesive sediment in the Severn Estuary, U.K. Symposium on the Dynamics of Turbid Coastal Environments. Dartmouth, Nova Scotia, Canada, Canadian journal of fisheries and aquatic sciences/Journal canadien des sciences halieutiques et aquatiques.









Caldwell, N. E. and A. T. Williams (1985). "The Role of Beach Profile Configuration in the Discrimination Between Differing Depositional Environments Affecting Coarse Clastic Beaches." J Coastal Research 1(2): 129-139.

Caldwell, N. E., A. T. Williams, et al. (1982). "The Swash Force Transducer." Journal of Sedimentary Petrology 52(2): 669-671.

Cari, J. J. W., S. L. Philpott, et al. (2005). Marine Aggregates in the Bristol Channel. Urban Geology in Wales. M. Bassett, V. Deisler and D. Nichol. Cardiff, National Museum of Wales. 2: 222-228

Carling, P. A., A. Radecki-Pawlik, et al. (2006). "The morphodynamics and internal structure of intertidal fine-gravel dunes: Hills Flats, Severn Estuary, UK." Sedimentary Geology 183(3-4): 159-179.

Carr, A. P. and M. W. L. Blackley (1997). Swansea Bay (Sker) Project. Topic Report 1. Introduction and Long term changes in the coastline. Report 42. Taunton, Institute of Oceanographic Sciences.

Chauhan, P. P. S. (2009). "Autocyclic erosion in tidal marshes." Geomorphology 110(3-4): 45-57.

Christie, M. C., K. R. Dyer, et al. (1995). Field measurements of erosion across a shallow water estuarine mudflat. Coastal dynamics '95; proceedings of the international conference on Coastal research in terms of large scale experiments.

Collins, M. (1984). Sediment transport in the Bristol Channel: A review. Geology and Sediments of Offshore Wales and Adjacent Areas. Cardiff, UK.

Collins, M. (1987). Sediment Transport in the Bristol Channel: A review. Proceedings of the Geologists' Association: Geology and sediments of offshore Wales and adjacent areas. Meeting (1986)

Collins, M. B. (1983). "Supply, distribution and transport of suspended sediment in a macrotidal environment: Bristol Channel, UK." Canadian Journal of Fisheries and Aquatic Sciences 40(1): 44-59.

Collins, M. B. (1989). Sediment fluxes in the Bristol Channel. Proceedings of the Ussher Society.

Collins, M. B., F. T. Banner, et al. (1980). Chapter 11 Sediment Transport by Waves and Tides: Problems exemplified by a Study of Swansea Bay, Bristol Channel. Elsevier Oceanography Series, Elsevier. Volume 24, Part 2: 369-389.

Cooper, B. and R. Dun (1995). Swansea Bay Coastline Response Study. Directions in European Coastal Management. M. G. Healy and J. P. Doody. Cardigan, UK, Samara Publishing Limited: 491-498.

Cooper, B. and R. Dun (1995). Swansea Bay coastline response study Fifth Conference of the European Union for Coastal Conservation (EUCC). Coastlines '95. Swansea, Samara, Cardigan (UK).

Cope, J. C. W. and M. G. Bassett (1987). Sediment sources and Palaeozoic history of the Bristol Channel area. Geology and sediments of offshore Wales and adjacent areas., Proceedings of the Geologists' Association,.

Cracknell, B. E. (2005). Severn Estuary and South Wales. Outrageous Waves. Global Warming and Coastal Change in Britain through Two Thousand Years. Chichester, Phillimore: 197-210.

Cracknell, B. E. (2005). The Somerset Levels. Outrageous Waves. Global Warming and Coastal Change in Britain through Two Thousand Years. Chichester, Phillimore: 184-196.

Cramp, A., M. Coulson, et al. (1991). "A note on the observed and predicted flow patterns around islands - Flat Holm, the Bristol Channel." International Journal of Remote Sensing 12(5): 1111-1118.

Crooks, S. and K. Pye (2000). Sedimentological controls on the erosion and morphology of saltmarshes; implications for flood defence and habitat recreation. London, Geological Society.









Crowther, P. R. (1992). The Coast of Avon Bristol Naturalists' Society (1 April 1992)

Culver, S. J. (1980). "Differential two-way sediment transport in the Bristol Channel and Severn Estuary, U.K "Marine Geology 34 M39-M43.

Culver, S. J. and F. T. Banner (1979). "The significance of derived pre-Quaternary foraminifera in Holocene sediments of the north-central Bristol Channel." Marine Geology 29(1-4): 187-207.

Dark, P. and J. R. L. Allen (2005). "Seasonal deposition of Holocene banded sediments in the Severn Estuary Levels (southwest Britain): palynological and sedimentological evidence." Quarternary Science Review 24(1-2): 11-33.

Davies, C. M. (1974). "Location of spoil grounds in sedimentary systems." Dock & Harbour Authority 55: 120-124.

Davies, P. and A. T. Williams (1986). "Cave Development in Lower Lias Coastal Cliffs, The Glamorgan Heritage Coast, Wales, UK." Iceland Coastal and River Symposium Sighjarnarson, E. National Energy Authority, Iceland: 75-92.

Davies, P. and A. T. Williams (1989). Sediment supply from solid geology cliffs into the intertidal zone of the Severn Estuary/Inner Bristol Channel, UK. Nineteenth ECSA Symposium of the Estuarine and Coastal Sciences Association Caen (France), Olsen & Olsen, Fredensborg, Denmark. Milieux Estuariens Et Littoraux: Intercomparaisons Spatiales et Temporelles. Edited by M. Elliott & J.P. Ducrotoy, International Symposium Series No. 19.

Davies, P. and A. T. Williams (1991). "Sediment supply from solid geology cliffs into the inter tidal zone of the Severn Estuary / Inner Bristol Channel, UK." Estuaries: Spatial and Temporal Inter-comparisons: 17-24.

Davies, P., A. T. Williams, et al. (1991). "Numerical modelling of lower Lias rock failures in the coastal cliffs of South Wales, UK." Coastal Sediments '91: 1599-1612.

Dawson, A. G., R. M. W. Musson, et al. (2000). "Abnormal historic sea-surface fluctuations, SW England." Marine Geology 170(1-2): 59-68.

Dawson, R. J., J. W. Hall, et al. (2005). "Quantified analysis of the probability of flooding in the Thames estuary under imaginable worst-case sea level rise scenarios." International Journal of Water Resources Development; 21(4): 577-591.

Delo, E. A. and T. N. Burt (1986). "Dispersion of sidecast dredged spoil -- a mathematical prediction and field study." Dock & Harbour Authority 66(778): 285-290.

Department of Energy (1977). Tidal power barrages in the Severn Estuary: recent evidence on their feasibility London, HMSO.

Department of Energy (1981). The Severn Estuary : Observations of tidal currents, salinities and suspended solids concentrations. , Department of Energy, London.

Department of Energy (1981). The Severn Estuary: Measurements of the vertical and lateral distribution of mud suspensions, Department of Energy, London.

Department of Energy (1981). The Severn Estuary: Sand Flux Measurements, Department of Energy, London.

Dineley, D. L. and D. I. Smith (1975). "The Sabrina Project: University of Bristol: An environmental study of the Severn Estuary: 2. The earth sciences." Chemosphere 4(1): 41-45.

Donovan, D. T., R. J. G. Savage, et al. (1961). "Geology of the floor of the Bristol Channel." Nature 189(4758): 51-52.









- Doody, J. P. (2004). "'Coastal squeeze' an historical perspective." Journal of Coastal Conservation 10(1): 129-138.
- Dyer, K. R. (1984). "Sedimentation processes in the Bristol Channel/Severn Estuary." Marine Pollution Bulletin 15(2): 53-57.
- Dyer, K. R. (1996). The definition of the Severn Estuary. The definition of the Severn Estuary. Proceedings of the Bristol Naturalists' Society, Bristol.
- Dyer, K. R. (1998). "The typology of intertidal mudflats." Geological Society Special Publications Sedimentary processes in the intertidal zone.: 11-24.
- Dyer, K. R., M. C. Christie, et al. (2000). "The classification of intertidal mudflats." Continental Shelf Research 20(10-11): 1039-1060.
- Dyer, K. R. and E. M. Evans (1989). "Dynamics of turbidity maximum in a homogeneous tidal channel." Journal of Coastal Research Special Issue Number 5: 22-30.
- Edwards, R. J. (2006). "Mid- to late-Holocene relative sea-level change in southwest Britain and the influence of sediment compaction." Holocene 16(4): 575-587.
- Evans, C. D. R. (1982). The geology and surficial sediments of the Inner Bristol Channel and Severn Estuary. Severn Barage. Proceedings of a Symposium organised by the Institute of Civil Engineers, 8-9 October 1981. London, Thomas Telford.
- Evans, G. P., B. M. Mollowney, et al. (1990). Two-Dimensional Modelling of the Bristol Channel, UK. Estuarine and Coastal Modelling American Society of Civil Engineers. New York, American Society of Civil Engineers: 331-340.
- Ewards, R. A. (1999). The Minehead District A concise account of the Geology. London, The Stationary Office.
- Ferentinos, G. (1978). Hydrodynamic and sedimentation processes in Swansea Bay and along the central northern Bristol Channel coastline. Swansea, University of Wales Swansea. PhD.
- Ferns, P. N. (1983). Sediment mobility in the Severn Estuary and its influence upon the distribution of shorebirds. Symposium on the Dynamics of Turbid Coastal Environments. Dartmouth, Nova Scotia, Canada, Canadian journal of fisheries and aquatic sciences.
- Finkl Jr, C. W., A. J. Mehta, et al. (1989). "High concentration cohesive sediment transport." Journal of Coastal Research, Special Issue Number 5: 23-30.
- Foy, G. (1982). "Maintenance Dredging in the Port of Bristol." World Dredging and Marine Construction 18(12): 16-21.
- Freeman, D., L. Coates, et al. (1994). "Cohesive sediment transport on an inter-tidal zone under combined wave-tidal flow." Aquatic Ecology 28(3): 283-288.
- French, J. (2006). "Tidal marsh sedimentation and resilience to environmental change: Exploratory modelling of tidal, sea-level and sediment supply forcing in predominantly allochthonous systems." Marine Geology 235(1-4): 119-136.
- French, P. (1996). "Implications of a saltmarsh chronology for the Severn Estuary based on independent lines of dating evidence "Marine Geology 135(1-4): 115-125.
- French, P. (1998). "The impact of coal production on the sediment record of the Severn Estuary " Environmental Pollution 103(1): 37-43.
- French, P. W., J. R. L. Allen, et al. (1994). "210-lead dating of a modern period saltmarsh deposit from the Severn Estuary (southwest Britain), and its implications." Marine Geology 118(3-4): 327-334.









Glover, R. S. (1984). "The Bristol Channel; a case for special treatment." Marine Pollution Bulletin, Special issue: The Bristol Channel and Sever Estuary.: 37-40.

Gordon, D. C. J. (1981). Introduction to the Symposium on the Dynamics of Turbid Coastal Environments. Symposium on the Dynamics of Turbid Coastal Environments, Dartmouth, Nova Scotia, Canada, Canadian journal of fisheries and aquatic sciences/Journal canadien des sciences halieutiques et aquatiques. 1983.

Green, G. W. and B. N. Fletcher (1976). The geology of the Severn barrage area. London, Institute of Geological Sciences.

Griffiths, E. C. (1973). Sedimentary response to the tidal regime of the Upper Severn estuary. Bristol, University of Bristol. PhD.

Hamilton, D. (1979). The high energy, sand and mud regime of the Severn Estuary, S.W. Britain. Tidal power and estuary management. R. T. Severn, D. L. Dineley and L. E. Hawker. Bristol (UK), Scientechnica 162-172

Hamilton, D. (1979). The high energy, sand and mud regime of the Severn Estuary, S.W. Britain. Thirteenth Symposium of the Colston Research Society, University of Bristol, Bristol (UK), Apr 1978. University of Bristol, Bristol (UK).

Hamilton, D. (1980). The nature of sand populations generated in the competent tidal currents of the Celtic Sea and Severn Estuary.

Hamilton, P. (1973). "The Circulation of the Bristol Channel." Geophysical Journal International 32(4): 409-422.

Harris, P. and M. B. Collins (1991). "Sand transport in the Bristol Channel: bedload parting zone or mutually evasive transport pathways." Marine Geology 101: 209-216.

Harris, P. T. (1988). "Large-scale bedforms as indicators of mutually esuasive sand transport and the sequential infilling of wide-mouthed estuaries." Sedimentary Geology 57: 273-298.

Harris, P. T. and M. B. Colins (1988). "Estimation of the annual bedload flux in a macrotidal estuary." Marine Geology 83: 237-252.

Harris, P. T. and M. B. Collins (1984). "Bedform distributions and sediment transport paths in the Bristol Channel and Severn Estuary, U.K." Marine Geology 62(1-2): 153-166.

Haslett, S. K. (1997). "An ipswichian foraminiferal assemblage from the Gwent Levels (Severn Estuary, UK)." Journal of Micropalaeontology 16(2): 136.

Haslett, S. K. (2005). "Holocene Floodplain Sediments and Associated Archaeology of the Olway Valley (Gwent, UK): An Excavation Report." Monmouthshire Antiquary 21: 5-20.

Haslett, S. K. (2006). "Topographic variation of an estuarine salt marsh: Northwick Warth (Severn Estuary, UK)." Occasional papers in Geography 3.

Haslett, S. K. and E. A. Bryant (2004). "The AD 1607 coastal flood in the Bristol Channel and Severn Estuary; Historical Records from Devon and Cornwall (UK)." Archaeology in the Severn Estuary 15(81-89).

Haslett, S. K. and E. A. Bryant (2007). "Reconnaissance of historic (post-AD 1000) high-energy deposits along the Atlantic coasts of southwest Britain, Ireland and Brittany, France." Marine Geology 242(1-3): 207-220.

Haslett, S. K. and E. A. Bryant (2009). "METEOROLOGICAL TSUNAMIS IN SOUTHERN BRITAIN: AN HISTORICAL REVIEW." Geographical Review 99(2): 146-163.









Haslett, S. K., P. Davies, et al. (1998). "Evaluating late-Holocene relative sea-level change in the Somerset Levels, southwest Britain." The Holocene 8: 197-207

Haslett, S. K., F. Strawbridge, et al. (2001). "Vertical saltmarsh accretion and its relationship to sea-level in the Severn Estuary, U.K: An investigation using foraminifera as tidal indicators." Estuarine, Coastal and Shelf Science 52(1): 143-153.

Hawkins, A. B. (1979). "Case histories of some effects of solution/ dissolution in the Keuper rocks of the Severn Estuary region." The Quarterly Journal of Engineering Geology 12(1): 31-40.

Hawkins, A. B. (1992). Geology of the Avon Coast. Nature in Avon; proceedings of the Bristol Naturalists' Society. Proceedings of the Bristol Naturalists' Society, Avon.

Hawkins, A. B., W. J. Larnach, et al. (1989). "Selecting the location, and the initial investigation of the SERC soft clay test bed site." Quarterly Journal of Engineering Geology 22: 281-316

Hawkins, A. B., R. W. Narbett, et al. (1994). Flandrian cliff lines in the Severn Estuary. Seventh international congress; International Association of Engineering Geology; Theme 3, Engineering geology and environmental protection.

Hawkins, A. B. and M. J. Sebbage (1972). "The reversal of sand waves in the Bristol Channel." Marine Geology 12(4): M7-M9.

Hawkins, B. (1986). Geology of the Severn Estuary British Association for the Advancement of Science Annual Meeting. Bristol UK.

He, Q. and D. E. Walling (1998). "An investigation of the spatial variability of the grain size composition of floodplain sediments." Hydrological Processes 12(7): 1079-1094.

Hewlett, R. and J. Birnie (1996). "Holocene environmental change in the inner Severn Estuary, UK: an example of the response of estuarine sedimentation to relative sea-level change." The Holocene 6: 49-61

Hill, T. (2006). The Quaternary Evolution of the Gordano Valley, North Somerset, UK. Bristol, UWE. PhD.

Hill, T., W. Woodland, et al. (2006). Late Quaternary environmental change in the Gordano Valley. The Quaternary of Somerset Field Guide. C. O. Hunt and S. K. Haslett, Quaternary Research Association.: 115-143.

Hill, T. C. B., W. A. Woodland, et al. (2007). "Holocene sea-level change in the Severn Estuary, southwest England: a diatom-based sea-level transfer function for macrotidal settings." The Holocene 17(5): 639-648

Hobson, C. L. and M. B. Collins (1994). North Middle grounds Marine Extraction Evaluation. Southampton, University of Southampton.

Hobson, C. L. and M. B. Collins (1995). South Welsh Grounds Marine Aggregate Evaluation. Southampton, University of Southampton.

Horsburgh, K. and M. Horritt (2006). "The Bristol Channel floods of 1607 -reconstruction and analysis." Weather 61(10): 272-277.

HR Wallingford (1996). Dredging on Nash Bank: Study of impacts on the coastline, HR Wallingford.

Hughes, C. E. (1980). Interglacial marine deposits and strandlines of the Somerset Levels. Aberystwyth, University of Wales, Aberystwyth, Unpublished PhD Thesis.

Hughes, R. G. (2001). "The effects of biological and physical processes on saltmarsh erosion and restoration in SE England." Ecological Studies 151: 173-192.

Imienwanrin, A. (1989). Palaeomagnetism and magnetic fabric of recent sediments from the Severn Estuary system Southampton University of Southampton. PhD.









Institute of Oceanographic Studies (IOS) (1975). RV Edward Forbes cruise 5/75, 2 April - 14 April 1975. Investigation of turbidity structures in the Severn estuary and upper Bristol Channel. Taunton, UK, Institute of Oceanographical Sciences

Institute of Oceanographic Studies (IOS) (1975). RV Edward Forbes cruise 7/75, 1 May - 12 May 1975. Investigation of turbidity structures in the Severn estuary and upper Bristol Channel. Taunton, UK, Institute of Oceanographical Sciences

Ivil, K. A. (1982). A study of the bed morphology of part of the sediment estuary. Cardiff, University College Cardiff.

James, C. H. (1900). "Notes on the Great Flood of Jan. 20th 1607." Trans Cardiff Nature Soc 33: 53-58.

Jenkins, G. O., H. Kessler, et al. (2005). A desk study & BGS capability study in the Severn Estuary, United Kingdom. Nottingham, British Geological Survey.

Jones, O. P. (2007). Modelling headland sandbank processes. London, University College London. PhD.

Kamerling, P. (1979). "The geology and hydrocarbon habitat of the Bristol Channel Basin." Journal of Petroleum Geology 2(1): 75-93.

Khalily, H. (1975). Analysis of Severn Estuary sediments. Bristol, UK, Bristol University. Ph.D.

Kidson, C. (1960). "The shingle complexes of Bridgewater Bay." Transactions of the Institute of British Geographers 28: 75-87.

Killops, S. D. and V. J. Howell (1988). "Sources and distribution of hydrocarbons in Bridgwater Bay (Severn Estuary, U.K.) Intertidal surface sediments. ." Estuarine, Coastal and Shelf Science. 27(3): 237-261.

Kirby, J. R. and R. Kirby (2008). "Medium timescale stability of tidal mudflats in Bridgwater Bay, Bristol Channel, UK: Influence of tides, waves and climate." Continental Shelf Research 28(19): 2615-2629.

Kirby, R. (1986). Suspended fine cohesive sediment in the Severn Estuary, and the Inner Bristol Channel, UK. Energy Technology Support Unit.

Kirby, R. (1990). "Sediment problems arising from barrage construction in high energy regimes: an example from the Severn Estuary." Developments in tidal energy. Proc. 3rd conference on tidal power organized by ICE, London, 1989: 233-244.

Kirby, R. (1994). "The evolution of the fine sediment regime of the Severn Estuary and Bristol Channel "Biological Journal of the Linnean Society 51(1-2): 37-44.

Kirby, R. (1996). Hartland Point to Brean Down: Summary of Existing Knowledge of Coastal Trends and Stability. Report to North Devon, Somerset and South Avon Coastal Group.

Kirby, R., Ed. (2002). Distinguishing accretion from erosion-dominated muddy coasts. Muddy coasts of the world; processes, deposits and function.

Kirby, R. (2010). "Distribution, transport and exchanges of fine sediment, with tidal power implications: Severn Estuary, UK." Marine Pollution Bulletin In Press, Corrected Proof.

Kirby, R. and M. I. Geol (1986). "Suspended fine cohesive sediment in the Severn Estuary and inner Bristol Channel, U.K." Petroleum Engineer International.

Kirby, R. and W. Parker (1982). "A Suspended Sediment Front in the Severn Estuary." Nature 295(5848): 396-399.

Kirby, R. and W. Parker (1983). Distribution and behaviour of fine sediment in the Severn Estuary and Inner Bristol Channel, U.K. Symposium on the Dynamics of Turbid Coastal Environments. Dartmouth, Nova









Scotia, Canada, Canadian journal of fisheries and aquatic sciences/Journal canadien des sciences halieutiques et aquatiques.

Kirby, R. and W. R. Parker (1975). Sediment dynamics in the Severn Estuary: A background for studies of the effects of a barrage. An environmental appraisal of the Severn Barrage. A collection of 12 essays by different authors. T. L. Shaw: Chapter 2.

Kirby, R. and W. R. Parker (1982). "A suspended sediment front in the Severn Estuary." Nature 295(5848): 396-399.

Knock, C. (1990). Finite Element Modelling of Estuarine hydrodynamics (Pollution transport). Council for National Academic Awards (UK). Bristol, Bristol Polytechnic. PhD.

Large, N. F. (1967). "The significance of Spartina townsendii at Aust cliff. Proceedings of the Cotteswold Naturalists' Field Club." 35(1): 55-58.

Lawler, D. M. and G. J. L. Leeks (1992). "River bank erosion events on the upper Severn detected by the photo-Electronic Erosion Pin (PEEP) system." Erosion and sediment transport monitoring programmes in river basins.: 95-105.

Lees, B. J. (1989). The use of Remote Sensing as a tool to further the understanding of suspended sediment dynamics in the Bristol Chanel (England) Southampton, Southampton. PhD: 167.

Ley, R. G. (1979). The development of marine karren along the Bristol Channel coastline. I. Problems in karst environments. M. Sweeting, Zeitschrift fuer Geomorphologie,: 75-89.

Long, A., I. Shennan, et al. (2000). Bridgwater Bay Coastal Study, West Somerset District Council.

Mackie, A. S. Y., J. W. C. James, et al. (2006). The Outer Bristol Channel Marine Habitat Study: Summary Document. Biomar Reports 4. Cardiff, National Museum of Wales.

Mackintosh, D. (1868). "On the mode and extent of encroachment of the sea on some parts of the shores of the Bristol Channel." Quarterly Journal of the Geological Society of London, 24(1): 279-283.

Manning, A. J., W. J. Langston, et al. (2010). "A review of sediment dynamics in the Severn Estuary: Influence of flocculation." Marine Pollution Bulletin In Press, Corrected Proof.

Mantz, P. A. and H. L. Wakeling (1992). Aspects of sediment movement near to Bridgwater Bar, Bristol Channel. Proceedings - Institution of Civil Engineers Part 2.

McAnally, W. H., C. Friedrichs, et al. (2007). "Management of fluid mud in estuaries, bays, and lakes. I: Present state of understanding on character and behaviour." Journal of Hydraulic Engineering 133(1): 9-22.

McAnally, W. H., C. Friedrichs, et al. (2007). "Management of fluid mud in estuaries, bays, and lakes. I: Present state of understanding on character and behaviour." Journal of Hydraulic Engineering-Asce 133(1): 9-22.

McColl, N. P. (1988). "Model to Predict the Level of Artificial Radionuclides in Environmental Materials in the Severn Estuary and the Bristol Channel "Journal of Fish Biology 33(supplement A): 79-84.

McLaren, P., M. B. Collins, et al. (1993). "Sediment dynamics of the Severn Estuary and inner Bristol Channel." Journal of the Geological Society 150(3): 589-604.

Mechie, J. and M. Brooks (1984). "A seismic study of deep geological structure in the Bristol Channel area, SW Britain." Geophysical Journal of the Royal Astronomical Society, 78(3): 661-689.

Mettam, C. and Y. P. Malovitsky (1979). "Stratification of water in the Severn Estuary: photographic evidence " Proceedings of the Bristol Nature Society 37: 99-103.









Miliorizos, M. (1991). Sub-Mesozoic stratigraphy and Variscan structure under the inner Bristol Channel. Proceedings of the Annual conference of the Ussher Society.

Miliorizos, M. M., A. Ruffell, et al. (2004). "Variscan structure of the inner Bristol Channel." Journal of the Geological Society, 161: 31-44.

Mitchener, H. J. and D. J. O'Brien (1998). Seasonal variability of sediment erodibility and properties on a macrotidal mudflat, Peterstone Wentlooge, Severn estuary, UK Fifth International Conference on Cohesive Sediment Transport (INTERCOH '98). Seoul, Korea, Elsevier Science Ltd. 3.

Mitchener, H. J. and D. J. O'Brien (2001). Seasonal variability of sediment erodibility and properties on a macrotidal mudflat, Peterstone Wentlooge, Severn Estuary, UK. Coastal and estuarine fine sediment processes. W. H. McAnally and A. J. Mehta.

Moller, I. (2006). "Quantifying saltmarsh vegetation and its effect on wave height dissipation: Results from a UK East coast saltmarsh." Estuarine, Coastal and Shelf Science 69(3-4): 337-351.

Morris, A. W. (1984). "The Chemistry of the Severn Estuary and the Bristol Channel " Marine Pollution Bulletin 15(2): 57-61.

Murray, J. W. and A. B. Hawkins (1976). "Sediment Transport in the Severn Estuary during the past 8000-9000years." Quarterly Journal of the Geological Society in London 132: 385-398.

Nemcok, M. and R. Gayer (1996). "Modelling palaeostress magnitude and age in extensional basins; a case study from the Mesozoic Bristol Channel basin, U.K." Journal of Structural Geology 18(11): 1301-1314.

North, C. P. (1988). Structure and Sedimentology of the Mercia Mudstone Group (Upper Triassic) Severn Estuary Region, SW Britain Bristol, University of Bristol. PhD: 289.

O'Brien, D. J., R. J. S. Whitehouse, et al. (2000). "The cyclic development of a macrotidal mudflat on varying timescales." Continental Shelf Research 20(12-13): 1539 - 1618.

O'Brien, D. J., R. J. S. Whitehouse, et al. (2000). The cyclic development of a macrotidal mudflat on varying timescales. Intertidal mudflats, properties and processes; Part II, Mudflat processes. K. R. Dyer.

Odd, N. V. M. (1982). The feasibility of using mathematical models to predict sediment transport in the Severn Estuary. The Severn Barrage Proceedings of a symposium organized by the Institution of Civil Engineers... Anonymous, Institution of Civil Engineers,: 195-202.

Odd, N. V. M. and A. J. Cooper (1989). "A two-dimensional model of the movement of fluid mud in a high energy turbid estuary." Journal of Coastal Research Special Issue Number 5: 153-193.

Otto, S. (1996). The erosion of saltmarshes along the Severn Estuary, SW Britain Reading, University of Reading. PhD.

Otto, S., Ed. (1998). Offshore sand banks and their role in coastal sedimentary processes: the Welsh coast of the outer Severn Estuary, SW Britain. Issues in Environmental Geology: a British Perspective. London, The Geological Society,.

Owen, A. (1980). "A Three-Dimensional Model Of The Bristol Channel." Journal Of Physical Oceanography 10: 1290-1302.

Owen, A. (1980). "The Tidal Regime Of The Bristol Channel: A Numerical Modelling Approach." Geophysical Journal Of The Royal Astronomical Society 62: 59-75.

Paerl, H. W., L. M. Valdes, et al. (2006). "Assessing the effects of nutrient management in an estuary experiencing climatic change: The Neuse River Estuary, North Carolina." Environmental Management 37(3): 422-436.









Parker, R. and R. Kirby (1978). Cohesive sediment dynamics and sedimentation in the Severn Estuary and inner Bristol Channel Third meeting of Geological Societies of the British Isles. Swansea UK.

Parker, R. and R. Kirby (1978). "Cohesive sediment dynamics and sedimentation in the Severn Estuary and inner Bristol Channel" Journal of the Geological Society of London 135(4): 468.

Parker, W. and R. Kirby (1973). Studies of fluid mud in the Severn Estuary and Bristol Channel Joint Meeting of the University of Wales Institute of Science and Technology Symposium on Estuaries, (jointly with the Estuarine and Brackishwater Sciences Association).

Parker, W. R. and R. Kirby (1975). "Studies of fluid mud in the Severn Estuary and Bristol Channel " Proceedings of the Challenger Society 4(6): 260-261.

Parker, W. R. and R. Kirby (1981). The Behaviour of Cohesive Sediment in the Inner Bristol Channel and Severn Estuary in Relation to Construction of the Severn Barrage.

Parker, W. R. and R. Kirby (1982). "Sources and transport patterns of sediment in the inner Bristol Channel and Severn Estuary." Severn Barrage. Proc. symposium, London, 1981, (Telford, for the Institution of Civil Engineers, London): 181-194, 188 figs, 182 tables, 139 refs, discussions pp 209.

Parker, W. R., T. J. Smith, et al. (1980). "Observation of Density Stratification due to Suspended Fine Sediment." Software - Practice and Experience 2: 955-966.

Pattiaratchi, C. B. and M. B. Collins (1984). "Sediment transport under waves and tidal currents: A case study from the northern Bristol Channel, U.K." Marine Geology 56(1-4): 27-40.

Phillips, M. R. (2007). "Beach response to a total exclusion barrage: Cardiff Bay, South Wales, UK." Journal of Coastal Research 23(3): 794-+.

Phillips, M. R. (2008). "Beach erosion and marine aggregate dredging: a question of evidence?" Geographical Journal 174: 332-343.

Proctor, R. and R. A. Flather (1989). "Storm surge prediction in the Bristol Channel--the floods of 13 December 1981." Continental Shelf Research 9(10): 889-918.

Prudhomme, C., N. Reynard, et al. (2002). "Downscaling of global climate models for flood frequency analysis: where are we now?" Hydrological Processes 16(6): 1137-1150.

Pye, K. (1996). Recent Saltmarsh Erosion and sea defence set-back at Aylburton Warth, Gloucestershire. Reading, Reading University and Environment Agency.

Pye, K. and J. R. L. Allen (2000). Coastal & Estuarine Environments: Sedimentology, Geomorphology & Geoarchaeology, Geological Society Publishing House.

Rae, J. E. (1997). Trace metals in deposited intertidal sediments. Biogeochemistry of intertidal sediments. T. D. Jickells and J. E. Rae. Cambridge, Cambridge University Press. Cambridge Environmental Chemistry Series.

Randerson, P. (1985). "A model of carbon flow in the intertidal areas of the Severn Estuary, UK." Estuaries 8(2B): 117A.

Rattray Jr, M. and R. J. Uncles (1983). "On the predictability of the 137Cs distribution in the Severn Estuary." Estuarine, Coastal and Shelf Science 16(5): 475-487.

Rawnsley, K. D., D. C. P. Peacock, et al. (1998). "Joints in the Mesozoic sediments around the Bristol Channel basin." Journal of Structural Geology, 20(12): 1641-1661.

Reynard, N. S., C. Prudhomme, et al. (2001). "The flood characteristics of large UK Rivers: Potential effects of changing climate and land use." Climatic Change 48(2-3): 343-359.









Reynolds, S. H. (1906). "On the erosion of the shores of the Severn Estuary." Proceedings of the Bristol Naturalists' Society 1: 204-208.

Reynolds, S. H. (1946). "The Aust section." Proceedings of the Cotteswold Naturalists' Field Club, 29: 29-39.

Robinson, G. W. (1930). "Soil Survey of Wales: Progress Report." Welsh J of Agric VI: 249-265.

Rowbotham, F. (1983). The Severn Bore. Newon Abbott, UK, David & Charles.

Rylie, S. C., C. Knock, et al. (1990). Finite element modelling of the Severn Estuary Canadian Applied Mathematics Society Eleventh Annual Conference Halifax, Nova Scotia, Canada.

Saadon, N. M. (1987). Numerical modelling of coastal water movements. Swansea, University of Wales Swansea. PhD.

Saye, S. E. and K. Pye (2007). "Implications of sea level rise for coastal dune habitat conservation in Wales, UK." Journal of Coastal Conservation 11(1): 31-52.

Schmitt, T. (2006). Morphology and dynamics of headland connected sandbanks from high-resolution bathymetric surveys: Helwick and Nash Sands, Bristol Channel, UK. School of Earth, Ocean and Planetary Sciences. Cardiff, UK, Cardiff University. PhD.

Schmitt, T., N. C. Mitchell, et al. (2007). Use of swath bathymetry in the investigation of sand dune geometry and migration around a near shore 'banner' tidal sandbank. Geological Society Special Publication 274. Coastal and Shelf Sediment Transport. P. S. Balson and M. B. Collins. London, Geological Society: 53-64.

Scott, L. J. (1996). Numerical modelling of tidal propagation in the Severn estuary using a boundary-fitted coordinate system. Salford, University of Salford. PhD.

Severn Tidal Power Group (1989). The Severn Barrage Project. Detailed Report Vol. 1 "Tidal Hydrodynamics, Sediments, Water Quality, Land Drainage and Sea Defences", ETSU.

Shackley, S. E. (1981). "The intertidal soft sediments and their macrofauna in the Greater Swansea Bay area (Worm's Head to Nash Point), South Wales." Estuarine, Coastal and Shelf Science 12(5): 535-548.

Shaw, T. L. (1980). Physics of water movements in the Severn Estuary.

Shuttler, R. M. (1982). The wave climate in the Severn Estuary. Severn Barrage. I.O.C. Engineers. London, Thomas Telford,.

Smith, D. N., P. J. Osborne, et al. (1997). Preliminary palaeoentomological research at the Iron Age sites at Goldcliff, Gwent, Wales, 1991-93. Studies in Quaternary entomology; an inordinate fondness for insects. A. C. Ashworth, P. C. Buckland and J. P. Sadler. Chichester, Published on behalf of the Quaternary Research Association by John Wiley & Sons: 255-267.

Smith, S. and G. R. Willan (1937). "A preliminary note on the geology of the Bristol Channel islands, Steep Holme, Flat Holm, and Denny Island." Geological Magazine, 872(74): 91-92.

Sollas, W. J. (1883). "On the estuaries of the Severn and its tributaries: an enquiry into the nature and origin of their tidal sediment and alluvial flats." Quarterly Journal of the Geological Society of London 39: 611-627.

Stephens, C. V. (1986). "A three-dimensional model for tides and salinity in the Bristol Channel." Continental Shelf Research 6(4): 531-560.

Stride, A. H. (1982). Offshore Tidal Sands. London, Chapman & Hall,.

Stride, A. H. and R. H. Belderson (1990). "A reassessment of sand transport paths in the Bristol Channel and their regional significance." Marine Geology 92: 227-235.









Tappin, D. R., R. A. Chadwick, et al. (1994). The Geology of Cardigan Bay and the Bristol Channel. United Kingdom Offshore Regional Report for BGS. London, HMSO.

Tappin, D. R., K. Rocks, et al. (2007). Offshore SEA 8. DTI (DECC) Strategic Environmental Assessment Area 8, Superficial Seabed Processes and Hydrocarbon Prospectivity. London, Department for Energy and Climate Change (DECC).

Temmerman, S., G. Govers, et al. (2004). "Modelling estuarine variations in tidal marsh sedimentation: response to changing sea level and suspended sediment concentrations." Marine Geology 212(1-4): 1-19.

Tookey, D. J. and J. A. Abbott (1992). Clean-up of soft sediments: phase two trials at Stert Flats. Stevenage, Warren Spring Laboratory.

Townend, I. and R. Dun (2000). A diagnostic tool to study long-term changes in estuary morphology. Coastal and Estuarine Environments: sedimentology, geomorphology and geoarchaeology. K. Pye and J. R. L. Allen. London, The Geological Society. Geological Society Special Publication No.175: 75-86.

Townend, I., P. B. Sayers, et al. (2006). OST foresight report: A futures analysis of UK coastal flooding and erosion. International Conference on Coastlines, Structures and Breakwaters 2005: Harmonising Scale and Detail - Proceedings of the International Conference on Coastlines, Structures and Breakwaters 2005.

Tsimplis, M. N., D. K. Woolf, et al. (2005). "Towards a vulnerability assessment of the UK and northern European coasts: The role of regional climate variability." Philosophical Transactions: Mathematical, Physical and Engineering Sciences (Series A) 363(1831): 1329-1358.

Tunbridge, I. P. (1986). "Mid-Devonian tectonics and sedimentation in the Bristol Channel area." Journal of the Geological Society of London, 143(1): 107-115.

Turner, S. R. (1976). Some aspects of sedimentary bodies in parts of the Bristol Channel. Swansea, University of Wales Swansea. PhD: 235.

UK Hydrographic Office (2002). Chart 1160 Harbours in Somerset and North Devon. Taunton, UKHO

UK Hydrographic Office (2002). Chart 1166 River Severn Avonmouth to Sharpness and Hock Cliff

UK Hydrographic Office (2004). Chart 1152 Bristol Channel Nash Point to Sand Point. Taunton, UKHO

UK Hydrographic Office (2004). Chart 1176 Severn Estuary Steep Holm to Avonmouth. Taunton, UKHO

UK Hydrographic Office (2009). Chart 1859 Port of Bristol. Taunton, UKHO

UK Office of Science and Technology (2003). An Analysis of Future Risks of Flooding and Coastal Erosion for the UK between 2030-2100. London, Department of Trade and Industry.

Uncles, R., M. Jordan, et al. (1985). "Temporal variability of elevations, currents and salinity in a well-mixed estuary." Estuaries 8(2B): 36A.

Uncles, R., M. Jordan, et al. (1985). Temporal variability of elevations, currents and salinity in a well-mixed estuary. Eighth Biennial International Estuarine Research Conference Durham, NH (USA)

Uncles, R. J. (1981). "A note on tidal asymmetry in the Severn Estuary." Estuarine, Coastal and Shelf Science 13(4): 419-432.

Uncles, R. J. (1981). "Numerical Simulation of the Vertical and Horizontal Msub(2) Tide in the Bristol Channel and Comparisons With Observed Data "Limnology & Oceanography 26(3): 571-577

Uncles, R. J. (1982). "Residual currents in the Severn Estuary and their effects on dispersion. ." Oceanologica acta 5(4): 403-410.

Uncles, R. J. (1983). "Hydrodynamics of the Bristol Channel." Marine Pollution Bulletin 15(2): 47-53.









Uncles, R. J. (1988). "Tidal Dynamics of Estuaries." Hydrodynamics of Estuaries 1(Estuarine Physics): 59-73.

Uncles, R. J. (2002). "Estuarine physical processes research: Some recent studies and progress." Estuarine, Coastal and Shelf Science 55(6): 829-856.

Uncles, R. J. and I. R. Joint (1983). "Vertical Mixing And Its Effects On Phytoplankton Growth In a Turbid Estuary." Can J. Fish. Aquatic Science 40(Suppl 1): 221-228.

Uncles, R. J. and M. B. Jordan (1979). "Residual fluxes of water and salt at two stations in the Severn Estuary." Estuarine and Coastal Marine Science 9(3): 287-302.

Uncles, R. J., M. B. Jordan, et al. (1980). "A one-dimensional representation of residual currents in the Severn Estuary and associated observations" Estuarine Coastal and Marine Science 10(1): 39-60.

Uncles, R. J., P. J. Radford, et al. (1980). "Seasonal and spring-neap tidal dependence of axial dispersion coefficients in the Severn - a wide, vertically mixed estuary "Journal of Fluid Mechanics 98(4): 703-726

Uncles, R. J. and J. A. Stephens (2007). Offshore SEA 8. Hydrography. London, Department for Energy and Climate Change (DECC).

Underwood, G. J. C. and D. M. Paterson (1993). "Seasonal changes in diatom biomass, sediment stability and biogenic stabilization in the Severn Estuary." Journal of the Marine Biological Association of the United Kingdom 73(4): 871-887.

Various (1972). The Severn Estuary: An Assessment of Present Knowledge. The Natural Environment Research Council Publications Bristol University and University College Swansea: 24.

Walker, M. J. C. (1998). Palaeoecological investigations of middle and late Flandrian buried peats on the Caldicot Levels, Severn Estuary, Wales. Proceedings of The Geologists' Association.

Wang, P. and J. W. Murray (1983). "The use of foraminifera as indicators of tidal effects in estuarine deposits." Marine Geology 51: 239-250.

Warren, A. (1956). The coast of Bridgewater Bay. Fitzwilliam House. Cambridge, University of Cambridge. PhD.

Warwick, P. E., Croudace, I.W., Howard, A.G., Cundy, A.B. and Morris, J. (2002). Spatial and temporal variation of tritium activities in coastal marine sediments of the Severn Estuary, U.K. 12th annual V. M. Goldschmidt conference.

Warwick, R. M. and J. R. Davies (1977). "The distribution of sublittoral macrofauna communities in the Bristol Channel in relation to the substrate." Estuarine and Coastal Marine Science 5(2): 267-288.

Warwick, R. M. and R. J. Uncles (1980). "The distribution of benthic macrofauna associations in the Bristol Channel in relation to tidal stress." Marine Ecology Progress Series 3: 97-103.

Wells, J. T. (1995). Tide dominated estuaries and tidal rivers. Geomorphology and sedimentology of estuaries. G. M. E. Perillo, Elsevier.

Welsh Assembly Government (2001). Draft Marine Aggregates Dredging Policy (South Wales); consultation document. Planning Division, Welsh Assembly Government.

West, M. S. and J. R. West (1989). Spatial and temporal variations in the intertidal zone sediment properties in the Severn Estuary, UK. Nineteenth ECSA Symposium of the Estuarine and Coastal Sciences Association M. Elliott and J. P. Ducrotoy. Caen, France Olsen and Olsen, Denmark. Milieux Estuariens Et Littoraux: Intercomparaisons Spatiales et Temporelles. International Symposium Series No. 19









Whitehouse, R. J. S., P. Bassoullet, et al. (2000). "The influence of bedforms on flow and sediment transport over intertidal mudflats." Continental Shelf Research 20(10 -11): 1099-1124.

Whitehouse, R. J. S. and H. J. Mitchener (1998). Observations of the morphodynamic behaviour of an intertidal mudflat at different timescales. Sedimentary processes in the intertidal zone. K. S. Black, D. M. Paterson and A. Cramp. London, Geological Society Special Publications: 255-271.

Whittaker, A. and G. W. Green (1983). The Geology of the Country around Weston-Super-Mare. London, HMSO.

Whittard, W. F. (1949). "Geology of the Aust-Beachley District, Gloucestershire." Geological Magazine 86(6): 365-376.

Wilkinson, P. F. (1993). Archaeological Desktop Study: Rumney Moors Landfill. Unpublished, GGAT Report 93/033. GGAT.

Williams, A. T. (1987). "A new model for pebble tracer dispersal." Acta Oceanologica Sineca 6(2): 229-234.

Williams, A. T. and N. E. Caldwell (1981). "Sediment Disturbance by 'Beach Paddlers' Along the Glamorgan Heritage Coast, UK." Shore and Beach(April): 30-33.

Williams, A. T. and N. E. Caldwell (1986). "Gravel Beach Profile Characterisation and Discrimination." J. of Coastal Research 2(2): 211-212.

Williams, A. T. and N. E. Caldwell (1986). "Spatial and Seasonal Pebble Beach Profile Characteristics." Geological Journal 21: 127-138.

Williams, A. T. and N. E. Caldwell (1988). "Particle size and shape in pebble beach sedimentation." Marine Geology 82: 199-215.

Williams, A. T. and P. Davies (1980). "Man as a Geological Agent: The Sea Cliffs of Llantwit Major." Zeitschrift fur Geomorphologie 34: 129-141.

Williams, A. T. and P. Davies (1987). "Rates and mechanisms of coastal cliff erosion in Lower Lias rocks." Coastal Sediments '87 American Society of Civil Engineers: 1855-1870.

Williams, A. T. and P. Davies (1989). "A coastal hard rock sediment budget for the Inner Bristol Channel." Sediment Transport Modelling: 474-479.

Williams, A. T., N. R. Morgan, et al. (1991). "Recession of the littoral zone cliffs of the Bristol Channel, UK." Coastal Zone '91: 2394-2408.

Williams, A. T., M. R. Phillips, et al. (2008). Coastal erosion management in Swansea Bay, Wales, UK: The application of function analysis and strategic environmental assessment. Integrated Coastal Zone Management- The Global Challenge. R. R. Krishnamurthy, B. C. Glavovic, A. Kannenet al. Singapore, Research Publishing Services.

Williams, A. T. and G. T. Roberts (1996). "The measurement of pebble impacts and wave action on shore platforms and beaches: The swash force transducer (swashometer)." Marine Geology 129(1-2): 137-143.

Williams, G. J. (1968). "The Buried Channel and Superficial Deposits of the Lower Usk, and Their Correlation with Similar Features in the Lower Severn." Proc Geol Ass 79(3): 325-348.

Williams, J. J., P. A. Carling, et al. (2006). "Dynamics of intertidal gravel dunes" Journal of Geophysical Research C Oceans 111(6).

Williamson, H. J. and M. C. Ockenden (1996). "ISIS: An instrument for measuring erosion shear stress in situ" Estuarine, Coastal and Shelf Science 42(1): 1-18.









Wilson, D., Davies, J.R., Smith, M. and Waters, R.A. (1988). "Structural controls on upper Palaeozoic sedimentation in South-east Wales." Journal of the Geological Society of London, 145(6): 901-914.

Wolf, J. (1987). A 3-D model of the Severn Estuary. International Liege Colloq. on Ocean Hydrodynamics J. C. J. Nihoul and B. M. Jamart. Liege, Belgium.

Wood, R. and J. Widdows (2003). "Modelling intertidal sediment transport for nutrient change and climate change scenarios." Science of the Total Environment 314: 637-649.

Woolf, D. and J. Wolf (2010). Storms and Waves in MCCIP Annual Report Card 2010-11. MCCIP Science Review. MCCIP: 15pp.

Woolnough, S. J., J. R. L. Allen, et al. (1995). "An exploratory numerical model of sediment deposition over tidal salt marshes" Estuarine, Coastal and Shelf Science 41(5): 515-543.

Wright, J. E. (1975). Sand and Gravel Deposits in Western U.K. Waters. Oceanic Management: Conflicting Uses of the Celtic Sea and Other Western U.K. Waters. M. M. Sibthorpe and M. Unwin. London, Europa Publications,.

Yallop, M. L. and D. M. Paterson (1994). Survey of Severn estuary. Biostabilization of sediments. W. E. Krumbein, D. M. Paterson and L. J. Stal. Oldenburg, Carl von Ossietsky Universitat: 279 - 326.

Yallop, M. L., D. M. Paterson, et al. (2000). "Interrelationships between rates of microbial production, exopolymer production, microbial biomass, and sediment stability in biofilms of intertidal sediments "Microbial Ecology; 39(2): 116-127.

Zong, Y. and M. J. Tooley (2003). "A Historical Record of Coastal Floods in Britain: Frequencies and Associated Storm Tracks." Natural Hazards 29: 13-36.









2. ADAPTATION

2.1 Coastal Defence and Managed Realignment

ABP Mer, Black and Veatch Ltd., et al. (2008). Severn Tidal Power SEA Scoping Topic Paper: Mitigation and Compensation Requirements Under the Habitats Directive. Southampton, A report to the Department of Energy and Climate Change (DECC).

ABPMer, Jacobs Babtie, et al. (2007). Severn Estuary Coastal Habitat Management Plan. Bristol, Environment Agency.

Allen, J. R. L. (1999). "Flake failure; a new mass-movement mechanism affecting peat beds eroded intertidally, Severn Estuary, Southwest Britain." Engineering Geology 53(1): 23-33.

Allen, J. R. L. (2000). Historical set-back on saltmarshes in the Severn Estuary, SW Britain. British saltmarshes. B. R. Sherwood, B. G. Gardiner and T. Harris.

Allen, J. R. L. and S. J. Rippon (1996). "The historical simplification of coastal flood defences: four case histories from the Severn Estuary Levels, S W Britain." Transactions of the Bristol Gloucestershire Archaeological Society 113: 73-88.

Atkins (2004). Gwent Levels Foreshore Management Plan: Historic analysis of foreshore evolution, scheme and monitoring options. Report to Environment Agency Wales. Cardiff, Environment Agency Wales.

Brampton, A. H. (1992). Engineering significance of British saltmarshes. Saltmarshes; morphodynamics, conservation and engineering significance. J. R. L. Allen and K. Pye. Cambridge, Cambridge University Press: 115-122.

Bray, M. J. and W. J. Duane (2001). "Porlock Bay: geomorphological investigation and monitoring." Environment Agency Report STCG024: 113.

Crooks, S. and K. Pye (2000). Sedimentological controls on the erosion and morphology of saltmarshes; implications for flood defence and habitat recreation. London, Geological Society.

Department of Energy (1977). Tidal power barrages in the Severn Estuary: recent evidence on their feasibility London, HMSO.

Doody, J. P. (2004). "'Coastal squeeze' - an historical perspective." Journal of Coastal Conservation 10(1): 129-138.

Ecoscope Applied Ecologists, Silsoe College, et al. (1999). Re-creation options for River Severn/Avon floodplain wetlands. English Nature Research Reports, No 692. Peterborough, English Nature.

Environment Agency (2001). Minehead Sea Defence Scheme. Exeter, Environment Agency.

Environment Agency (2002). Tidal Severn Flood Management Strategy. Solihull, Environment Agency, Midlands Region.

Environment Agency (2006). Protecting Clevedon: Tidal defences for Clevedon, North Somerset Exeter, Environment Agency.

Environment Agency (2006). Somerset and the sea: The 1981 storm - 25 years on. Exeter, Environment Agency.

George, C. R. (1995). Variation in the erosion threshold of natural intertidal sediments. Bristol, University of Bristol, PhD.









Hewlett, R. (1997). Holocene environmental change and the response to sea-level in the Inner Severn Estuary. Bristol, University of Bristol. PhD.

HR Wallingford (1992). Wentlooge Levels: Drainage, seawall overtopping and sea wall stability. Report No. EX2511.

Mackintosh, D. (1868). "On the mode and extent of encroachment of the sea on some parts of the shores of the Bristol Channel." Quarterly Journal of the Geological Society of London, 24(1): 279-283.

Orford, J. (2007). "Porlock Gravel Barrier." Geological Conservation Review 28.

Orford, J. D. and J. Pethick (2006). "Challenging assumptions of future coastal habitat development around the UK." Earth Surface Processes and Landforms 31(13): 1625-1642.

Pye, K. (1996). Recent Saltmarsh Erosion and sea defence set-back at Aylburton Warth, Gloucestershire. Reading, Reading University and Environment Agency.

Reynolds, S. H. (1906). "On the erosion of the shores of the Severn Estuary." Proceedings of the Bristol Naturalists' Society 1: 204-208.

Root., B. B. (2004.). Tidal Severn Flood Risk Management Strategy. Report to Environment Agency. Bristol, Environment Agency.

Saye, S. E. and K. Pye (2007). "Implications of sea level rise for coastal dune habitat conservation in Wales, UK." Journal of Coastal Conservation 11(1): 31-52.

Williams, A. T. (1985). "Man's Acceleration of Coastal Zone Processes." Teaching Geography 10(3): 132-133.

Williams, A. T. and P. Davies (1987). "Anthropogenic response to rock mass instability in coastal South East Wales, UK." L' Antropopizzazione e la degredazione dell' Ambiente fisico CNR Pub 129: 49-64.

Williams, A. T. and P. Davies (1990). "Coastal cliff protection measures in South Wales, U.K." Littoral: 699-703.

Williams, A. T., P. Davies, et al. (2000). "Environmental risk assessment; A case study of the Colhuw beach revetment on the Glamorgan Heritage coast, Wales." Journal of Coastal Conservation 6(2): 125-134.

Williams, A. T., A. Ergin, et al. (1999). "Coastal revetment risk assessment: A case study in UK." Proceedings of the International Offshore and Polar Engineering Conference 4: 369-374.

Williamson, H. J. and M. C. Ockenden (1996). "ISIS: An instrument for measuring erosion shear stress in situ" Estuarine, Coastal and Shelf Science 42(1): 1-18.









2.2 Environmental Economics

Baxter, P., G. E. Gardner, et al. (1986). Transmission system reinforcement for Severn tidal power barrage system. Tidal Power London, American Institute of Civil Engineers.

Binnie, C. J. A. and D. E. Roe (1986). Civil engineering aspects of an English Stones barrage. Tidal Power London, American Institute of Civil Engineers.

Birol, E. and V. Cox (2007). "Using Choice Experiments to Design Wetland Management Programmes: The Case of Severn Estuary Wetland, UK." Journal of Environmental Planning and Management 50(3): 363-380.

Carr, J. G. (1986). The economics and possible financing of the two Severn barrages. Tidal Power London, American Institute of Civil Engineers.

DTZ (2008). Severn Tidal Power SEA Scoping Topic Paper: Assessment of the Regional Economic Impacts of Tidal Power Generation in the Severn Estuary. Bristol, A report to the Department of Energy and Climate Change (DECC).

Heald, D. (1991). "Accounting for the Severn Bridge" Financial Accountability & Management; 7(4): 41.

Planning Economic and Development Consultants (PIEDA plc) (1992). The Economic Impact of the Second Severn Crossing. PIEDA, Reading.

Wanklyn, M. (1996). "The impact of transport facilities on the economies of English river ports, c.1660-c.1760." Economic History Review 49(1).









2.3 Infrastructure and Engineering

Brown, P. A. (1986). Second road crossing for the Severn Estuary British Association for the Advancement of Science Annual Meeting Bristol, UK. Paper No. (D6)

Cook, A. (1991). Coastal Shipping in the Bristol Channel 1750-1914. Department of Extra-Mural Studies. Cardiff, Cardiff University.

Edwards, J. A. (1989). "Port redevelopments in the Bristol Channel/Severn Estuary" Planner 75: 3.

Foy, G. (1982). "Maintenance Dredging in the Port of Bristol." World Dredging and Marine Construction 18(12): 16-21.

Kerr, D., W. T. Murray, et al. (1986). Civil engineering aspects of the Cardiff-Weston Barrage. Tidal Power London, American Institute of Civil Engineers, .

Parsons Brinckerhoff and ABP Mer (2008). Severn Tidal Power SEA Scoping Topic Paper: Other Sea Uses. Bristol, A report to the Department of Energy and Climate Change (DECC).

Phillips, M. R. and A. L. Jones (2006). "Erosion and tourism infrastructure in the coastal zone: Problems, consequences and management." Tourism Management 27(3): 517-524.

Raven, P. W. J., R. J. Stuart, et al. (1985). Full-scale dynamic testing of submarine pipeline spans. Seventeenth Annual Offshore Technology Conference, Houston, Texas, New York.

Reina, P. (1998). "Welsh Waterfront Barrier Generates a Barrage of Controversy; Structure to Allow Development, but is Decried by Greens " ENR 240(2): 38.

Shaw, T. (1986). Regional infrastructure and employment implications of tidal power barrages in the Severn Estuary. Tidal Power London, American Institute of Civil Engineers.

Solomon, D. (1988). Fish passage through Tidal Energy Barrages. Energy Technology Support Unit.









2.4 Institutional Capacity

Ballinger, R. C. and J. Brown (1998). An Evaluation of Development Policy from an Estuary Management Perspective: a case study of the Severn Estuary Area, UK. Littoral '98. Fourth International Conference European Coastal Association for Science and Technology. Barcelona, Eurocoast.

Brown, J. (2000). Measuring the success of non-statutory coastal zone programmes as determined from stakeholder community expectations. Coastal Zone Canada Association 4th International Conference St John, New Brunswick, Canada.

Brown, J., N. Spurr, et al. (1998). The Severn Estuary Strategy: a non-statutory approach to the integrated management of a large UK estuary. Coastal Zone Canada '98. Coastal Communities in the 21st Century. Victoria, British Columbia, Canada.

Gawith, M., R. Street, et al. (2009). "Application of the UKCIP02 climate change scenarios: Reflections and lessons learnt." Global Environmental Change-Human and Policy Dimensions 19(1): 113-121.

Hoare, A. G. (2002). "Natural Harmony but Divided Loyalties: the Evolution of Estuary Management as Exemplified by the Severn Estuary." Applied Geography 22(1): 1-25.

Hulme, M., G. J. Jenkins, et al. (2002). Climate change scenarios for the United Kingdom, University of East Anglia.

Knowles, S. and L. Myatt-Bell (2001). "The Severn Estuary Strategy: a consensus approach to estuary management." Ocean and Coastal Management 44(12): 135-159.

Moutselou, E. (2004). Severn Estuary Partnership - implementing a strategy of integrated estuary management by building on existing networks and their collaboration Littoral 2004 - 7th International Conference Delivering Sustainable Coasts: Connecting Science and Policy. University of Aberdeen, Centre for Marine & Coastal Zone Management, Aberdeen Institute for Coastal Sciences & Management.

Stojanovic, T. and R. C. Ballinger (2009). "Integrated Coastal Management: A Comparative Analysis of Four UK Initiatives." Applied Geography 29: 49-62.

Stojanovic, T. and N. Barker (2008). "Improving Governance through local Coastal Partnerships in the UK." Geographical Journal 174(4): 344-360.

Street, R. B., A. Steynor, et al. (2009). "Delivering and using the UK climate projections 2009." Weather 64(9): 227-231.

Tompkins, E. L., R. Few, et al. (2008). "Scenario-based stakeholder engagement: Incorporating stakeholders preferences into coastal planning for climate change." Journal of Environmental Management 88(4): 1580-1592.

Tribbia, J. and S. C. Moser (2008). "More than information: what coastal managers need to plan for climate change." Environmental Science & Policy 11(4): 315-328.

Wilkinson, D. (2000). "Judicial review action to determine whether certain provisions of the national salmon bylaws 1999 were ultra vires given their parent legislation." Water Law 11(4): 143 -145.









2.5 Shoreline Management

Allen, J. R. L. (1989). "Evolution of salt-marsh cliffs in muddy and sandy systems: A qualitative comparison of British west-coast estuaries." Earth Surface Processes and Landforms 14(1): 85-92.

Allen, J. R. L. (1989). "Reclamation and sea defence in Rumney Parish (Monmouthshire) " Archaeologia Cambrensis 137: 135-141.

Allen, J. R. L. (1991). "Fine sediment and its sources, Severn Estuary and inner Bristol Channel, southwest Britain." Sedimentary Geology 75(1-2): 57-65.

Allen, J. R. L. (2002). "Retreat rates of soft-sediment cliffs; the contribution from dated fishweirs and traps on Holocene coastal outcrops." Proceedings of the Geologists' Association, 113(1): 1-8.

Allen, J. R. L. and J. E. Rae (1987). "Late Flandrian shoreline oscillations in the Severn Estuary: a geomorphological and stratigraphic reconnaissance." Philosophical Transactions of the Royal Society of London B 315: 185-230.

Basset, K. and B. Hoyle (1996). Port-city relations and coastal zone management in the Severn Estuary: the view from Bristol. Cityports, coastal zone and regional change. International perspectives on planning and management. B. Hoyle. New York, John Wiley and sons.

Belov, A. P., P. Davies, et al. (1999). "Mathematical modelling of basal coastal cliff erosion in uniform strata: A theoretical approach." Journal of Geology 107(1): 99-109.

Cole, S. D. (1912). The Sea Walls of the Severn. Bristol.

Cooper, B. and R. Dun (1995). Swansea Bay coastline response study Fifth Conference of the European Union for Coastal Conservation (EUCC). Coastlines '95. Swansea, Samara, Cardigan (UK).

Davies, P. and A. T. Williams (1991). "Sediment supply from solid geology cliffs into the inter tidal zone of the Severn Estuary / Inner Bristol Channel, UK." Estuaries: Spatial and Temporal Inter-comparisons: 17-24.

Davies, P., A. T. Williams, et al. (1991). "Numerical modelling of lower Lias rock failures in the coastal cliffs of South Wales, UK." Coastal Sediments '91: 1599-1612.

de la Vega-Leinert, A. C. and R. J. Nicholls (2008). "Potential implications of sea-level rise for Great Britain." Journal of Coastal Research 24: 342-357.

Environment Agency (1998.). Caldicot Level Sea Defence Improvements, Environmental Assessment Scoping Report. AW5762.310/SW-CW/RT-01.

Environment Agency (2002). Tidal Severn Flood Management Strategy. Solihull, Environment Agency, Midlands Region.

Environment Agency (2006). Somerset and the sea: The 1981 storm - 25 years on. Exeter, Environment Agency.

Environment Agency Wales (2004). Gwent Levels Foreshore Management Plan. Phase III Final Report. Cardiff, Environment Agency Wales.

French, J. R. (2008). "Hydrodynamic modelling of estuarine flood defence realignment as an adaptive management response to sea-level rise." Journal of Coastal Research 24(1-12).

Gifford & Partners, GeoData Institute, et al. (1998). Severn Estuary Shoreline Management Plan.

Goodhead, T. and Z. Aygen (2007). "Heritage management plans and integrated coastal management." Marine Policy 31(5): 607-610.









Halcrow (1998). North Devon and Somerset Coastal Group. Bridgewater Bay to Bideford Shoreline Management Plan, Vol. 2—Studies and Results. Devon, U.K, Sir William Halcrow and Partners.

Hawkins, A. B., R. W. Narbett, et al. (1994). Flandrian cliff lines in the Severn Estuary. Seventh international congress; International Association of Engineering Geology; Theme 3, Engineering geology and environmental protection.

Howarth, M. J., R. Proctor, et al. (2006). The Liverpool bay coastal observatory towards the goals. Oceans 2006, Vols 1-4. New York, Ieee: 381-386.

Kirby, R. (1996). Hartland Point to Brean Down: Summary of Existing Knowledge of Coastal Trends and Stability. Report to North Devon, Somerset and South Avon Coastal Group.

Lawler, D. M. and G. J. L. Leeks (1992). "River bank erosion events on the upper Severn detected by the photo-Electronic Erosion Pin (PEEP) system." Erosion and sediment transport monitoring programmes in river basins.: 95-105.

Licht-Eggert, K., K. Gee, et al. (2009). Addressing Stakeholder Perceptions and Values in Determining Future Options for the Coast. Integrated Coastal Zone Management- The Global Challenge. R. R. Krishnamurthy, B. C. Glavovic, A. Kannenet al. Singapore, Research Publishing Services.

McLeod, N. D. (1985). "Computer aided mapping project aids Severn Trent." Water Services 89(1072): 244-246.

Orford, J. D. and J. Pethick (2006). "Challenging assumptions of future coastal habitat development around the UK." Earth Surface Processes and Landforms 31(13): 1625-1642.

Parsons Brinckerhoff and Black and Veatch Ltd. (2008). Severn Tidal Power SEA Scoping Topic Paper: Flood Risk and Land Drainage. Bristol, A report to the Department of Energy and Climate Change (DECC).

Phillips, M. R. and C. House (2009). "An evaluation of priorities for beach tourism: Case studies from South Wales, UK." Tourism Management 30(2): 176-183.

Phillips, M. R. and A. T. Williams (2007). "Depth of closure and shoreline indicators: Empirical formulae for beach management." Journal of Coastal Research 23(2): 487-500.

Severn Estuary Coastal Group and Gifford Associates (2000). Severn Estuary Shoreline Management Plan. Non-Technical Summary, Severn Estuary Coastal Group.

Severn Tidal Power Group (1989). The Severn Barrage Project. Detailed Report Vol. 1 "Tidal Hydrodynamics, Sediments, Water Quality, Land Drainage and Sea Defences", ETSU.

UK Office of Science and Technology (2003). An Analysis of Future Risks of Flooding and Coastal Erosion for the UK between 2030-2100. London, Department of Trade and Industry.

Williams, A. T. and P. Davies (1980). "Man as a Geological Agent: The Sea Cliffs of Llantwit Major." Zeitschrift fur Geomorphologie 34: 129-141.

Williams, A. T. and P. Davies (1984). "Cliff Failure Along the Glamorgan Heritage Coast, Wales, UK." Centre Recherches en Geographie Physique de l'Environment Association Française de Geographie Physique Serie Documents du BRGM No 83: 109-119.

Williams, A. T. and P. Davies (1987). "Rates and mechanisms of coastal cliff erosion in Lower Lias rocks." Coastal Sediments '87 American Society of Civil Engineers: 1855-1870.

Williams, A. T. and P. Davies (1989). "A coastal hard rock sediment budget for the Inner Bristol Channel." Sediment Transport Modelling: 474-479.

Williams, A. T. and P. Davies (1990). "Coastal cliff protection measures in South Wales, U.K." Littoral: 699-703.









Williams, A. T., M. R. Phillips, et al. (2008). Coastal erosion management in Swansea Bay, Wales, UK: The application of function analysis and strategic environmental assessment. Integrated Coastal Zone Management- The Global Challenge. R. R. Krishnamurthy, B. C. Glavovic, A. Kannenet al. Singapore, Research Publishing Services.

Williams, M. J. and A. T. Williams (1988). "The Perception of and Adjustment to Rockfall hazards along the Glamorgan Heritage Coast, Wales, UK." Ocean & Shoreline Management 11: 319-339.









2.6 Strategic Policy and Planning

Ballinger, R. and T. Stojanovic (2010). "Policy development and the estuary environment: A Severn Estuary case study." Marine Pollution Bulletin In Press, Corrected Proof.

Ballinger, R. C. and J. Brown (1998). An Evaluation of Development Policy from an Estuary Management Perspective: a case study of the Severn Estuary Area, UK. Littoral '98. Fourth International Conference European Coastal Association for Science and Technology. Barcelona, Eurocoast.

Barne, J. H., C. F. Robson, et al. (1996). Coasts and Seas of the United Kingdom. Region 11, The Western Approaches: Falmouth Bay to Kenfig. . Peterborough, Joint Nature Conservation Committee.

Brown, J. (2000). The Bristol Channel Marine Aggregates Constraints Research Project: keeping the consultation process clear of murky waters! Coastal Management: integrating science, engineering and management. C. A. Flemming. Bristol, Thomas Telford: 168-175.

Countryside Council for Wales (1998). Towards a strategy for the Gwent Levels into the next millennium. Bangor, CCW.

Cowell, R. (2003). "Substitution and scalar politics: negotiating environmental compensation in Cardiff Bay." Geoforum 34(3): 343-358.

Dawson, R. J., J. W. Hall, et al. (2005). "Quantified analysis of the probability of flooding in the Thames estuary under imaginable worst-case sea level rise scenarios." International Journal of Water Resources Development; 21(4): 577-591.

English Nature (2002). Modelling the effect of land use change in the upper Severn catchment on flood levels downstream. Peterborough, English Nature.

English Nature and Countryside Council for Wales (2005). English Nature & the Countryside Council for Wales' advice for the Severn Estuary Special Protection Area given under Regulation 33(2) of the Conservation (Natural Habitats &c.) Regulations 1994.

Gibson, J. (1980). "Coastal zone management law: a case study of the Severn Estuary and the Bristol Channel." Journal of Planning and Environment Law(March): 153-165.

Gubbay, S. (1996). Flamborough Head SMA, Falmouth Bay and Estuaries, and the Severn Estuary Multiple Use Zoning Schemes, A report to English Nature, Contract no. VB33/01, March 1996.

Hoare, A. G. (2002). "Natural Harmony but Divided Loyalties: the Evolution of Estuary Management as Exemplified by the Severn Estuary." Applied Geography 22(1): 1-25.

IPPC (2007). Climate Change Assessment: Fourth Assessment Report. Synthesis Report, Working Group I Report "The Physical Science Basis", Working Group II Report "Impacts, Adaptation and Vulnerability, Working Group III Report "Mitigation of Climate Change". Gevena, IPPC.

Natural England and Countryside Council for Wales (2008). The Severn Estuary candidate Special Area of Conservation. English Nature & the Countryside Council for Wales' advice for the Severn Estuary Special Protection Area given under Regulation 33(2) of the Conservation (Natural Habitats &c.)Regulations 1994, as Amended June 2008. Peterborough, Natural England.

Parsons Brinckerhoff and ABP Mer (2008). Severn Tidal Power SEA Scoping Topic Paper: Other Sea Uses. Bristol, A report to the Department of Energy and Climate Change (DECC).

Phillips, M. R. and A. L. Jones (2006). "Erosion and tourism infrastructure in the coastal zone: Problems, consequences and management." Tourism Management 27(3): 517-524.

Severn Estuary Strategy (1997). Joint Issues Report. Cardiff, Severn Estuary Strategy.









South East Wales Strategic Planning Group (2000). Strategic Planning Guidance for South East Wales. Volume 1, SEWSPG.

South East Wales Strategic Planning Group (2001). Strategic Planning Guidance for South East Wales. Volume 2. SEWSPG.

Stojanovic, T. A., I. Ball, et al. (2009). "The role of research networks for science-policy collaboration in coastal areas." Marine Policy 33(6): 901-911.

Wade, R. (2006). "Climate change and the Severn Estuary. A presentation at the first annual Severn Estuary Forum." Retrieved 4th December 2006, from http://www.severnestuary.net/sep/severnwonders/Forum%20Files/wade.ppt#2.

Williams, A. T. (1986). "Coastal Geology and Heritage Coast Management in South and West Wales." Thallassas 4(1): 109-115.

Williams, A. T. (1987). "Coastal Conservation Policy Development in England and Wales with special reference to the Heritage Coast concept." J Coastal Research 31(1): 99-106.

Williams, A. T. (1990). "Management strategies for coastal conservation in South Wales, UK." Recreational Uses of Coastal Areas: 19-38.

Williams, A. T. (1992). "The Quiet Conservators: Heritage Coasts of England and Wales." Ocean and Coastal Management 17(2): 151-168.

Williams, A. T. and J. H. Howden (1985). "Innovative Management in a Period of Austerity: The Glamorgan Heritage Coast Experience, UK." Proceedings Coastal Zone '85: 26-35.

Williams, A. T. and J. H. Howden (1985). "A New Approach to Coastal Management: Britain's Heritage Coasts." Proceedings Coastal Zone '85: 1668-1679.

Williams, A. T. and J. W. Howden (1979). "The Search for a Coastal Ethos: A Study of one of Great Britain's Heritage Coastlines." Shore and Beach(July): 17-21.

Williams, A. T., M. R. Phillips, et al. (2008). Coastal erosion management in Swansea Bay, Wales, UK: The application of function analysis and strategic environmental assessment. Integrated Coastal Zone Management- The Global Challenge. R. R. Krishnamurthy, B. C. Glavovic, A. Kannenet al. Singapore, Research Publishing Services.

Williams, A. T. and M. J. Williams (1991). "The perceived effectiveness of coastal warning signs." Coastlines of the Caribbean: 70-84.

Williams, A. T. and B. L. Wu (1986). "The Heritage Coast Concept of Coastal Management in Great Britain." Collected Oceanic Works State Oceanic Administration, China: 130-141.









3. MITIGATION

3.1 Renewables – Current

AEA Energy & Environment (2007). Research Report 4 - Severn non-barrage options. A report to the Sustainable Development Commission. Didcot, AEA Energy & Environment.

Taylor, S. J. (1998). "Sustainable development in the use of energy for electricity generation." Proceedings of the Institution of Civil Engineers-Civil Engineering 126(3): 126-132.

3.2 Renewables - Tidal

Anderson, A. (1986). "Energy; power from the Severn waters." Nature 322(6076): 202.

Anon (2006). "Renewable Energy: Turning the tides." The Engineer: 20.

Anon (2006). "Severn barrage idea refloats " Professional Engineering 19(7).

Anon (2006). "Severn barrage scheme gets politicians' support " Professional Engineering 19(8): 12.

Anon (2006). "Welsh energy barrage aims to tap Severn " Planning(1666): 1.

Baker, C. (1986). Tidal power options in the Severn Estuary. British Association for the Advancement of Science Annual Meeting. Bristol, UK. Paper No. (D7)

Baker, C. (1991). "Tidal Power." Energy Policy; 19(8): 6.

Baker, R. (1982). "Tidal Power from the Severn Estuary " Polit Quart 53(1): 94-97.

Barber, R. W. and L. J. Scott (2000). Numerical modelling of tidal propagation in the Severn Estuary using a depth-adapted non-orthogonal grid Third International Conference on Environmental Problems in Costal Regions. Las Palmas de Canaria, Spain.

Barr, D. M. (1986). Transmission and control. Tidal Power London, American Institute of Civil Engineers, .

Baxter, P., G. E. Gardner, et al. (1986). Transmission system reinforcement for Severn tidal power barrage system. Tidal Power London, American Institute of Civil Engineers.

Birkett, N., B. M. Count, et al. (1984). "Optimal control problems in tidal power." International Water Power and Dam Construction 36(1): 37-42.

Black and Veatch Ltd. (2006). Tidal Power in the UK. Review of Severn Barrage Proposals. A report for the Sustainable Development Commission.

Carr, J. G. (1986). The economics and possible financing of the two Severn barrages. Tidal Power London, American Institute of Civil Engineers.

Clare, R. (1986). An introduction to the work of the Severn Tidal Power Group 1983-1985. Tidal Power London, American Institute of Civil Engineers, .

Clare, R. (1986). The way forward. Tidal Power London, American Institute of Civil Engineers, .

Conway, A. (1986). "Tidal Power: A Matter of Faith, Hope, and Policy " Energy Policy 14(6): 4.

Corlett, J. T. (1984). "Tidal power from the Severn Estuary." Energy Review 11(3): 89.(Water Sci. and Technol., 16 (1/2), 1984, pp. 253-268.)









Department of Energy (1977). The exploitation of tidal power in the Severn Estuary: 4th report from the Select Committee on Science and Technology, session 1976-77 London, UK, Select Committee on Science and Technology: 16.

Department of Energy (1977). Proceedings of the Severn Barrage Seminar, September 7, 1977: . London.

Department of Energy (1977). Tidal power barrages in the Severn Estuary: recent evidence on their feasibility London, HMSO.

Department of Energy (1981). The Severn Estuary: Observations of tidal currents, salinities and suspended solids concentrations., Department of Energy, London.

Department of Energy (1981). The Severn Estuary wave climate study: April 1978 - March 1979, Department of Energy, London.

Department of Energy (1981). The Severn Estuary Wave Climate Study: Set of Progress Reports, Department of Energy, London.

Department of Energy (1981). The Severn Estuary Wave Climate study: Wind wave correlation: waves April 1978 - March 1981 winds April 1960 - March 1981, Department of Energy, London.

Department of Energy (1981). The Severn Estuary: Measurements of the vertical and lateral distribution of mud suspensions, Department of Energy, London.

Department of Energy (1981). The Severn Estuary: Sand Flux Measurements, Department of Energy, London.

Department of Energy (1981). Severn Tidal Power: One dimensional model studies of the Severn Estuary: Supplementary Report., Department of Energy, London.

Department of Energy (1981). Severn tidal power: recording of tide levels in 1979, Department of Energy, London; .

Department of Energy (1981). Tidal energy survey of the Severn Estuary and Bristol Channel (single basin - single effect). , Department of Energy, London.

Department of Energy (1981). Tidal energy survey of the Severn Estuary and Bristol Channel: Supplementary Report no. 1 Department of Energy, London.

Department of Energy (1981). Tidal energy survey of the Severn Estuary and Bristol Channel: Supplementary Report no. 2. , Department of Energy, London.

Department of Energy (1981). Tidal energy survey of the Severn Estuary and Bristol Channel: Supplementary Report no. 3. , Department of Energy.

Department of Energy (1981). Tidal Power from the Severn Estuary, Department of Energy, London. 1.

Department of Energy (1989). Severn Barrage Project Detailed Report. Volume 1: Tidal Hydrodynamics, Sediments, Water Quality, Land drainage, and Sea Defences. London, Department of Energy/STPG/CEGB. IV.

Department of Energy (1989). Severn Barrage Project Detailed Report. Volume 5: Regional Studies and Legal Background. London, Department of Energy/STPG/CEGB. 2.

Department of Energy (1989). The Severn Barrage Project: General Report, Department of Energy, London.

Duffett, G. L. and G. B. Ward (1986). Power generation studies of a barrage on the Severn. Tidal Power London, American Institute of Civil Engineers, .









Evans, G. P., B. M. Mollowney, et al. (1990). Two-Dimensional Modelling of the Bristol Channel, UK. Estuarine and Coastal Modelling American Society of Civil Engineers. New York, American Society of Civil Engineers: 331-340.

Falconer, R. A., J. Q. Xia, et al. (2009). "The Severn Barrage and other tidal energy options: Hydrodynamic and power output modelling." Science in China Series E-Technological Sciences 52(11): 3413-3424.

Ferns, P. N., M. P. Hastings, et al. (1984). "Minimizing the possible effects of a tidal power barrage on the shorebird populations of the Severn Estuary." Journal of Environmental Management 18(2): 131-143.

Fletcher, B. N. (1980). The geology of the area of the proposed Severn Barrage.

Hammons, T. J. and leee (2008). Tidal Power in the United Kingdom. New York, leee.

Hoare, A. G. and P. Haggett (1979). Tidal power and estuary management, a geographical perspective Tidal power and estuary management. R. T. Severn, D. L. Dineley and L. E. Hawker. Bristol (UK), Scientechnica 14-25.

Hoare, A. G. and P. Haggett (1979). Tidal power and estuary management, a geographical perspective Thirteenth Symposium of the Colston Research Society, University of Bristol, Bristol (UK), Apr 1978. University of Bristol, Bristol (UK).

Holbrook, A. (2000). Tidal barrages in the Severn estuary: a bibliography 1904-1990. Bath Spa, Bath Spa University Press.

Keiller, D. C. (1986). Some interactions between tides and tidal power schemes in the Severn Estuary. Tidal Power London, American Institute of Civil Engineers, .

Kerr, D., W. T. Murray, et al. (1986). Civil engineering aspects of the Cardiff-Weston Barrage. Tidal Power London, American Institute of Civil Engineers, .

Kinno, H. (1982). A microcomputer program for design of the self retiming mechanics of large tidal power sites. Fourth International Conference on Finite Elements in Water Resources Hannover (FRG).

Kirby, R. (1986). Changes to the fine sediment regime in the Severn Estuary arising from two current barrage schemes. Tidal Power London, American Institute of Civil Engineers, .

Kirby, R. (1987). "Changes to the fine sediment regime in the Severn Estuary arising from two current barrage schemes." Tidal power. Proc. ICE symposium, London, 1986: 221-234.

Kirby, R. (1988). "Sedimentological implications of building the Cardiff-Weston barrage in the Severn Estuary." Proceedings - Ussher Society 7(1): 13-17.

Kirby, R. (1990). "Sediment problems arising from barrage construction in high energy regimes: an example from the Severn Estuary." Developments in tidal energy. Proc. 3rd conference on tidal power organized by ICE, London, 1989: 233-244.

Kirby, R. (1997). "Environmental consequences of tidal power in a hypertidal muddy regime: the Severn Estuary

Consequences environnementales de l'energie maremotrice en regime de grandes marees boueuses: l'Estuaire de la Severn " Houille blanche. Grenoble [Thirtieth anniversary of the Rance tidal power plant.] Trentieme Anniversaire de Le Rance L'energie Maremotrice (3): 50-56.

Kirby, R. and W. R. Parker (1975). Sediment dynamics in the Severn Estuary: A background for studies of the effects of a barrage. An environmental appraisal of the Severn Barrage. A collection of 12 essays by different authors. T. L. Shaw: Chapter 2.

Kirby, R. and W. R. Parker (1980). "Sediment dynamics in the Severn Estuary." An environmental appraisal of tidal power stations: with particular reference to the Severn barrage: 47-62.









Kirby, R. and W. R. Parker (1980). Settled Mud Deposits in Bridgwater Bay, Bristol Channel. Wormley, UK, Institute of Oceanographical Sciences, Taunton, Somerset, UK

Kirby, R. and T. L. Shaw (2005). "Severn barrage, UK - Environmental reappraisal." Proceedings of the Institute of Civil Engineers: Engineering Sustainability 158(1): 31-39.

Lloyd, J. W. (1994). "Estuarine barrages and their influence on groundwater." Journal of Hydrology 162(3-4): 247-265.

Mettam, C. (1980). The intertidal ecosystem, Pitman.

Miles, G. V. (1979). Estuarine modelling-Bristol Channel Tidal power and estuary management. R. T. Severn, D. L. Dineley and L. E. Hawker. Bristol (UK), Scientechnica 76-84.

Miles, G. V. (1979). Estuarine modelling-Bristol Channel Thirteenth Symposium of the Colston Research Society, University of Bristol, Bristol (UK), Apr 1978. University of Bristol, Bristol (UK).

Miles, G. V. and D. G. Webb (1980). Influence of Severn Barrage on the tidal regime, Pitman.

Mitchell, R. and P. K. Probert (1983). Environmental and nature conservation aspects of tidal power proposals for the Severn-estuary (U.K.) Integration of Ecological Aspects in Coastal Engineering Projects Symposium Rotterdam, The Netherlands.

Mudge, G. P. (1979). The feeding distribution of wintering wading birds (Charadriformes) in the Severn Estuary in relation to barrage proposals. A report to the Nature Conservancy Council. Cardiff, University College Cardiff.

Muirhead, S. J. (1991). Environmental Effects of Tidal Energy. A report for the Department of Energy., Energy Technology Support Unit,.

Norton, T., N. Kirkup, et al. (2006). Severn Energy Symposium. Severn Energy Symposium, Gloucestershire.

Odd, N. V. M. (1982). The feasibility of using mathematical models to predict sediment transport in the Severn Estuary. The Severn Barrage Proceedings of a symposium organized by the Institution of Civil Engineers... Anonymous, Institution of Civil Engineers... 195-202.

Parker, W. R. and R. Kirby (1982). "Sources and transport patterns of sediment in the inner Bristol Channel and Severn Estuary." Severn Barrage. Proc. symposium, London, 1981, (Telford, for the Institution of Civil Engineers, London): 181-194, 188 figs, 182 tables, 139 refs, discussions pp 209.

Parsons Brinckerhoff (2008). Severn Tidal Power SEA Scoping Report. Bristol, A report to the Department of Energy and Climate Change (DECC).

Parsons Brinckerhoff and Black and Veatch Ltd. (2008). Severn Tidal Power SEA Scoping Topic Paper: Carbon Footprinting. Bristol, A report to the Department of Energy and Climate Change (DECC).

Paterson, J. S., M. B. Araujo, et al. (2008). "Mitigation, Adaptation, and the Threat to Biodiversity." Conservation Biology 22(5): 1352-1355.

Radford, P. (1994). "Pre- and post-barrage scenarios of the relative productivity of benthic and pelagic subsystems of the Bristol Channel and Severn Estuary "Biological Journal of the Linnean Society 51(1-2): 5-16.

Radford, P. J. (1991). Evolution and change in the Bristol channel and Severn estuary: Pre- and post barrage scenarios of the relative productivity of benthic and pelagic subsystems COST 647 Coastal Benthic Ecology: Activity report 1988-1991. B. F. Keegan. Yeserke, The Netherlands, Institute for Marine Environmental Research: 163-172.









Rainey, R. C. T. (2010). "The optimum position for a tidal power barrage in the Severn estuary (vol 636, pg 497, 2009)." Journal of Fluid Mechanics 644: 537-538.

Roberts, F. (1982). "Energy Accounting of River Severn Tidal Power Schemes " Applied Energy 11(3): 197-213.

Robertson, C. I. and R. H. J. Sellin (1985). "A model study of tidal barrage sluices for minimum energy loss. (Etude sur modele reduit des pertuis de vannage d'un amenagement maremoteur visant a minimiser la perte d'energie) " Journal of Hydraulic Research/Journal de Recherches Hydraulique 23(5): 453-466.

Robinson, I. S. (1981). "Tidal Power From Wedge-Shaped Estuaries - An Analytical Model With Friction, Applied to the Bristol Channel." Geophysical Journal of the Royal Astronomical Society 65(3): 611-626.

RSPB Cymru (2006). "Severn Barrage environmental concerns shared by UK Government". Retrieved 6th December, 2006, from http://www.rspb.org.uk/wales/policy/severnconcerns.asp.

Ryrie, S. C. (1984). Optimally controlled hydrodynamics for tidal power from the Severn Estuary. Seventh POLYMODEL Conference. P. P. G. Dyke, A. O. Moscardini and E. H. Robson. Sunderland, Tyne and Wear (UK).

Sathiamoorthy, M. and S. D. Probert (1994). "The integrated Severn barrage complex: Harnessing tidal, wave and wind power." Applied Energy 49(1): 17-46.

Severn Tidal Power Group (1986). Tidal Power from the Severn. Engineering and economic studies- The Cardiff Weston Scheme and English Stones Scheme., Severn Tidal Power Group.

Shaw, T. L., Ed. (1975). An environmental appraisal of the Severn Barrage: Tides, currents and waves. A Collection of 12 essays by different authors. .

Shaw, T. L., Ed. (1980). Environmental Appraisal of Tidal Power Stations, Pitman.

Shaw, T. L. (1986). Environmental aspects of tidal power barrages in the Severn Estuary. Tidal Power London, American Institute of Civil Engineers, .

Shaw, T. L. and M. J. Watson (2003). Flexible power generation from the tides. Proceedings of the Institution of Civil Engineers.

Suckling, H. (1989). Modelling Of Hydrodynamic Effects And Optimization Of Energy Benefit In Tidal Power Schemes. Council for National Academic Awards (United Kingdom), Council for National Academic Awards (United Kingdom). PhD: 137.

Sustainable Development Commission (2007). Turning the Tide- Tidal Power in the UK. London, SDC.

Taylor, S. J. (1998). "Sustainable development in the use of energy for electricity generation." Proceedings of the Institution of Civil Engineers-Civil Engineering 126(3): 126-132.

Taylor, S. J. (2002). The Severn Barrage - Definition Study for a New Appraisal of the Project, A report prepared by Sir Robert McAlpine Ltd. on behalf of Severn Tidal Power Group.

Tinkler, J. A. (1975). An environmental appraisal of the Severn Barrage: Drainage and land quality. An environmental appraisal of the Severn Barrage. A collection of 12 essays by different authors. . T. L. Shaw: Chapter 3.

Underwood, G. J. C. (2010). "Microphytobenthos and phytoplankton in the Severn estuary, UK: Present situation and possible consequences of a tidal energy barrage." Marine Pollution Bulletin 61(1-3): 83-91.

Various (1980). Tidal Power from the Severn Estuary, Severn Barrage Committee;.

Various (1986). Tidal Power: Symposium Proceedings. Tidal Power, London, UK, American Institute of Civil Engineers.









Williams, W. P. (1986). Electrical stability of the Severn Barrage generation. Tidal Power London, American Institute of Civil Engineers, .

Xia, J., R. A. Falconer, et al. (2009). "Impact of different operating modes for a Severn Barrage on the tidal power and flood inundation in the Severn Estuary, UK." Applied Energy In Press, Corrected Proof.

Xia, J., R. A. Falconer, et al. (2010). "Hydrodynamic impact of a tidal barrage in the Severn Estuary, UK." Renewable Energy In Press, Corrected Proof.

3.3 Renewables - Wave

Taylor, S. J. (1998). "Sustainable development in the use of energy for electricity generation." Proceedings of the Institution of Civil Engineers-Civil Engineering 126(3): 126-132.

3.4 Renewables - Wind

Taylor, S. J. (1998). "Sustainable development in the use of energy for electricity generation." Proceedings of the Institution of Civil Engineers-Civil Engineering 126(3): 126-132.









4. INTEGRATED ASSESSMENT

Benjamin Poulter, R. L. Feldman, et al. (2009). "Sea-level rise research and dialogue in North Carolina: Creating windows for policy change." Ocean & Coastal Management 52(3-4): 147-153.

Dawson, R. J., J. W. Hall, et al. (2005). "Quantified analysis of the probability of flooding in the Thames estuary under imaginable worst-case sea level rise scenarios." International Journal of Water Resources Development; 21(4): 577-591.

Dun, R. W. A., R. G. Samphier, et al. (2000). A strategy for the integrated management of the Gwent levels foreshore and sea defences. London, Chartered Institution Water & Environmental Management.

Henderson, P. A. (2005). Predicting the effects of climate change on the community structure of the Bristol Channel. ECSA Conference. Plymouth.

Holman, I. P., M. D. A. Rounsevell, et al. (2005). "A regional, multi-sectoral and integrated assessment of the impacts of climate and socio-economic change in the UK: Part I. Methodology." Climatic Change 71(1-2): 9-41.

Langston, W. J., P. J. C. Jonas, et al. (2010). "The Severn Estuary and Bristol Channel: A 25 year critical review." Marine Pollution Bulletin In Press, Corrected Proof.

Reynard, N. S., C. Prudhomme, et al. (1998). The potential impacts of climate change on the flood characteristics of a large catchment in the UK. Second International Conference on Climate and Water. Helsinki, Finland.

Reynard, N. S., C. Prudhomme, et al. (2001). "The flood characteristics of large UK Rivers: Potential effects of changing climate and land use." Climatic Change 48(2-3): 343-359.

Tsimplis, M. N., D. K. Woolf, et al. (2005). "Towards a vulnerability assessment of the UK and northern European coasts: The role of regional climate variability." Philosophical Transactions: Mathematical, Physical and Engineering Sciences (Series A) 363(1831): 1329-1358.







